## **Supplementary Material**

## Near-Infrared-Emitting CIZSe/CIZS/ZnS Colloidal Heteronanonail Structures

Xue Bai, a Finn P. Milton a and Yurii K. Gun'ko \*a,b

<sup>a</sup> School of Chemistry and CRANN institute, University of Dublin, Trinity College, Dublin, D02, Ireland. Email: igounko@tcd.ie

<sup>b</sup> BEACON, Bioeconomy SFI Research Centre, University College Dublin, Dublin 4, Ireland

<sup>c</sup> ITMO University, St. Petersburg 197101, Russia.

Corresponding Author: \*E-mail: igounko@tcd.ie




Fig S1. (a) The UV-Vis spectrum, (b) PL spectrum of colloidal CIZSe QDs.




Fig S2. (a) UV-Vis and (b) PL spectra of CIZSe/CIZS QDs.




Fig S3. (a) UV-Vis and (b) PL spectra of CIZSe/CIZS/ZnS HNNs.




Fig S4. STEM images of CIZSe/CIZS/ZnS HNNs (Cu:In:Zn = 1:2:3).






Fig S5. TEM images of CIZSe/CIZS/ZnS HNNs (Cu:In:Zn = 1:2:3).



**Fig S6.** (a-c) TEM images of CIZSe/CIZS QDs (Cu:In:Zn = 1:3:2). (d) Diameter histogram of the sample.



**Fig S7.** (a-c) TEM images of CIZSe/CIZS QDs (Cu:In:Zn = 1:1:3). (d) Diameter histogram of the sample.




Fig S8. The change of diameter, length and aspect ratio of the HNN structure during reaction.





Fig S9. Diameter histogram of the Au particles that deposited on the HNN surface.



**Figure S10.** Pictures of (a) CIZSe QDs, (b) CIZSe/CIZS QDs and (c) CIZSe/CIZS/ZnS HNNs after being stored in the fridge for three months.