

Supporting Information: Structural Evolution of Two-Dimensional Silicates Using a “Bond-Switching” Algorithm

Alejandro M. Boscoboinik¹, Sergio J. Manzi^{2,*}, Víctor D. Pereyra³, Walter L. Mas⁴, Jorge Anibal Boscoboinik^{5,*}

¹ Department of Chemistry and Biochemistry and Laboratory for Surface Studies, University of Wisconsin–Milwaukee, Milwaukee, Wisconsin 53211, United States.

² Departamento de Física, Instituto de Física Aplicada (INFAP) - CONICET, Universidad Nacional de San Luis, Chacabuco 917, San Luis 5700, Argentina.

³ Departamento de Física, Instituto de Matemática Aplicada (IMASL) - CONICET, Universidad Nacional de San Luis, Chacabuco 917, San Luis 5700, Argentina

⁴ Departamento de Matemática, Universidad Nacional de San Luis, Chacabuco 917, San Luis 5700, Argentina.

⁵ Center for Functional Nanomaterials, Brookhaven National Laboratory, Upton, New York 11973-5000, United States.

Corresponding authors: smanzi@unsl.edu.ar, jboscoboinik@bnl.gov

SI




Figure S1: Evolution of the population of structures shown in Figure 6 as a function of relative temperature T_r . The population is normalized to the total number of rings in the system for a lattice of size $L = 120$.