

Electronic Supplementary Information

Facile access to amino-substituted cyclopentafullerenes: novel reaction of [60]fullerene with β -substituted propionaldehydes and secondary amines in the absence/presence of magnesium perchlorate

Yun-Fei Li,^{‡a} Kun Wang,^{‡a} Hui-Juan Wang,^{‡b} Fa-Bao Li,^{*a} Rui Sun,^a Jia-Xing Li,^{*c}
Li Liu,^a Chao-Yang Liu,^{*b} and Abdullah M. Asiri^d

^a *Ministry of Education Key Laboratory for the Synthesis and Application of Organic Functional Molecules, Hubei Key Laboratory of Polymer Materials, and School of Chemistry and Chemical Engineering, Hubei University, Wuhan 430062, People's Republic of China*

E-mail: lfb0615@hubu.edu.cn

^b *State Key Laboratory of Magnetic Resonance and Atomic and Molecular Physics, Wuhan Center for Magnetic Resonance, Wuhan Institute of Physics and Mathematics, Chinese Academy of Sciences, Wuhan 430071, People's Republic of China*

E-mail: chyliu@wipm.ac.cn

^c *Key Laboratory of Novel Thin Film Solar Cells, Institute of Plasma Physics, Chinese Academy of Sciences, P.O. Box 1126, Hefei 230031, People's Republic of China*

E-mail: lijx@ipp.ac.cn

^d *Department of Chemistry, Faculty of Science, King Abdulaziz University, Jeddah 21589, Saudi Arabia*

‡These authors contributed equally to this work.

NOESY spectrum of <i>cis-3ae</i>	S4
Typical MALDI-TOF MS of cyclopentafullerenes	S5-S6
Typical UV-vis spectra of cyclopentafullerenes	S7
¹ H NMR spectrum of compound <i>cis-3aa</i>	S8
¹³ C NMR spectrum of compound <i>cis-3aa</i>	S9-S10
¹ H NMR spectrum of compound <i>cis-3ab</i>	S11
¹³ C NMR spectrum of compound <i>cis-3ab</i>	S12-S13
¹ H NMR spectrum of compound <i>cis-3ac</i>	S14
¹³ C NMR spectrum of compound <i>cis-3ac</i>	S15-S16
¹ H NMR spectrum of compound <i>cis-3ad</i>	S17
¹³ C NMR spectrum of compound <i>cis-3ad</i>	S18-S19
¹ H NMR spectrum of compound <i>cis-3ae</i>	S20
¹³ C NMR spectrum of compound <i>cis-3ae</i>	S21-S22
¹ H NMR spectrum of compound <i>cis-3af</i>	S23
¹³ C NMR spectrum of compound <i>cis-3af</i>	S24-S25
¹ H NMR spectrum of compound <i>cis-3ag</i>	S26
¹³ C NMR spectrum of compound <i>cis-3ag</i>	S27-S28
¹ H NMR spectrum of compound <i>cis-3ah</i>	S29
¹³ C NMR spectrum of compound <i>cis-3ah</i>	S30-S31
¹ H NMR spectrum of compound <i>cis-3ai</i>	S32
¹³ C NMR spectrum of compound <i>cis-3ai</i>	S33-S34
¹ H NMR spectrum of compound 3ba	S35
¹³ C NMR spectrum of compound 3ba	S36-S37
¹ H NMR spectrum of compound 3bb	S38
¹³ C NMR spectrum of compound 3bb	S39-S40
¹ H NMR spectrum of compound 3bc	S41
¹³ C NMR spectrum of compound 3bc	S42-S43
¹ H NMR spectrum of compound 3bd	S44
¹³ C NMR spectrum of compound 3bd	S45-S46
¹ H NMR spectrum of compound 3be	S47
¹³ C NMR spectrum of compound 3be	S48-S49
¹ H NMR spectrum of compound 3bf	S50
¹³ C NMR spectrum of compound 3bf	S51-S52
¹ H NMR spectrum of compound 3bg	S53
¹³ C NMR spectrum of compound 3bg	S54-S55
¹ H NMR spectrum of compound 3bh	S56
¹³ C NMR spectrum of compound 3bh	S57-S59
¹ H NMR spectrum of compound 3bi	S60
¹³ C NMR spectrum of compound 3bi	S61-S62
¹ H NMR spectrum of compound <i>cis-3ca</i> (major)	S63
¹ H NMR spectrum of compound <i>cis-3cb</i> (major)	S64
¹³ C NMR spectrum of compound <i>cis-3cb</i> (major)	S65-S66
¹ H NMR spectrum of compound <i>cis-3cc</i> (major)	S67
¹³ C NMR spectrum of compound <i>cis-3cc</i> (major)	S68-S69

¹ H NMR spectrum of compound <i>cis-3cd</i> (major)	S70
¹³ C NMR spectrum of compound <i>cis-3cd</i> (major)	S71-S72
¹ H NMR spectrum of compound <i>cis-3da</i> (major)	S73
¹³ C NMR spectrum of compound <i>cis-3da</i> (major)	S74-S75
¹ H NMR spectrum of compound <i>cis-3ea</i> (major)	S76
¹³ C NMR spectrum of compound <i>cis-3ea</i> (major)	S77-S78
¹ H NMR spectrum of compound <i>cis-4aa</i> (major)	S79
¹³ C NMR spectrum of compound <i>cis-4aa</i> (major)	S80-S81
¹ H NMR spectrum of compound <i>cis-4ba</i> (major)	S82
¹³ C NMR spectrum of compound <i>cis-4ba</i> (major)	S83-S84
¹ H NMR spectrum of compound <i>cis-4ca</i> (<i>cis-3ea</i> , major)	S85
¹ H NMR spectrum of compound <i>cis-4ad</i> (major)	S86
¹³ C NMR spectrum of compound <i>cis-4ad</i> (major)	S87-S88




Figure S1. NOESY (500 MHz, CS₂/DMSO-*d*₆) spectrum of *cis-3ae*, and the nuclear Overhauser effect between the two methine protons is indicated by the curved arrow.

