

Supporting Information

Graphitic Carbon Nitride Nanotubes: A New Material for Emerging Applications

Oleksandr Stroyuk^{1,2*}, Oleksandra Raievska^{2,3,4}, Dietrich R.T. Zahn^{3,4}

¹Forschungszentrum Jülich GmbH, Helmholtz-Institut Erlangen Nürnberg für Erneuerbare Energien (HI ERN), Immerwahrstr. 2, 91058 Erlangen, Germany

²L.V. Pysarzhevsky Institute of Physical Chemistry, Nat. Acad. of Science of Ukraine, 03028 Kyiv, Ukraine

³Semiconductor Physics, Chemnitz University of Technology, D-09107 Chemnitz, Germany

⁴Center for Materials, Architectures, and Integration of Nanomembranes (MAIN), Chemnitz University of Technology, D-09107 Chemnitz, Germany

Authors for correspondence:

*Dr. Oleksandr Stroyuk, Forschungszentrum Jülich GmbH, Helmholtz-Institut Erlangen Nürnberg für Erneuerbare Energien (HI ERN), Immerwahrstr. 2, 91058 Erlangen, Germany; *e-mail*: o.stroyuk@fz-juelich.de, alstroyuk@ukr.net.




Figure S1. Arrays of ZnO nanowires (a), ZnO nanorods (b), Si nanorods (c), and micropores in Si (d,e). Reprinted with permissions from Ref. 194 (a), Ref. 199 (b), Ref. 206 (c), and Ref. 200 (d,e). Copyright (2007) American Chemical Society (a), (2013) The Royal Society of Chemistry (b), (1996, 2007) American Institute of Physics (c-e).




Figure S2. (a, b) Arrays of straight (a) and curled (b) polymeric microrods produced by stereolithography. (c) 3D printed polyvinylidene fluoride microtube (inset shows the wall tube structure); (d) 3D printed arrays of Ag/AgCl microelectrodes. Reprinted and adapted from Ref. 212 (a,b), Ref. 217 (c), and Ref. 219 (d). Copyright (2005, 2012) Elsevier (a,b,d) and (2015) American Chemical Society (c).