

## Electronic supplementary information (ESI)

# Hydrogen storage characteristics of Li and Na decorated 2D Boron Phosphide

Nabil Khossossi,<sup>\*1, 2</sup> Younes Benhouria,<sup>2</sup> Syeda R. Naqvi,<sup>\*, 1</sup> Pritam K. Panda,<sup>1</sup> Ismail Essaoudi,<sup>1, 2</sup>  
Abdelmajid Ainane,<sup>1, 2, 4</sup> Rajeev Ahuja<sup>\*, 1, 3</sup>


<sup>1</sup> Condensed Matter Theory Group, Department of Physics and Astronomy, Uppsala University, 75120 Uppsala, Sweden

<sup>2</sup> Laboratoire de Physique des Matériaux et Modélisations des Systèmes, (LP2MS), Moulay Ismail University, Faculty of Sciences, Department of Physics, B.P. 11201, Meknes, Morocco


<sup>3</sup> Applied Materials Physics, Department of Materials and Engineering, Royal Institute of Technology (KTH), S-100 44 Stockholm, Sweden  
and

<sup>4</sup> Max-Planck-Institut für Physik Komplexer Systeme, NöthnitzerStr. 38, D-01187 Dresden, Germany

\*) Corresponding author: nabil.khossossi@physics.uu.se; rabab.naqvi@physics.uu.se;  
Rajeev.ahuja@physics.uu.se



**Figure S1.** Dynamical stability of 2D BP monolayer, the phonon dispersion pattern along the k-vectors with high symmetry.



**Figure S2.** Thermal stability of 2D BP, 4Li@BP and 4Na@BP monolayers, the variation of the total-energy between 0 and 6 ps during the ab-initio molecular dynamics (AIMD) simulations at room temperature.