

Supporting Information

Gold nanoparticles based on *Helix aspersa* mucus exhibiting potential wound healing and anti-inflammatory activity

Jennifer Gubitosa^a, Vito Rizzi^a, Paola Fini^b, Anna Laurenzana^c, Gabriella Fibbi^c, Clara Veiga-Villauriz^{c,d}, Fiorenza Fanelli^e, Francesco Fracassi^{a,e}, Alberto Onzo^f, Giuliana Bianco^f, Carmine Gaeta^g, Antonio Guerrieri^f, Pinalysa Cosma^{a,b}*

^aUniversità degli Studi “Aldo Moro” di Bari, Dip. Chimica, Via Orabona, 4 - 70126 Bari, Italy;

^bConsiglio Nazionale delle Ricerche CNR-IPCF, UOS Bari, Via Orabona, 4 - 70126 Bari, Italy;

^cDipartimento di Scienze Biomediche Sperimentali e Cliniche "Mario Serio" Viale Morgagni 50 - 50134, Florence, Italy;

^dStopford Building, Faculty of Medical and Human Sciences, The University of Manchester, Oxford Road, Manchester M13 9PT;

^eConsiglio Nazionale delle Ricerche, Istituto di Nanotecnologia (CNR-NANOTEC) c/o Dipartimento di Chimica, Università degli Studi “Aldo Moro”, Via Orabona, 4 - 70126 Bari, Italy.

^fDipartimento di Scienze, Università degli Studi della Basilicata, Via dell'Ateneo Lucano, 10 – 85100, Potenza, Italy

^gDipartimento di Chimica e Biologia, Università degli Studi di Salerno, Via Giovanni Paolo II, 132 - 84084, Fisciano, Italy

Table of contents

- 1) Figure S1: comparison of Snail Slime UV-Vis absorption spectra at different dilutions and AuNPs-SS.
- 2) Figure S2: Temporal stability of AuNPs-SS.
- 3) Figure S3: XPS survey spectrum of AuNPs-SS




Figure S1: A comparison between the UV-Vis spectra of SS solutions performed at different dilutions and AuNPs-SS.




Figure S2: UV-Vis spectra of AuNPs-SS performed soon after the preparation and after 2 months from the preparation.




Figure S3: XPS survey spectrum of AuNPs-SS.