

Fabrication of hydrophobic NiFe₂O₄@poly(DVB-LMA) sponge via Pickering emulsion template method for oil/water separation

Caimei Zhao^{a,b,c,†}, Lei Chen^{d,†}, Chuanming Yu^{a,*}, Binghua Hu^a, Haoxuan Huang^a, Yongjie Chen^a, Xin Wang^a, Yongshi Ye^a, Xiaohui Zhuang^a, Yong Li^{a,*}

^a Faculty of Chemistry and Environmental Science, Guangdong Ocean University, Zhanjiang, PR China, 524088

^b Key Laboratory for Biobased Materials and Energy of Ministry of Education, College of Materials and Energy, South China Agricultural University, Guangzhou, PR China, 510642

^c Guangdong Laboratory for Lingnan Modern Agricultural Science and Technology, Guangzhou, PR China, 510642

^d School of Civil Engineering, Guangdong Ocean University Cunjin College, Zhanjiang, PR China, 524094

† These authors contributed equally to this work.

* Correspondence: yucmingdou@163.com (C.Y.); yongli6808@126.com (Y.L.);




Figure S1. Digital photos of samples 1~9.




Figure S2. FTIR spectra for samples 1~9.




Figure S3. XRD for samples 1~9 and NiFe_2O_4 .




Figure S4. SEM images of all samples. (A~I, Samples 1~9.)

