

## Electronic Supplementary Information

### Microwave-assisted solvothermal synthesis of $\text{LiV}_y\text{M}_{1-y}\text{OPO}_4$ (M = Mn, Cr, Ti, Zr, Nb, Mo, W) for cathode materials in lithium-ion batteries

Carol Kaplan,<sup>\*a</sup> Marc Francis V. Hidalgo,<sup>a</sup> Mateusz J. Zuba,<sup>b</sup> Natasha A. Chernova,<sup>a</sup> Louis F. J. Piper,<sup>bc</sup> M. Stanley Whittingham<sup>a</sup>

a. NECCES, Binghamton University, Binghamton, NY 13902, USA. Email: [stanwhit@gmail.com](mailto:stanwhit@gmail.com)

b. Materials Science and Engineering, Binghamton, NY 13902, USA

c. Physics Department, Binghamton, NY 13902, USA




Fig. S 1. Long term cycling of sample [3] showing every 5th cycle up to 50 cycles run at a rate of C/10 (C = 1 Li or 0.53 mA/cm<sup>2</sup>) to show the emergence of the feature at 3.5 V.




Fig. S 2. TGA-MS of Mn-substituted LVP in (a) N<sub>2</sub> and (b) O<sub>2</sub> atmospheres.




Fig. S 3. TGA-MS of Cr-substituted LVP in (a)  $N_2$  and (b)  $O_2$  atmospheres.




Fig. S 4. TGA-MS of Ti-substituted LVP in (a)  $N_2$  and (b)  $O_2$  atmospheres.




Fig. S 5. TGA-MS of Zr-substituted LVP in (a) N<sub>2</sub> and (b) O<sub>2</sub> atmospheres.




Fig. S 6. TGA-MS of Nb-substituted LVP in (a) N<sub>2</sub> and (b) O<sub>2</sub> atmospheres.




Fig. S 7. TGA-MS of Mo-substituted LVP in (a)  $N_2$  and (b)  $O_2$  atmospheres.




Fig. S 8. TGA-MS of W-substituted LVP in (a)  $N_2$  and (b)  $O_2$  atmospheres.