Supplementary Information

Non-enzymatic Electrochemical Detection of Glucose Using Ni-Cu Bimetallic Alloy Nanoparticles Loaded on Reduced Graphene Oxide through One-step Synthesis Strategy

Xiaoyun Xu^a, Rong Tan^b, Xiaoyi Lv^a, Chao Geng^a, Yanping Li^a, Bo Cui^a, Yishan Fang^{a,*}

a State Key Laboratory of Biobased Material and Green Papermaking, School of Food Science and Engineering, Qilu University of Technology, Shandong Academy of Sciences, Jinan, 250353, China.

b College of Science, Huzhou University, Zhejiang, Huzhou, 313000, China.

Tel. /fax: +86 0531 89631195 (Y. Fang)

E-mail address: fangysh123@qlu.edu.cn (Y. Fang)




Figure S1. (A) CV curves of bare GCE in 0.1 M KCl containing 5 mM K_3 [Fe(CN)₆] at different scan rates (from a-e: 0.01–0.2 V/s). (B) Corresponding calibration curve of GCE at different scan rates. (C) CV curves of RGO/GCE in 0.1 M KCl containing 5 mM K_3 [Fe(CN)₆] at different scan rates (from a-e: 0.01–0.2 V/s). (D) Corresponding calibration curve of RGO/GCE at different scan rates.