Effects of incorporation of Ag into a kesterite Cu₂ZnSnS₄ thin film on its photoelectrochemical properties for water reduction

Shigeru Ikeda,*^a Thi Hiep Nguyen,^b Riku Okamoto,^a Mikas Remeika,^c Imane Abdellaoui,^c Muhammad M. Islam,^c Takashi Harada,^b Ryu Abe^d and Takeaki Sakurai^c

^aDepartment of Chemistry, Konan University, 9-1 Okamoto, Higashinada-ku, Kobe, Hyogo 658-8501, Japan.

^bResearch Center for Solar Energy Chemistry, Osaka University, 1-3 Machikaneyama, Toyonaka, Osaka 560-8531, Japan.

^cDepartment of Applied Physics, University of Tsukuba, Ibaraki 305-8577, Japan.

^dDepartment of Energy and Hydrocarbon Chemistry, Graduate School of Engineering, Kyoto University, Katsura Nishikyo-ku, Kyoto 615-8510, Japan.



Fig. S1 Current density-potential curves of Pt-loaded CZTS without any buffer layer (w/o BL), Pt-and CdS-modified CZTS (CdS), Pt-and In₂S₃-modified CZTS (In₂S₃) and Pt-and In₂S₃-CdS-modified CZTS in a 0.2 mol dm⁻³ Na₂HPO₄/NaH₂PO₄ solution (pH 6.5) under chopped solar simulated AM 1.5G light irradiation.