

Supplementary Table 2. List of various primary anti-bodies used for western blot and IHC analysis.

Antibody		Raised in	Molecular weight (kDa)
NF- κ B p65 (D14E12) XP		Rabbit monoclonal	65
Phospho-NF- κ B p65 (Ser 536) (93H1) XP	Cell Signalling Technology, US	Rabbit monoclonal	65
Phospho-SAPK/JNK (Thr183/Tyr185) (81E11)		Rabbit monoclonal	46, 54
SAPK/JNK antibody		Rabbit monoclonal	46, 54
Phospho-p44/42 MAPK (ERK1/2) (Thr 202/Tyr 204)		Rabbit monoclonal	42, 44
p44/42 MAPK (ERK1/2)		Rabbit monoclonal	42, 44
p38MAPK		Rabbit monoclonal	43
Phospho-p38MAPK (Thr180/Tyr182) (D3F9) XP		Rabbit monoclonal	43
MAPKAPK-2 (D1E11)		Rabbit monoclonal	47, 49
Phospho-MAPKAPK-2 (Thr334) (3007S)		Rabbit monoclonal	49
P13 Kinase p85 (19H8)		Rabbit monoclonal	85
Phospho-P13 Kinase p85 (Tyr 458)/p55 (Tyr199)		Rabbit monoclonal	60, 85
Akt		Rabbit monoclonal	60
GSK-3 β (27C10)		Rabbit monoclonal	46
GSK-3 β (Ser9) (D3A4)		Rabbit monoclonal	46
Phospho-Akt (Ser473)		Rabbit monoclonal	60
Bax (B-9) (sc-7480)	Santa Cruz, California, USA	Mouse monoclonal	23
Bcl-2 (C-2) (sc-7382)		Mouse monoclonal	26
PCNA (PC10) (sc-56)		Mouse monoclonal	30
β -tubulin (sc-58882)		Mouse monoclonal	55