

Supporting information for

Wearable and Washable Regulated Light/thermal Emitting Textiles

Zhihui Tian,^{†a} Heshan Zhang,^{†a} Fei Xiu,^{*a} Minjie Zhang,^a Jiahao Zou,^a Chaoyi Ban,^a Yijie Nie,^a Wenjie Jiang,^a Bin Hu,^b and Juqing Liu^{*a}

^a Key Laboratory of Flexible Electronics (KLOFE) & Institute of Advanced Materials (IAM), Nanjing Tech University (NanjingTech), 30 South Puzhu Road, Nanjing 211816, China.

E-mail: iamfxiu@njtech.edu.cn; iamjqliu@njtech.edu.cn..

^b School of Optics and Photonics, Beijing Institute of Technology, Beijing 100081, China.




Figure S1. (a) SEM characterization of silver nanowires. (b) TEM characterization of silver nanowires. (c) Length statistics of silver nanowires. (d) Diameter statistics of silver nanowires.




Figure S2. Emission spectra for (a) blue, (b) yellow and (c) white ACEL devices. The CIE chromaticity diagrams for (d) blue, (e) yellow and (f) white ACEL devices.




Figure S3. XRD spectrum of the light-emitting layer.




Figure S4. The cross-sectional scanning electron microscopy (SEM) image of the device.