

Supplementary Information

Custom-made Holey Graphene via Scanning Probe Block Co-polymer Lithography

Samar A. Alsudir^a, Roa S. Fardous^a, Shahla Alsoughayer^b, Abdulaziz M. Almalik^{a,b}, Edreese H. Alsharaeh^c, Ali H. Alhasan^{*c,d}

^aNational Center for Pharmaceutical Technology, Life science and Environmental Research Institute, King Abdulaziz City for Science and Technology (KACST), P.O. Box 6086, Riyadh 11461, Saudi Arabia

^bKACST-BWH/Harvard Centre of Excellence for Biomedicine, Joint Centers of Excellence Program, King Abdulaziz City for Science and Technology (KACST), P.O. Box 6086, Riyadh 11461, Saudi Arabia

^cCollege of Science and General Studies, Alfaisal University, P.O. Box 50927, Riyadh 11533, Saudi Arabia

^dNational Center for Biotechnology, Life science and Environmental Research Institute, King Abdulaziz City for Science and Technology (KACST), P.O. Box 6086, Riyadh 11461, Saudi Arabia

*Corresponding author: Ali H. Alhasan

Email: aalhasan@kacst.edu.sa




Figure S1: Graphs of thermogravimetric analysis (TGA) determining the decomposition temperatures of PVP and DHS.