

- 1 Electronic Supplementary Material (ESI) for New Journal of Chemistry.
2 This journal is © The Royal Society of Chemistry and the Centre National de la
3 Recherche Scientifique 2018

4

5 **Engineering WS₂-Au-HRP assisted-multiple signal amplification strategy**

6 **for chemiluminescence immunoassay of prostate specific antigen**

7 Jun-Tao Cao^{a,c,*}, Li-Zhen Zhao^a, Wen-Sheng Zhang^a, Shu-Hui Ma^b, and Yan-Ming

8 Liu^{a,*}

9 ^aCollege of Chemistry and Chemical Engineering, Institute for Conservation and Utilization of
10 Agro-bioresources in Dabie Mountains, Xinyang Normal University, Xinyang 464000, P. R.

11 China

12 ^bXinyang Central Hospital, Xinyang 464000, P. R. China

13 ^cShandong Key Laboratory of Biochemical Analysis, Qingdao University of Science and
14 Technology, Qingdao 266042, China

15 Corresponding Authors: *Phone/Fax: +86-376-6392889. E-mail addresses: liuym9518@sina.com


16 (Y.-M. Liu) and jtcao11@163.com (J.-T. Cao).

17

18

19

20



21

22 **Fig. S1.** Effects of luminol (A) and H₂O₂ (B) concentrations on the CL intensity.

23

24

1

2

3 **Table S1.** Recovery of PSA in two human serum samples.

Serum Sample No.	Found (ng/mL)	Added (ng/mL)	Total found (ng/mL)	Recoveries (%)	RSDs (%, n = 3)
1	1.32	0.1	1.33	100.0	6.3
		1.0	1.43	110.0	3.1
		10.0	2.35	103.0	4.7
2	6.31	0.1	6.40	90.0	5.2
		1.0	7.43	112.0	2.5
		10.0	15.98	96.7	3.9

4