

Supporting Information

Cu(I)-catalyzed asymmetric *exo*-selective synthesis of substituted pyrrolidines via 1,3-dipolar cycloaddition reaction

Rayhan G. Biswas^a, Sumit K. Ray^b, Vinod K. Kannaujiya^a, Rajshekhar A. Unhale^a and Vinod K. Singh^{c,*}

^aDepartment of Chemistry, Indian Institute of Science Education and Research Bhopal, Bhopal-462066, India.

^bDepartment of Chemistry, Kharagpur College, Paschim Medinipur, West Bengal 721305, India

^cDepartment of Chemistry, Indian Institute of Technology, Kanpur-208016, India.

Fax: +91-512-2597436; E-mail: vinodks@iitk.ac.in

Table of contents:



Materials and methods	S2
General procedure and characterization data of α,β -unsaturated pyrazolamide 2a-l	S3-S7
General procedure of alkyl <i>N</i> -benzylideneglycinate 3a-m	S8
General procedure and characterization data of (3+2) cycloaddition products 4	S8-S20
General procedure and characterization data of 5	S21
General procedure and characterization data of 8	S21-S22
References	S22
X-ray crystallographic figures and data of 4ba	S23-S24
Spectral graphics and hplc traces	S25-S91

Materials and Methods:


All reactions were carried out in oven dried glassware with magnetic stirring. All solvents were purified and dried according to standard methods prior to use. Starting materials α,β -unsaturated pyrazolamide **2a-l** and azomethine ylides **3b-m** were prepared by reported methods.^{1,2} Catalysts **L1-L7** are commercially available. ¹H spectra were recorded on 400 MHz or 500 MHz in CDCl₃ and ¹³C NMR spectra were recorded on 100 or 125 MHz in CDCl₃ using TMS or residual solvent signals as internal standard. Data for ¹H NMR are recorded as follows: chemical shift (δ , ppm), multiplicity (s = singlet, d = doublet, t = triplet, q = quartet, m = multiplet or unresolved, coupling constant (s) in Hz, integration). Data for ¹³C NMR are reported in terms of chemical shift (δ , ppm). High resolution mass spectra (HRMS) were obtained by the ESI (Q-TOF) ionization sources. IR spectra were measured with PerkinElmer FT/IR Vector 22 spectrometer. Optical rotations were measured on a commercial automatic polarimeter and reported as follows: $[\alpha]_D^{25}$ (c = g/100 mL, solvent). Routine monitoring of reactions we reperformed using precoated silica gel TLC plates from E-Merck. All the chromatographic separations were carried out by using silica gel (Acme's, 100-200 mesh). Melting points were recorded by using a melting point apparatus and are uncorrected. The enantioselectivity was determined by chiral HPLC analysis using chiralpak AD-H, OD-H, IA, IC and ID column with a 200 UV-detector by using *iso*-propanol and *n*-hexane as eluents at 25 °C.

General procedure and characterization data of α,β -unsaturated pyrazolamide 2a-l:

α,β -unsaturated pyrazolamides **2a-l** were synthesized according to modified literature procedure.¹




To a solution of pyrazole (5.0 g, 73.5 mmol) in CH_2Cl_2 (150 mL) was added SOCl_2 (8.0 mL, 110 mmol) at 0 °C, then the reaction mixture was brought to room temperature and stirred at room temperature for 1 h. *Trans*-Cinnamic acid (24.5 mmol) was added in one portion. The mixture was further stirred for additional 3 hours. The resulting solution was diluted with CH_2Cl_2 (150 mL), washed with aqueous NaOH solution (0.5 M, 3 x 100 mL), water (3 x 100 mL), then dried over Na_2SO_4 . The solvent was removed under reduced pressure. The crude product was purified by flash chromatography on silica gel (*n*-hexane/ CH_2Cl_2) to afford product **2a-l**.




(E)-3-phenyl-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2a): White solid, 6.01 g, 90% yield. **MP:** 42–45 °C. **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.42 (dd, *J* = 2.9, 0.7 Hz, 1H), 8.06 (d, *J* = 16.0 Hz, 1H), 7.94


(d, $J = 16.0$ Hz, 1H), 7.81 (d, $J = 1.4$ Hz, 1H), 7.78 – 7.66 (m, 2H), 7.50 – 7.37 (m, 3H), 6.52 (dd, $J = 2.8, 1.5$ Hz, 1H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.63, 147.88, 143.86, 134.44, 131.06, 128.98, 128.83, 128.74, 115.74, 109.86. IR (film) ν_{max} 3621, 3132, 1954, 1705, 1623, 1385, 1351, 935, 767 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{12}\text{H}_{10}\text{N}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 221.0685. Found: 221.0700.



(E)-3-(4-bromophenyl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2b): White solid, 2.07 g, 75% yield. **MP:** 104-107 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.36 (d, $J = 2.8$ Hz, 1H), 8.01 – 7.78 (m, 2H), 7.75 (d, $J = 1.5$ Hz, 1H), 7.52 (s, 4H), 6.48 (dd, $J = 2.8, 1.5$ Hz, 1H). ^{13}C NMR (100 MHz, Chloroform- d) δ 163.35, 146.28, 143.94, 133.32, 132.24, 130.11, 128.74, 125.44, 116.42, 110.00. IR (film) ν_{max} 3381, 2106, 1907, 1693, 1623, 1485, 1386, 1349, 819, 762 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{12}\text{H}_9\text{BrN}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 298.9790. Found: 298.9795.




(E)-3-(4-chlorophenyl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2c): White solid, 4.46 g, 96% yield. **MP:** 104-107 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.36 (d, $J = 2.8$ Hz, 1H), 8.01 – 7.80 (m, 2H), 7.76 (d, $J = 1.4$ Hz, 1H), 7.65 – 7.57 (m, 2H), 7.43 – 7.33 (m, 2H), 6.48 (dd, $J = 2.8, 1.5$ Hz, 1H). ^{13}C NMR (100 MHz, Chloroform- d) δ 163.36, 146.21, 143.93, 137.00, 132.91, 129.93, 129.27, 128.73, 116.31, 109.97, 99.99. IR (film) ν_{max} 3138, 1695, 1623, 1386, 1349, 823, 763 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{12}\text{H}_9\text{ClN}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 255.0296. Found: 255.0315.




(E)-3-(4-fluorophenyl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2d): White solid, 3.30 g, 85% yield. **MP:** 117-120 $^{\circ}\text{C}$. ^1H NMR (500 MHz, Chloroform- d) δ 8.40 (d, $J = 2.7$ Hz, 1H), 7.99 (d, $J = 16.0$ Hz, 1H), 7.84 (d, $J = 16.0$ Hz, 1H), 7.79 (d, $J = 1.5$ Hz, 1H), 7.73 – 7.64 (m, 2H), 7.17 – 7.07 (m, 2H), 6.51


(dd, $J = 2.9, 1.5$ Hz, 1H). ^{13}C NMR (125 MHz, Chloroform- d) δ 165.35, 163.45, 163.34, 146.40, 143.86, 130.81, 130.74, 116.25, 116.08, 115.49, 109.89. ^{19}F NMR (470 MHz, Chloroform- d) δ -108.13. **IR** (film) ν_{max} 3428, 2361, 1699, 1626, 1387, 828, 745 cm^{-1} ; **HRMS** (ES $^{+}$): Exact mass calcd for $\text{C}_{12}\text{H}_9\text{FN}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 239.0591. Found: 239.0583.



(E)-1-(1H-pyrazol-1-yl)-3-(4-(trifluoromethyl)phenyl)prop-2-en-1-one (2e): White solid, 0.36 g, 55% yield. **MP**: 90-93 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.36 (d, $J = 2.7$ Hz, 1H), 7.97 (d, $J = 2.8$ Hz, 2H), 7.75 (d, $J = 8.9$ Hz, 3H), 7.65 (d, $J = 8.1$ Hz, 2H), 6.52 – 6.43 (m, 1H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.07, 145.57, 144.09, 137.69, 132.43, 132.17, 128.79, 125.90, 118.35, 110.16. ^{19}F NMR (470 MHz, Chloroform- d) δ -62.92. **IR** (film) ν_{max} 3361, 2112, 1910, 1697, 1622, 1430, 1355, 801, 749 cm^{-1} ; **HRMS** (ES $^{+}$): Exact mass calcd for $\text{C}_{13}\text{H}_9\text{F}_3\text{N}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 289.0559. Found: 289.0568.




(E)-3-(4-methoxyphenyl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2f): White solid, 5.76 g, 90% yield. **MP**: 79-82 $^{\circ}\text{C}$. ^1H NMR (500 MHz, Chloroform- d) δ 8.42 (dd, $J = 2.8, 0.7$ Hz, 1H), 8.02 (d, $J = 15.9$ Hz, 1H), 7.82 – 7.78 (m, 2H), 7.71 – 7.67 (m, 2H), 6.99 – 6.93 (m, 2H), 6.51 (dd, $J = 2.8, 1.5$ Hz, 1H), 3.89 (s, 3H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.88, 162.09, 147.74, 143.66, 130.71, 128.69, 127.30, 114.43, 113.02, 109.62, 55.45. **IR** (film) ν_{max} 3425, 2563, 1701, 1602, 1513, 1259, 826, 765 cm^{-1} ; **HRMS** (ES $^{+}$): Exact mass calcd for $\text{C}_{13}\text{H}_{12}\text{N}_2\text{O}_2$ $[\text{M}+\text{Na}]^{+}$: 251.0791. Found: 251.0810.




(E)-3-(3-methoxyphenyl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2g): White solid, 4.7 g, 73% yield. **MP**: 62-65 $^{\circ}\text{C}$. ^1H NMR (500 MHz, Chloroform- d) δ 8.42 (dd, $J = 2.8, 0.7$ Hz, 1H), 8.03 (d, $J = 16.0$ Hz, 1H), 7.91 (d, $J = 16.0$ Hz, 1H), 7.84 – 7.76 (m, 1H), 7.37 (t, $J = 7.9$ Hz, 1H), 7.31 (dt, $J = 7.6, 1.3$


Hz, 1H), 7.23 (dd, $J = 2.6, 1.7$ Hz, 1H), 7.02 (ddd, $J = 8.1, 2.6, 1.1$ Hz, 1H), 6.53 (dd, $J = 2.9, 1.5$ Hz, 1H), 3.89 (s, 3H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.60, 159.97, 147.86, 143.87, 135.76, 129.96, 128.76, 121.66, 117.17, 115.95, 113.37, 109.88, 55.41. IR (film) ν_{max} 3424, 2085, 1705, 1622, 1384, 774 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{13}\text{H}_{12}\text{N}_2\text{O}_2$ $[\text{M}+\text{Na}]^{+}$: 251.0791. Found: 251.0787.



(E)-3-(furan-2-yl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2h): White solid, 1.63 g, 87% yield. MP: 67-70 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.32 (d, $J = 2.8$ Hz, 1H), 7.72 (d, $J = 6.3$ Hz, 3H), 7.50 (d, $J = 1.7$ Hz, 1H), 6.73 (d, $J = 3.4$ Hz, 1H), 6.45 (ddd, $J = 11.9, 3.2, 1.7$ Hz, 2H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.64, 151.38, 145.60, 143.78, 133.38, 128.56, 116.69, 113.33, 112.69, 109.75. IR (film) ν_{max} 3418, 3174, 2095, 1761, 1622, 1348, 759, 593 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{10}\text{H}_8\text{N}_2\text{O}_2$ $[\text{M}+\text{Na}]^{+}$: 211.0478. Found: 211.0495.




(E)-1-(1H-pyrazol-1-yl)-3-(thiophen-2-yl)prop-2-en-1-one (2i): White solid, 1.41 g, 69% yield. MP: 66-69 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.34 (d, $J = 2.8$ Hz, 1H), 8.10 (dd, $J = 15.5, 3.1$ Hz, 1H), 7.75 (d, $J = 2.5$ Hz, 1H), 7.65 (dd, $J = 15.6, 2.6$ Hz, 1H), 7.41 (dt, $J = 22.7, 4.5$ Hz, 2H), 7.13 – 7.02 (m, 1H), 6.52 – 6.40 (m, 1H). ^{13}C NMR (100 MHz, Chloroform- d) δ 163.50, 143.82, 140.04, 139.94, 132.50, 129.95, 128.67, 128.33, 114.28, 109.80. IR (film) ν_{max} 3428, 3148, 2117, 1699, 1609, 1385, 1201, 710 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{10}\text{H}_8\text{N}_2\text{OS}$ $[\text{M}+\text{Na}]^{+}$: 227.0250. Found: 227.0273.




(E)-3-(naphthalen-1-yl)-1-(1H-pyrazol-1-yl)prop-2-en-1-one (2j): White solid, 1.8 g, 72% yield. MP: 71-74 $^{\circ}\text{C}$. ^1H NMR (500 MHz, Chloroform- d) δ 8.93 (d, $J = 15.7$ Hz, 1H), 8.47 (dd, $J = 2.9, 0.7$ Hz, 1H), 8.34 (dd, $J = 8.5, 1.1$ Hz, 1H), 8.10 – 8.05 (m, 1H), 8.05 – 8.03 (m, 1H), 7.98 (d, $J = 8.1$ Hz, 1H), 7.95 – 7.91 (m, 1H), 7.83 (dd, $J = 1.5, 0.7$ Hz, 1H), 7.65 (ddd, $J = 8.4, 6.8, 1.4$ Hz, 1H), 7.61 –

7.53 (m, 2H), 6.55 (dd, $J = 2.8, 1.5$ Hz, 1H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.54, 144.53, 143.94, 133.75, 131.69, 131.56, 131.40, 128.83, 128.80, 127.15, 126.33, 125.81, 125.47, 123.29, 118.04, 109.92. IR (film) ν_{max} 3404, 3055, 1704, 1616, 1416, 1385, 1352, 768 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{16}\text{H}_{12}\text{N}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 271.0842. Found: 271.0863.



(E)-1-(3,5-dimethyl-1H-pyrazol-1-yl)-3-phenylprop-2-en-1-one (2k) White solid, 3.8 g, 70% yield. MP: 53-56 $^{\circ}\text{C}$. ^1H NMR (400 MHz, Chloroform- d) δ 8.05 – 7.86 (m, 2H), 7.77 – 7.61 (m, 2H), 7.44 (q, $J = 3.2$ Hz, 3H), 6.04 (s, 1H), 2.65 (s, 3H), 2.32 (s, 3H). ^{13}C NMR (100 MHz, Chloroform- d) δ 165.5, 151.9, 146.1, 144.4, 134.8, 130.6, 128.9, 128.7, 118.0, 111.4, 14.7, 13.9. IR (film) ν_{max} 3622, 3135, 1952, 1700, 1621, 1389, 1348, 932, 765 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{14}\text{H}_{14}\text{N}_2\text{O}$ $[\text{M}+\text{Na}]^{+}$: 249.0998. Found: 249.1026.



(E)-1-(1H-pyrazol-1-yl)but-2-en-1-one (3m): Yellowish oil, 2.68 g, 68% yield. $R_f = 0.70$ (10% EtOAc in hexanes). ^1H NMR (500 MHz, Chloroform- d) δ 8.35 (dd, $J = 2.9, 0.7$ Hz, 1H), 7.76 (d, $J = 1.2$ Hz, 1H), 7.38 (dq, $J = 15.6, 6.3$ Hz, 1H), 7.34 – 7.30 (m, 1H), 6.48 (dd, $J = 2.8, 1.5$ Hz, 1H), 2.07 (dd, $J = 6.4, 1.2$ Hz, 3H). ^{13}C NMR (125 MHz, Chloroform- d) δ 163.2, 148.8, 143.7, 128.6, 120.8, 109.6, 18.7. IR (film) ν_{max} 3543, 3133, 2941, 1711, 1645, 1384, 910, 809, 772 cm^{-1} ; HRMS (ESI-TOF) m/z : $[\text{M}+\text{H}]^{+}$ Calcd for $\text{C}_7\text{H}_9\text{N}_2\text{O}$ 137.07096; Found 137.0696.

The following azomethine ylides (3a-m) were prepared according to literature procedure.²




In a round bottomed flask, $\text{Cu}(\text{CH}_3\text{CN})_4\text{BF}_4$ (6.28 mg, 0.02 mmol, 10 mol %) and (*R*)-DM-BINAP (L5) (11.37 mg, 0.024 mmol, 12 mol %) and 50 mg 4Å MS were taken and toluene (2.0 mL) was added to it. The mixture was stirred at room temperature (25 °C) for 1 hour under nitrogen atmosphere. Then azomethine ylide (57.3 mg, 0.3 mmol, 1.5 equiv.) was added slowly and stirred for 5 minutes followed by α,β -unsaturated pyrazolamides (40 mg, 0.2 mmol, 1.0 equiv) and DBU (3 μL , 0.02 mmol, 10 mol %) were added. The reaction mixture was allowed to stir for additional 24 hours at -20 °C. After completion of reaction, the residue was charged over a column packed with silica gel. The cycloaddition products **4aa-4gm** were isolated by flash column chromatography using ethyl acetate and hexane as eluents.




Ethyl (2*S*,3*S*,4*R*,5*R*)-3,5-diphenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4aa):

White solid, 55 mg, 70% yield. **MP**: 157–160 °C. $dr = 85:15$ $[\alpha]_D^{25} = +42.54$ (CHCl₃, $c = 3.11$ for 98% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 13.06$ min (major), 23.33 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.69 (d, $J = 38.8$ Hz, 2H), 7.42 (d, $J = 7.5$ Hz, 2H), 7.35 (t, $J = 7.5$ Hz, 3H), 7.29 – 7.25 (m, 1H), 7.23 – 7.10 (m, 5H), 6.24 (s, 1H), 5.17 (d, $J = 9.4$ Hz, 1H), 4.98 (t, $J = 9.7$ Hz, 1H), 4.25 (t, $J = 8.6$ Hz, 1H), 4.13 (dq, $J = 20.8, 10.1, 8.2$ Hz, 3H), 1.16 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.8, 169.7, 143.7, 139.9, 139.0, 128.7, 128.6, 128.3, 128.3, 128.1, 128.1, 128.1, 127.8, 127.3, 127.1, 109.6, 67.6, 65.6, 61.2, 57.5, 51.8, 14.1. **IR** (film) ν_{max} 3433, 2119, 1721, 1645, 1207, 755 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₃H₂₃N₃O₃ [M+H]⁺: 390.1812. Found: 390.1817




Ethyl (2*S*,3*S*,4*R*,5*R*)-3-(4-bromophenyl)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ba):


White solid, 66 mg, 70% yield. **MP**: 123–126 °C. $dr = 85:15$. $[\alpha]_D^{25} = +27.69$ (CHCl₃, $c = 0.82$ for 98% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 11.03$ min (major), 20.94 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.10 (d, $J = 2.8$ Hz, 1H), 7.59 – 7.54 (m, 2H), 7.49 (d, $J = 1.5$ Hz, 1H), 7.41 – 7.37 (m, 2H), 7.32 (t, $J = 7.3$ Hz, 2H), 7.30 – 7.24 (m, 3H), 6.32 (dd, $J = 2.9, 1.5$ Hz, 1H), 4.96 (t, $J = 9.8$ Hz, 1H), 4.71 (d, $J = 9.5$ Hz, 1H), 4.40 (d, $J = 9.3$ Hz, 1H), 4.25 (t, $J = 9.7$ Hz, 1H), 3.93 – 3.82 (m, 1H), 3.78 – 3.64 (m, 1H), 0.88 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.42, 171.72, 144.08, 139.02, 136.71, 131.32, 130.11, 128.62, 128.59, 128.16, 128.07, 127.14, 121.33, 110.25, 68.16, 65.37, 61.04, 54.24, 53.88, 13.60. **IR** (film) ν_{max} 3429, 2095, 1725, 1643, 1490, 1389, 1202, 755 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₃H₂₂BrN₃O₃ [M+H]⁺: 468.0917. Found: 468.0904.




Ethyl (2*S*,3*S*,4*R*,5*R*)-3-(4-chlorophenyl)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ca): White solid, 61 mg, 72% yield. **MP:** 135–138 °C. $dr = 90:10$ $[\alpha]_D^{25} = +51.66$ (CHCl₃, $c = 0.48$ for 98% ee); **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 10.42$ min (major), 19.30 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.10 (d, $J = 2.9$ Hz, 1H), 7.62 – 7.55 (m, 2H), 7.49 (d, $J = 1.4$ Hz, 1H), 7.32 (dd, $J = 8.1, 6.3$ Hz, 4H), 7.30 – 7.26 (m, 1H), 7.26 – 7.21 (m, 2H), 6.31 (dd, $J = 2.8, 1.4$ Hz, 1H), 4.96 (t, $J = 9.7$ Hz, 1H), 4.71 (d, $J = 9.5$ Hz, 1H), 4.46 – 4.35 (m, 1H), 4.26 (t, $J = 9.5$ Hz, 1H), 3.91 – 3.80 (m, 1H), 3.70 (dq, $J = 10.7, 7.2$ Hz, 1H), 2.83 (s, 1H), 0.88 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.5, 171.8, 144.1, 139.1, 136.2, 133.2, 129.8, 128.6, 128.4, 128.2, 128.1, 127.1, 110.2, 61.0, 13.6. **IR** (film) ν_{max} 3438, 2356, 2117, 1732, 1649, 1207, 751 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₃H₂₂ClN₃O₃ [M+H]⁺: 424.1422. Found: 424.1400.




Ethyl (2*S*,3*S*,4*R*,5*R*)-3-(4-fluorophenyl)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4da): White solid, 53 mg, 65% yield. **MP:** 88–91 °C. $dr = 83:17$ $[\alpha]_D^{25} = -70.10$ (CHCl₃, $c = 0.19$ for 96% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 9.90$ min (major), 17.78 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.09 (d, $J = 2.8$ Hz, 1H), 7.58 (d, $J = 7.5$ Hz, 2H), 7.49 (s, 1H), 7.37 – 7.30 (m, 4H), 7.27 (s, 1H), 6.95 (t, $J = 8.5$ Hz, 2H), 6.31 (d, $J = 2.7$ Hz, 1H), 4.99 (t, $J = 9.9$ Hz, 1H), 4.70 (d, $J = 9.6$ Hz, 1H), 4.40 (d, $J = 9.4$ Hz, 1H), 4.29 (t, $J = 9.8$ Hz, 1H), 3.86 (ddd, $J = 14.6, 9.0, 5.5$ Hz, 1H), 3.75 – 3.62 (m, 1H), 0.87 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.6, 171.8, 144.0, 139.1, 133.3, 130.0, 129.9, 128.6, 128.2, 128.1, 127.2, 115.2, 115.0, 110.2, 68.2, 65.4, 61.0, 54.1, 54.0, 29.7, 13.6. **IR** (film) ν_{max} 3429, 2114, 1645, 1514, 1267, 752 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₃H₂₂FN₃O₃ [M+H]⁺: 408.1718. Found: 408.1743.



Ethyl (2*S*,3*S*,4*R*,5*R*)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)-3-(4-(trifluoromethyl)phenyl)pyrrolidine-2-carboxylate (4ea): White solid, 55 mg, 60% yield. **MP:** 85–88 °C. $dr = 88:12$ $[\alpha]_D^{25} = -835.13$ (CHCl₃, $c = 0.15$ for 96% ee). **HPLC** (Chiralpak ID, *n*-hexane/*iso*-propanol = 80/20, 1.0 mL/min, 254 nm): $t_R = 7.49$ min (major), 13.44 min (minor); **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.11 (d, $J = 2.8$ Hz, 1H), 7.61 – 7.56 (m, 2H), 7.53 (s, 4H), 7.49 (d, $J = 1.3$ Hz, 1H), 7.38 – 7.23 (m, 3H), 6.32 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.00 (t, $J = 9.6$ Hz, 1H), 4.74 (s, 1H), 4.45 (d, $J = 9.4$ Hz, 1H), 4.34 (t, $J = 9.4$ Hz, 1H), 3.82 (ddd, $J = 14.1, 8.9, 5.4$ Hz, 1H), 3.74 – 3.59 (m, 1H), 2.86 (s, 1H), 0.80 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.3, 171.6, 144.1, 142.0, 138.9, 128.8, 128.7, 128.2, 128.1, 127.1, 125.2, 125.1, 123.0, 110.3, 68.1, 65.4, 61.0, 54.3, 54.0, 13.4. **¹⁹F NMR** (470 MHz, Chloroform-*d*) δ -62.58. **IR** (film) ν_{max} 3431, 2101, 1732, 1647, 1328, 753, cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₂F₃N₃O₃ [M+Na]⁺: 480.1505. Found: 480.1480




Ethyl (2*S*,3*S*,4*R*,5*R*)-3-(4-methoxyphenyl)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4fa): White solid, 63 mg, 75% yield. **MP:** 130–133 °C. $dr = 90:10$ $[\alpha]_D^{25} = +79.8$ (CHCl₃, $c = 0.62$ for 99% ee). **HPLC** (Chiralpak IC, *n*-hexane/*iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 12.13$ min (major), 24.63 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.08 (d, $J = 2.9$ Hz, 1H), 7.63 – 7.55 (m, 2H), 7.49 (d, $J = 1.4$ Hz, 1H), 7.34 – 7.25 (m, 5H), 6.82 – 6.75 (m, 2H), 6.29 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.02 (t, $J = 9.9$ Hz, 1H), 4.69 (d, $J = 9.9$ Hz, 1H), 4.38 (d, $J = 9.4$ Hz, 1H), 4.29 (t, $J = 9.7$ Hz, 1H), 3.93 – 3.82 (m, 1H), 3.76 (s, 3H), 3.72 – 3.63 (m, 1H), 0.88 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.9, 172.0, 158.9, 143.9, 139.2, 129.4, 129.3, 128.6, 128.1, 128.0, 127.2, 113.6, 110.0, 60.9, 55.2, 54.4, 53.8, 13.7. **IR** (film) ν_{max} 3422, 2925, 2063, 1731, 1257, 753 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₅N₃O₄ [M+H]⁺: 420.1918. Found: 420.1926.




Ethyl (2*S*,3*S*,4*R*,5*R*)-3-(3-methoxyphenyl)-5-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ga): White solid, 43.70 mg, 52% yield. **MP:** 145–148 °C. $dr = 75:25$ $[\alpha]_D^{25} = +26.06$

(CHCl₃, c = 1.42 for 98% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 60/40, 1.0 mL/min, 254 nm): *t_R* = 12.81 min (major), 20.68 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.06 (d, *J* = 2.9 Hz, 1H), 7.61 – 7.52 (m, 2H), 7.47 (d, *J* = 1.5 Hz, 1H), 7.32 – 7.27 (m, 2H), 7.24 (dd, *J* = 8.4, 6.2 Hz, 2H), 7.14 (t, *J* = 7.9 Hz, 1H), 6.97 – 6.87 (m, 2H), 6.73 (dd, *J* = 8.0, 2.6 Hz, 1H), 6.28 (dd, *J* = 2.8, 1.4 Hz, 1H), 5.05 (t, *J* = 10.0 Hz, 1H), 4.67 (d, *J* = 9.6 Hz, 1H), 4.38 (d, *J* = 9.5 Hz, 1H), 4.30 (t, *J* = 9.8 Hz, 1H), 3.83 (dd, *J* = 10.7, 7.2 Hz, 1H), 3.74 (s, 3H), 3.71 – 3.63 (m, 1H), 0.83 (t, *J* = 7.2 Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.7, 169.7, 159.7, 143.7, 140.6, 139.9, 129.7, 128.1, 128.1, 127.7, 127.1, 120.2, 114.0, 112.6, 109.6, 67.5, 65.6, 61.2, 57.4, 55.2, 51.8, 14.1. **IR** (film) *v*_{max} 3436, 3385, 2926, 1734, 1608, 1264, 747, 702 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₅N₃O₄ [M+H]⁺: 420.1918 Found: 420.1922.




Ethyl (2S,3R,4R,5R)-3-(furan-2-yl)-5-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ha): White solid, 34.11 mg, 45% yield. **MP**: 160–163 °C. *dr* = 64:36 [*α*]_D²⁵ = +15.84 (CHCl₃, c = 0.40 for 40% ee). **HPLC** (Chiralcel OD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): *t_R* = 8.07 min (minor), 12.31 min (major). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.75 (d, *J* = 2.8 Hz, 1H), 7.61 (d, *J* = 1.4 Hz, 1H), 7.35 (d, *J* = 1.8 Hz, 1H), 7.21 – 7.03 (m, 5H), 6.29 (dd, *J* = 3.2, 1.8 Hz, 1H), 6.25 – 6.19 (m, 2H), 5.03 (dt, *J* = 17.5, 9.3 Hz, 2H), 4.30 (dd, *J* = 10.8, 7.2 Hz, 1H), 4.21 (dt, *J* = 10.6, 7.1 Hz, 3H), 2.94 (s, 1H), 1.25 (t, *J* = 7.2 Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.4, 169.9, 152.2, 143.8, 142.1, 139.2, 128.1, 127.7, 127.0, 110.3, 109.7, 107.1, 65.4, 64.9, 61.4, 54.3, 45.4, 14.2. **IR** (film) *v*_{max} 3432, 2085, 1645, 1028, 697, 598 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₁H₂₁N₃O₄ [M+Na]⁺: 402.1424. Found: 402.1433.




Ethyl (2S,3R,4R,5R)-5-phenyl-4-(1H-pyrazole-1-carbonyl)-3-(thiophen-2-yl)pyrrolidine-2-carboxylate (4ia): White solid, 32 mg, 40% yield. **MP**: 166–169 °C. *dr* = 50:50 [*α*]_D²⁵ = +39.73 (CHCl₃, c = 0.60 for 52% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): *t_R* = 13.8 min (major), 16.3 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.75 (d, *J* = 2.9 Hz, 1H), 7.65 (d, *J* = 1.4 Hz, 1H), 7.23 – 7.09 (m, 6H), 7.03 (dd, *J* = 3.5, 1.2 Hz, 1H), 6.94 (dd, *J* = 5.1, 3.5 Hz,

1H), 6.24 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.11 (d, $J = 9.4$ Hz, 1H), 4.93 (t, $J = 9.7$ Hz, 1H), 4.43 (t, $J = 9.9$ Hz, 1H), 4.32 – 4.24 (m, 1H), 4.24 – 4.18 (m, 1H), 4.14 (d, $J = 9.8$ Hz, 1H), 2.58 (s, 1H), 1.23 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (125 MHz, Chloroform- d) δ 172.3, 169.5, 143.9, 142.2, 139.6, 128.1, 128.1, 127.8, 127.0, 126.9, 125.4, 124.2, 109.7, 68.0, 65.2, 61.4, 58.2, 46.8, 14.2. IR (film) ν_{max} 3435, 2089, 1641, 1021, 695, 595 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{21}\text{H}_{21}\text{N}_3\text{O}_3\text{S}$ $[\text{M}+\text{Na}]^{+}$: 418.1196. Found: 418.1215.




Ethyl (2S,3S,4R,5R)-3-(naphthalen-1-yl)-5-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ja): White solid, 57 mg, 65% yield. MP: 146–149 °C. $\text{dr} = 66:34$ $[\alpha]_{\text{D}}^{27} = +7.20$ (CHCl_3 , $c = 0.70$ for 96% ee). HPLC (Chiralpak AD-H, n -hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_{\text{R}} = 17.2$ min (major), 33.4 min (minor). ^1H NMR (500 MHz, Chloroform- d) δ 8.25 (d, $J = 8.6$ Hz, 1H), 7.77 (dd, $J = 8.1, 1.4$ Hz, 1H), 7.69 (d, $J = 8.1$ Hz, 1H), 7.63 – 7.57 (m, 2H), 7.51 (d, $J = 1.4$ Hz, 1H), 7.50 – 7.45 (m, 1H), 7.41 (ddd, $J = 10.0, 8.7, 6.6$ Hz, 2H), 7.21 – 7.18 (m, 2H), 7.12 – 7.05 (m, 3H), 6.10 (dd, $J = 2.9, 1.4$ Hz, 1H), 5.18 (d, $J = 9.4$ Hz, 1H), 5.11 (t, $J = 9.4$ Hz, 1H), 4.96 (t, $J = 9.5$ Hz, 1H), 4.16 (d, $J = 9.4$ Hz, 1H), 3.89 (qd, $J = 7.2, 1.2$ Hz, 2H), 0.68 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (125 MHz, Chloroform- d) δ 173.1, 170.2, 143.7, 139.6, 135.7, 133.9, 132.4, 128.8, 128.2, 128.1, 127.8, 127.8, 127.1, 126.3, 125.7, 125.4, 123.2, 109.6, 68.6, 66.0, 61.3, 57.7, 13.5, 1.0. IR (film) ν_{max} 3431, 2106, 1645, 610 cm^{-1} ; HRMS (ES $^{+}$): Exact mass calcd for $\text{C}_{27}\text{H}_{25}\text{N}_3\text{O}_3$ $[\text{M}+\text{H}]^{+}$: 440.1969. Found: 440.1952.




Ethyl (2S,3S,4R,5R)-4-(3,5-dimethyl-1H-pyrazole-1-carbonyl)-3,5-diphenylpyrrolidine-2-carboxylate (4ka): White solid, 30 mg, 36% yield. MP: 65–68 °C. $\text{dr} = 67:33$ $[\alpha]_{\text{D}}^{25} = +9.30$ (CHCl_3 , $c = 1.54$ for 6% ee). HPLC (Chiralcel OD-H, n -hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_{\text{R}} = 5.30$ min (minor), 6.12 min (major). ^1H NMR (700 MHz, Chloroform- d) δ 7.41 (d, $J = 7.6$ Hz, 2H), 7.32 (t, $J = 7.6$ Hz, 2H), 7.23 (t, $J = 7.4$ Hz, 1H), 7.19 – 7.09 (m, 5H), 5.71 (s, 1H), 5.09 (s, 1H), 4.98 (t, $J = 10.0$ Hz, 1H), 4.21 (ddd, $J = 14.2, 8.9, 5.4$ Hz, 1H), 4.10 (dq, $J = 10.7, 7.1$ Hz, 2H), 4.01 (t, $J = 10.4$ Hz, 1H), 2.23 (s, 3H), 1.95 (s, 3H), 1.12 (t, $J = 7.1$ Hz, 3H). ^{13}C NMR (175 MHz, Chloroform- d)

δ 170.9, 151.8, 143.9, 128.6, 128.2, 127.9, 127.7, 127.2, 127.1, 110.7, 61.1, 14.1, 13.8, 13.6. **IR** (film) $\nu_{\max}$ 3435, 2120, 1723, 1642, 1208, 750 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{25}\text{H}_{27}\text{N}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 418.2125. Found: 418.2152




4la

Ethyl (2S,3R,4R,5R)-3-methyl-5-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4la) Viscous colourless oil, 45 mg, 68% yield. $\text{dr} = 72:28$ $[\alpha]_{\text{D}}^{25} = +1.52$ (CHCl_3 , $c = 2.24$ for 96% ee). **HPLC** (Chiralcel OD-H, *n*-hexane/ *iso*-propanol = 85/15, 1.0 mL/min, 254 nm): $t_{\text{R}} = 7.65$ min (major), 9.14 min (minor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.81 (d, $J = 2.9$ Hz, 1H), 7.68 (s, 1H), 7.45 – 7.32 (m, 1H), 7.13 – 7.06 (m, 4H), 6.28 (d, $J = 3.0$ Hz, 1H), 4.93 (d, $J = 9.1$ Hz, 1H), 4.40 – 4.23 (m, 3H), 3.63 (d, $J = 9.6$ Hz, 1H), 2.93 (td, $J = 9.7, 6.6$ Hz, 1H), 1.36 (t, $J = 7.1$ Hz, 3H), 1.28 (d, $J = 6.6$ Hz, 3H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 173.2, 170.3, 143.8, 140.2, 128.1, 127.6, 126.9, 109.6, 109.6, 67.0, 64.8, 61.3, 57.0, 40.9, 16.9, 14.3. **IR** (film) $\nu_{\max}$ 3426, 2978, 1724, 1417, 1387, 1335, 1199, 1027, 760 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{18}\text{H}_{21}\text{N}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 328.1656. Found: 328.1673




4ab


Ethyl (2S,3S,4R,5S)-3-phenyl-4-(1H-pyrazole-1-carbonyl)-5-(p-tolyl)pyrrolidine-2-carboxylate (4ab): White solid, 52 mg, 64% yield. **MP**: 159–162 °C. $\text{dr} = 95:5$ $[\alpha]_{\text{D}}^{25} = +11.76$ (CHCl_3 , $c = 1.22$ for 94% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 85/15, 1.0 mL/min, 254 nm): $t_{\text{R}} = 17.02$ min (major), 18.55 min (minor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.98 (d, $J = 2.8$ Hz, 1H), 7.42 – 7.36 (m, 3H), 7.26 (d, $J = 7.2$ Hz, 2H), 7.18 – 7.08 (m, 4H), 7.03 (d, $J = 7.8$ Hz, 2H), 6.20 (dd, $J = 2.9, 1.5$ Hz, 1H), 4.96 (t, $J = 10.0$ Hz, 1H), 4.57 (d, $J = 9.7$ Hz, 1H), 4.30 (d, $J = 9.5$ Hz, 1H), 4.23 (t, $J = 9.9$ Hz, 1H), 3.72 (dd, $J = 10.7, 7.1$ Hz, 1H), 3.51 (dd, $J = 10.7, 7.2$ Hz, 1H), 2.22 (s, 3H), 0.71 (t, $J = 7.2$ Hz, 3H). **^{13}C NMR** (126 MHz, Chloroform-*d*) δ 172.8, 172.1, 143.9, 137.8, 137.4, 135.9, 129.3, 128.3, 128.2, 128.0, 127.4, 127.2, 110.0, 68.4, 65.7, 60.9, 55.3, 53.5, 21.1, 13.5. **IR** (film) $\nu_{\max}$ 3430, 1722, 1651, 1381, 1209, 757 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{24}\text{H}_{25}\text{N}_3\text{O}_3$ $[\text{M}+\text{Na}]^+$: 426.1788. Found: 426.1800.




Ethyl (2*S*,3*S*,4*R*,5*S*)-5-(4-methoxyphenyl)-3-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ac): White solid, 50.4 mg, 60% yield. **MP:** 128–131 °C. $dr = 87:13$ $[\alpha]_D^{23} = +90.05$ (CHCl₃, $c = 0.50$ for 99% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 12.11$ min (major), 24.63 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.04 (d, $J = 2.9$ Hz, 1H), 7.55 – 7.46 (m, 3H), 7.38 – 7.29 (m, 2H), 7.23 (t, $J = 7.3$ Hz, 2H), 7.20 – 7.15 (m, 1H), 6.82 (d, $J = 8.3$ Hz, 2H), 6.27 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.03 (t, $J = 9.9$ Hz, 1H), 4.61 (s, 1H), 4.32 (q, $J = 12.6, 9.4$ Hz, 2H), 3.85 – 3.79 (m, 1H), 3.77 (s, 3H), 3.58 (dd, $J = 10.6, 7.2$ Hz, 1H), 0.78 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (100 MHz, Chloroform-*d*) δ 172.8, 169.7, 159.0, 143.7, 139.0, 132.1, 128.6, 128.2, 128.1, 128.0, 127.3, 67.5, 65.0, 61.1, 57.6, 55.1, 51.8, 14.1. **IR** (film) ν_{max} 3421, 2929, 2306, 2121, 1730, 1642, 1515, 1261, 1027, 743 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₅N₃O₄ [M+H]⁺: 420.1918. Found: 420.1937.




Ethyl (2*S*,3*S*,4*R*,5*S*)-5-([1,1'-biphenyl]-4-yl)-3-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ad): White solid, 45 mg, 48% yield. **MP:** 159–162 °C. $dr = 70:30$ $[\alpha]_D^{22} = +125.40$ (CHCl₃, $c = 0.70$ for 94% ee). **HPLC** (Chiralpak ID, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 9.95$ min (major), 20.50 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.07 (d, $J = 2.9$ Hz, 1H), 7.64 (d, $J = 8.0$ Hz, 2H), 7.59 – 7.51 (m, 4H), 7.47 (d, $J = 1.4$ Hz, 1H), 7.42 (t, $J = 7.6$ Hz, 2H), 7.38 – 7.32 (m, 3H), 7.24 (t, $J = 7.3$ Hz, 2H), 7.21 – 7.16 (m, 1H), 6.27 (dd, $J = 2.9, 1.4$ Hz, 1H), 5.09 (t, $J = 9.9$ Hz, 1H), 4.73 (d, $J = 9.7$ Hz, 1H), 4.42 (d, $J = 9.5$ Hz, 1H), 4.34 (t, $J = 9.8$ Hz, 1H), 3.82 (dq, $J = 10.7, 7.1$ Hz, 1H), 3.61 (dq, $J = 10.7, 7.2$ Hz, 1H), 2.35 (s, 1H), 0.80 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.8, 171.9, 144.0, 140.9, 140.7, 138.1, 137.3, 128.7, 128.3, 128.3, 128.1, 127.7, 127.4, 127.3, 127.0, 110.1, 68.2, 65.6, 60.9, 55.1, 53.6, 13.5. **IR** (film) ν_{max} 3412, 2119, 1725, 1641, 1387, 1209, 1027, 740 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₉H₂₇N₃O₃ [M+H]⁺: 466.2125. Found: 466.2151.




Ethyl (2S,3S,4R,5R)-5-(4-chlorophenyl)-3-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ae): White solid, 47.5 mg, 56% yield. **MP:** 118–121 °C. $dr = 77:23$ $[\alpha]_D^{25} = +105.23$ (CHCl₃, $c = 0.43$ for 96% ee). **HPLC** (Chiralcel OD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 6.01$ min (major), 7.44 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.08 (d, $J = 2.9$ Hz, 1H), 7.62 – 7.53 (m, 2H), 7.49 (d, $J = 1.5$ Hz, 1H), 7.38 – 7.32 (m, 2H), 7.28 – 7.17 (m, 3H), 7.00 (t, $J = 8.7$ Hz, 2H), 6.30 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.05 (t, $J = 10.0$ Hz, 1H), 4.66 (d, $J = 9.7$ Hz, 1H), 4.37 (dt, $J = 19.7, 9.6$ Hz, 2H), 3.82 (dq, $J = 10.7, 7.1$ Hz, 1H), 3.62 (dq, $J = 10.7, 7.2$ Hz, 1H), 2.59 (s, 1H), 0.80 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (100 MHz, Chloroform-*d*) δ 172.7, 169.4, 143.9, 138.7, 138.7, 133.5, 128.7, 128.5, 128.3, 128.2, 128.0, 127.4, 109.8, 67.4, 64.6, 61.2, 57.2, 51.3, 14.1. **IR** (film) ν_{max} 3111, 2928, 1727, 1391, 1208, 758 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₃H₂₂ClN₃O₃ [M+H]⁺: 424.1422. Found: 424.1439.




Ethyl (2S,3S,4R,5S)-3-phenyl-4-(1H-pyrazole-1-carbonyl)-5-(4-(trifluoromethyl)phenyl)pyrrolidine-2-carboxylate (4af): White solid, 68.5 mg, 75% yield. **MP:** 118–121 °C. $dr = 94:6$ $[\alpha]_D^{23} = +25.21$ (CHCl₃, $c = 0.94$ for 99% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 80/20, 1.0 mL/min, 254 nm): $t_R = 12.03$ min (major), 14.23 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.75 (d, $J = 2.8$ Hz, 1H), 7.67 (s, 1H), 7.42 (dd, $J = 8.0, 3.8$ Hz, 4H), 7.38 – 7.32 (m, 4H), 7.28 (d, $J = 7.0$ Hz, 1H), 6.42 – 5.95 (m, 1H), 5.23 (d, $J = 9.5$ Hz, 1H), 5.00 (t, $J = 9.8$ Hz, 1H), 4.35 – 3.94 (m, 4H), 3.00 (s, 1H), 1.18 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (126 MHz, Chloroform-*d*) δ 172.7, 169.3, 144.0, 138.6, 128.8, 128.2, 128.1, 127.6, 127.5, 125.0, 109.9, 67.4, 64.7, 61.3, 57.1, 51.2. **IR** (film) ν_{max} 3427, 2924, 2306, 2128, 1739, 1643, 1510, 1265, 1022, 745 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₂F₃N₃O₃ [M+Na]⁺: 480.1505. Found: 480.1511.




Ethyl (2*S*,3*S*,4*R*,5*S*)-5-(2-bromophenyl)-3-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ag): White solid, 47 mg, 50% yield. **MP:** 150–153 °C. $dr = 77:23$ $[\alpha]_D^{25} = +12.35$ (CHCl_3 , $c = 0.16$ for 98% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 10.93$ min (major), 12.43 min (minor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.80 (d, $J = 2.9$ Hz, 1H), 7.60 (dd, $J = 7.8, 1.7$ Hz, 1H), 7.52 (d, $J = 1.4$ Hz, 1H), 7.44 (dt, $J = 8.4, 1.9$ Hz, 2H), 7.41 – 7.32 (m, 3H), 7.30 – 7.23 (m, 2H), 7.01 (td, $J = 7.7, 1.7$ Hz, 1H), 6.19 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.48 (d, $J = 8.5$ Hz, 1H), 5.17 (dd, $J = 8.6, 6.6$ Hz, 1H), 4.36 – 4.26 (m, 1H), 4.21 (dq, $J = 10.7, 7.1$ Hz, 1H), 4.17 – 4.08 (m, 2H), 3.10 (s, 1H), 1.24 (t, $J = 7.1$ Hz, 3H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 172.3, 170.7, 143.7, 140.1, 137.7, 132.4, 129.1, 128.8, 128.4, 127.8, 127.7, 127.3, 124.2, 109.8, 68.0, 64.8, 61.3, 54.8, 53.0, 14.2. **IR** (film) ν_{max} 3441, 2113, 1729, 1647, 1390, 1264, 1027, 740 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{23}\text{H}_{22}\text{BrN}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 468.0917. Found: 468.0926




Ethyl (2*S*,3*S*,4*R*,5*S*)-5-(3-bromophenyl)-3-phenyl-4-(1*H*-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ah): White solid, 72 mg, 77% yield. **MP:** 140–143 °C. $dr = 77:23$ $[\alpha]_D^{25} = +0.5$ (CHCl_3 , $c = 1.1$ for 92% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 80/20, 1.0 mL/min, 254 nm): $t_R = 15.73$ min (major), 16.72 min (minor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.76 (d, $J = 2.8$ Hz, 1H), 7.72 – 7.62 (m, 1H), 7.39 (d, $J = 7.6$ Hz, 2H), 7.32 (t, $J = 7.5$ Hz, 2H), 7.26 – 7.17 (m, 4H), 7.04 (t, $J = 7.6$ Hz, 1H), 6.33 – 6.14 (m, 1H), 5.12 (s, 1H), 4.95 (s, 1H), 4.29 – 4.09 (m, 3H), 4.06 (s, 1H), 2.88 (s, 1H), 1.16 (t, $J = 7.1$ Hz, 3H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 169.3, 144.0, 130.8, 130.5, 129.7, 128.7, 128.2, 128.1, 127.4, 125.6, 122.2, 109.9, 61.3, 14.1. **IR** (film) ν_{max} 3440, 2115, 1728, 1648, 1391, 1265, 1028, 740 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{23}\text{H}_{22}\text{BrN}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 468.0917. Found: 468.0924



Ethyl (2S,3S,4R,5S)-5-(3-methoxyphenyl)-3-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ai): White solid, 34 mg, 40% yield. **MP:** 119–122 °C. $dr = 68:32$ $[\alpha]_D^{25} = +105$ (CHCl₃, $c = 0.60$ for 98% ee). **HPLC** (Chiralcel OD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 7.21$ min (major), 15.55 min (minor). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.07 (d, $J = 2.8$ Hz, 1H), 7.50 – 7.48 (m, 1H), 7.35 – 7.31 (m, 2H), 7.25 – 7.20 (m, 3H), 7.18 (d, $J = 6.9$ Hz, 1H), 7.16 – 7.11 (m, 2H), 6.78 (ddd, $J = 8.1, 2.6, 1.1$ Hz, 1H), 6.28 (dd, $J = 2.8, 1.4$ Hz, 1H), 5.04 (t, $J = 9.8$ Hz, 1H), 4.67 (s, 1H), 4.38 (s, 1H), 4.30 (t, $J = 9.7$ Hz, 1H), 3.83 – 3.78 (m, 1H), 3.77 (s, 3H), 3.61 – 3.55 (m, 1H), 0.78 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.0, 159.8, 144.0, 140.7, 137.3, 129.6, 128.3, 128.2, 128.1, 127.4, 119.5, 114.1, 112.4, 110.1, 68.5, 65.6, 60.9, 13.5. **IR** (film) ν_{max} 3429, 2926, 2307, 2132, 1728, 1654, 1511, 1265, 1022, 745 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₄H₂₅N₃O₄ [M+H]⁺: 420.1918. Found: 420.1937.




Ethyl (2S,3S,4R,5S)-5-(3,4-dimethylphenyl)-3-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4aj): White solid, 33.5 mg, 40% yield. **MP:** 158–161 °C. $dr = 66:34$ $[\alpha]_D^{25} = +80$ (CHCl₃, $c = 1.08$ for 95% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 10.50$ min (minor), 11.40 min (major). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.97 (d, $J = 2.8$ Hz, 1H), 7.41 (s, 1H), 7.26 (d, $J = 7.4$ Hz, 2H), 7.22 (d, $J = 8.6$ Hz, 2H), 7.15 (t, $J = 7.4$ Hz, 2H), 7.10 (d, $J = 7.1$ Hz, 1H), 6.98 (d, $J = 7.6$ Hz, 1H), 6.19 (dd, $J = 2.9, 1.4$ Hz, 1H), 4.95 (t, $J = 10.0$ Hz, 1H), 4.55 (d, $J = 9.7$ Hz, 1H), 4.30 (d, $J = 9.6$ Hz, 1H), 4.21 (t, $J = 9.9$ Hz, 1H), 3.75 – 3.63 (m, 1H), 3.56 – 3.43 (m, 1H), 2.13 (s, 3H), 2.12 (s, 3H), 0.70 (t, $J = 7.1$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 172.7, 172.2, 143.9, 137.4, 136.7, 136.4, 136.2, 129.8, 128.6, 128.4, 128.2, 128.1, 127.3, 124.5, 110.0, 68.4, 65.7, 60.9, 55.5, 53.4, 19.7, 19.4, 13.5. **IR** (film) ν_{max} 3429, 2924, 2309, 2125, 1731, 1647, 1515, 1266, 1021, 748 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₅H₂₇N₃O₃ [M+H]⁺: 418.2125. Found: 418.2142.




Methyl (2S,3S,4R,5R)-3,5-diphenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4ak):

White solid, 65.2 mg, 87% yield. **MP**: 130–133 °C. $dr = 90:10$ $[\alpha]_D^{25} = +81.01$ (CHCl_3 , $c = 0.65$ for 93% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 11.17$ min (major), 14.94 min (inor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.96 (d, $J = 2.9$ Hz, 1H), 7.60 – 7.45 (m, 2H), 7.36 (d, $J = 1.5$ Hz, 1H), 7.30 – 7.19 (m, 4H), 7.15 (dd, $J = 8.1, 6.8$ Hz, 3H), 7.13 – 7.07 (m, 1H), 6.16 (dd, $J = 2.9, 1.5$ Hz, 1H), 4.97 (t, $J = 9.9$ Hz, 1H), 4.61 (d, $J = 9.6$ Hz, 1H), 4.42 – 4.25 (m, 1H), 4.22 (d, $J = 9.8$ Hz, 1H), 3.14 (s, 3H), 2.72 (s, 1H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 173.2, 171.9, 144.0, 139.2, 137.2, 128.6, 128.3, 128.2, 128.1, 128.0, 127.4, 127.2, 110.1, 68.6, 65.7, 55.1, 51.6. **IR** (film) ν_{max} 3428, 2926, 2855, 2114, 1737, 1651, 1390, 1208, 752 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{22}\text{H}_{21}\text{N}_3\text{O}_3$ $[\text{M}+\text{Na}]^+$: 398.1475. Found: 398.1488




Methyl (2S,3S,4R,5R)-2-methyl-3,5-diphenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4al):


White solid, 40 mg, 51% yield. **MP**: 127–130 °C. $dr = 80:20$ $[\alpha]_D^{25} = +12.22$ (CHCl_3 , $c = 3.20$ for 4% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 7.28$ min (major), 17.35 min (minor). **^1H NMR** (500 MHz, Chloroform-*d*) δ 7.72 (s, 1H), 7.68 (d, $J = 2.8$ Hz, 1H), 7.33 (d, $J = 6.5$ Hz, 4H), 7.29 – 7.25 (m, 1H), 7.25 – 7.20 (m, 2H), 7.16 (d, $J = 7.0$ Hz, 3H), 6.24 (dd, $J = 2.9, 1.5$ Hz, 1H), 5.33 (dd, $J = 11.9, 9.8$ Hz, 1H), 5.18 (s, 1H), 4.47 (d, $J = 12.0$ Hz, 1H), 3.84 (s, 3H), 3.15 (s, 1H), 1.36 (s, 3H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 175.4, 169.7, 143.8, 143.7, 140.1, 136.7, 128.7, 128.4, 128.2, 128.1, 127.7, 127.4, 127.3, 109.6, 109.5, 68.8, 52.5, 52.5. **IR** (film) ν_{max} 3365, 2928, 2342, 1737, 1410, 1390, 1259, 752 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{23}\text{H}_{23}\text{N}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 390.1812. Found: 390.1838



Ethyl (2S,3S,4R,5S)-5-cyclohexyl-3-phenyl-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4am): Viscous yollowish oil, 42 mg, 53% yield. $dr = 83:17$ $[\alpha]_D^{25} = -50.00$ (CHCl_3 , $c = 1.27$ for 96% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 70/30, 1.0 mL/min, 254 nm): $t_R = 7.71$ min (major), 8.65 min (minor). **^1H NMR** (700 MHz, Chloroform-*d*) δ 8.16 (d, $J = 2.9$ Hz, 1H), 7.62 (d, $J = 1.4$ Hz, 1H), 7.25 – 7.18 (m, 4H), 7.18 – 7.13 (m, 1H), 6.38 (dd, $J = 2.9, 1.5$ Hz, 1H), 4.58 (t, $J = 9.0$ Hz, 1H), 4.26 (d, $J = 9.2$ Hz, 1H), 4.02 (t, $J = 9.1$ Hz, 1H), 3.75 (dq, $J = 10.8, 7.1$ Hz, 1H), 3.60 – 3.45 (m, 2H), 2.63 (s, 1H), 2.12 – 2.02 (m, 1H), 1.78 – 1.73 (m, 1H), 1.61 (p, $J = 4.2, 3.8$ Hz, 1H), 1.58 – 1.52 (m, 1H), 1.27 – 1.05 (m, 7H), 0.77 (t, $J = 7.2$ Hz, 3H). **^{13}C NMR** (175 MHz, Chloroform-*d*) δ 173.3, 172.1, 144.1, 138.3, 128.3, 128.1, 127.2, 110.2, 70.1, 65.8, 60.8, 55.8, 51.2, 41.6, 30.1, 29.8, 26.3, 26.2, 26.1, 13.5. **IR** (film) ν_{max} 3366, 2925, 2852, 1724, 1450, 1387, 1341, 1198, 1027, 769 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{23}\text{H}_{29}\text{N}_3\text{O}_3$ $[\text{M}+\text{H}]^+$: 396.2282. Found: 396.2298





Ethyl (2S,3S,4R,5S)-5-cyclohexyl-3-(3-methoxyphenyl)-4-(1H-pyrazole-1-carbonyl)pyrrolidine-2-carboxylate (4gm): Viscous yollowish oil, 50 mg, 59% yield. $dr = 87:13$ $[\alpha]_D^{25} = +47.09$ (CHCl_3 , $c = 2.39$ for 91% ee). **HPLC** (Chiralpak IC, *n*-hexane/ *iso*-propanol = 80/20, 1.0 mL/min, 254 nm): $t_R = 7.38$ min (minor), 17.72 min (major). **^1H NMR** (500 MHz, Chloroform-*d*) δ 8.16 (s, 1H), 7.63 (s, 1H), 7.11 (t, $J = 7.8$ Hz, 1H), 6.86 – 6.75 (m, 2H), 6.69 (d, $J = 8.2$ Hz, 1H), 6.39 (s, 1H), 4.71 – 4.48 (m, 1H), 4.20 (d, $J = 19.2$ Hz, 1H), 4.02 (s, 1H), 3.77 (d, $J = 7.9$ Hz, 1H), 3.72 (s, 3H), 3.61 (t, $J = 8.9$ Hz, 2H), 2.50 (s, 1H), 2.07 (s, 1H), 1.74 (d, $J = 13.1$ Hz, 1H), 1.61 – 1.49 (m, 2H), 1.30 – 1.04 (m, 7H), 0.81 (d, $J = 7.2$ Hz, 3H). **^{13}C NMR** (125 MHz, Chloroform-*d*) δ 159.33, 144.05, 144.03, 129.06, 128.35, 120.79, 113.65, 113.14, 110.19, 60.76, 55.14, 41.64, 26.33, 26.22, 26.06, 13.58. **IR** (film) ν_{max} 3365, 2926, 2853, 1725, 1602, 1387, 1199, 1040, 774, 697 cm^{-1} ; **HRMS** (ES⁺): Exact mass calcd for $\text{C}_{24}\text{H}_{31}\text{N}_3\text{O}_4$ $[\text{M}+\text{H}]^+$: 426.2387. Found: 426.2403.




To a solution of **4aa** (77.9 mg, 0.2mol) in MeOH (2 mL) was added NaOMe (21.68 mg, 0.4 mol) at °C. After stirred for 8 hours at room temperature, the reaction was quenched with saturated aqueous NH₄Cl and extracted three times with EtOAc. Combined organic layers were washed with brine and dried over Na₂SO₄. After filtration and evaporation, the residue was purified through a small pad of silica gel by column chromatography (PE/EtOAc) to afford **5** as a colorless viscous gel (61.2 mg, 90%)

Dimethyl (2*S*,3*S*,4*R*,5*R*)-3,5-diphenylpyrrolidine-2,4-dicarboxylate (5) Viscous gel, 61.2 mg, 90% yield. $[\alpha]_D^{25} = +152.27$ (CHCl₃, c = 0.63 for 90% ee). **HPLC** (Chiralcel OD-H, *n*-hexane/ *iso*-propanol = 60/40, 1.0 mL/min, 210 nm): *t_R* = 3.6 min (minor), 5.3 min (major). **¹H NMR** (500 MHz, Chloroform-*d*) δ 7.66 – 7.58 (m, 2H), 7.42 (t, *J* = 7.4 Hz, 2H), 7.39 – 7.21 (m, 7H), 4.55 (d, *J* = 9.7 Hz, 1H), 4.36 (d, *J* = 9.5 Hz, 1H), 4.12 (t, *J* = 9.7 Hz, 1H), 3.55 (s, 3H), 3.41 (t, *J* = 9.8 Hz, 1H), 3.25 (s, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 173.2, 173.1, 140.2, 138.0, 128.8, 128.4, 128.1, 128.0, 127.4, 127.1, 66.9, 65.3, 57.3, 53.6, 52.0, 51.5. **IR** (film) $\nu_{\max}$ 3381, 3037, 3031, 2927, 2105, 1958, 1739, 1440, 1266, 1170, 752, 703 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₂₀H₂₁NO₄ [M+H]⁺: 340.1543. Found: 340.1563.




To a solution of **4aa** (77.9 mg, 0.2mol) in toluene (2 mL) were added *trans*-cinnamaldehyde (**6**) (21.68 mg, 0.4 mol) and *N*-phenylmaleimide (**7**) at room temperature. The reaction mixture was allowed to stir for 48 h at room temperature. After completion of the reaction, the residue was charged over a column packed with silica gel. The pyrrolizidine derivative **8** was isolated as white solid (70% yield by flash column chromatography using 25-30% EtOAc in hexanes as the eluent.

Ethyl (6*R*,7*R*,8*S*,8*aS*)-1,3-dioxo-2,6,8-triphenyl-7-(1*H*-pyrazole-1-carbonyl)-4-((*E*)-styryl)tetrahydro-1*H*,4*H*-3*a*1*3*,4*13*,8*b*1*3*-pyrrolo[3,4-*a*]pyrrolizine-8*a*(6*H*)-carboxylate (8): White solid, 95 mg, 70% yield. **MP:** 220-223 °C. $dr = 90:10$ $[\alpha]_D^{25} = +2.85$ (CHCl₃, $c = 1.11$ for 90% ee). **HPLC** (Chiralpak AD-H, *n*-hexane/ *iso*-propanol = 60/40, 1.0 mL/min, 254 nm): $t_R = 8.70$ min (minor), 13.90 min (major). **¹H NMR** (500 MHz, Chloroform-*d*) δ 8.18 (d, $J = 2.9$ Hz, 1H), 7.56 (d, $J = 7.6$ Hz, 2H), 7.49 (t, $J = 7.7$ Hz, 2H), 7.44 – 7.38 (m, 6H), 7.28 (t, $J = 3.9$ Hz, 2H), 7.21 (t, $J = 7.3$ Hz, 3H), 7.15 (dt, $J = 4.3, 2.4$ Hz, 4H), 6.81 (dd, $J = 6.7, 2.9$ Hz, 2H), 6.59 (d, $J = 15.8$ Hz, 1H), 6.35 (t, $J = 2.1$ Hz, 1H), 5.94 (dd, $J = 15.8, 7.3$ Hz, 1H), 5.13 (t, $J = 9.2$ Hz, 1H), 4.78 (d, $J = 9.0$ Hz, 1H), 4.61 (t, $J = 7.5$ Hz, 1H), 4.50 (d, $J = 9.4$ Hz, 1H), 4.32 (d, $J = 10.2$ Hz, 1H), 4.03 (dd, $J = 10.2, 7.6$ Hz, 1H), 3.87 – 3.73 (m, 2H), 0.82 (t, $J = 7.2$ Hz, 3H). **¹³C NMR** (125 MHz, Chloroform-*d*) δ 175.3, 171.6, 169.5, 144.3, 141.0, 138.4, 136.3, 132.2, 129.1, 128.6, 128.4, 128.3, 128.2, 128.0, 127.7, 127.6, 127.1, 126.7, 126.6, 126.5, 126.1, 84.8, 68.6, 66.1, 57.6, 57.2, 52.4, 13.4. **IR** (film) ν_{max} 3472, 3062, 2925, 2260, 1951, 1887, 1775, 1719, 1603, 1382, 1205, 747 cm⁻¹; **HRMS** (ES⁺): Exact mass calcd for C₄₂H₃₆N₄O₅ [M+Na]⁺ 699.2578; Found 699.2564.



References:

- [1] a) X. Ding, C. Tian, Y. Hu, L. Gong, E. Meggers, *Eur. J. Org. Chem.* **2016**, 887; b) Y. Zheng, Y. Yao, L. Ye, Z. Shi, X. Li, Z. Zhao, X. Li, *Tetrahedron* **2016**, 72, 973.
- [2] a) L. Dai, D. Xu, L. W. Tang, Z. M. Zhou, *Chem. Cat. Chem.* **2015**, 7, 1078; (b) A. López-Pérez, J. Adrio, J. C. Carretero, *Angew. Chem. Int. Ed.* **2009**, 48, 340; c) I. Oura, K. Shimizu, K. Ogata, S.-I. Fukuzawa, *Org. Lett.* **2010**, 12, 175.





Crystal structure (with 50% ellipsoid probability) of **4ba**(CCDC No. **1578386**)


Table: Crystallographic data and structure refinement for **4ba** (CCDC No. **1578386**)

Empirical formula	C ₂₃ H ₂₂ BrN ₃ O ₃
Formula weight	468.35
Temperature/K	140
Crystal system	triclinic
Space group	<i>P</i> ₁
<i>a</i> /Å	5.6515(12)
<i>b</i> /Å	8.034(2)
<i>c</i> /Å	12.082(3)
α /°	81.886(8)
β /°	88.585(9)
γ /°	73.865(9)
Volume/Å ³	521.6(2)
<i>Z</i>	1
ρ_{calc} /cm ³	1.491
μ /mm ⁻¹	2.0
<i>F</i> (000)	240
Crystal size/mm ³	0.29 × 0.21 × 0.12
Radiation	MoK α (λ = 0.71073)
2 θ range for data collection/°	5.92 to 61.16
Index ranges	-8 ≤ <i>h</i> ≤ 6, -10 ≤ <i>k</i> ≤ 10, -14 ≤ <i>l</i> ≤ 17
Reflections collected	3016
Independent reflections	2978 [<i>R</i> _{int} = 0.0945, <i>R</i> _{sigma} = 0.1550]
Data/restraints/parameters	2978/3/271
Goodness-of-fit on <i>F</i> ²	0.926
Final <i>R</i> indexes [<i>I</i> ≥ 2σ (<i>I</i>)]	<i>R</i> ₁ = 0.0615, <i>wR</i> ₂ = 0.1341
Final <i>R</i> indexes [all data]	<i>R</i> ₁ = 0.0922, <i>wR</i> ₂ = 0.1497
Largest diff. peak/hole / e Å ⁻³	0.501/-0.585
Flack parameter	0.031(15)


¹H NMR and ¹³C NMR spectra of products:

¹H NMR (500 MHz, CDCl₃) of compound **2a**


¹³C NMR (125 MHz, CDCl₃) of compound **2a**




¹H NMR (400 MHz, CDCl₃) of compound **2b**




¹³C NMR (100 MHz, CDCl₃) of compound **2b**




¹H NMR (400 MHz, CDCl₃) of compound **2c**





¹³C NMR (100 MHz, CDCl₃) of compound **2c**




¹H NMR (500 MHz, CDCl₃) of compound **2d**




¹³C NMR (125 MHz, CDCl₃) of compound **2d**







^{13}C NMR (125 MHz, CDCl_3) of compound **2e**





^{19}F NMR (470 MHz, CDCl_3) of compound **2e**




¹H NMR (500 MHz, CDCl₃) of compound **2f**




¹³C NMR (125 MHz, CDCl₃) of compound **2f**







¹H NMR (400 MHz, CDCl₃) of compound **2h**




¹³C NMR (125 MHz, CDCl₃) of compound **2h**



¹H NMR (400 MHz, CDCl₃) of compound **2j**





¹³C NMR (100 MHz, CDCl₃) of compound **2j**




13C NMR spectrum (CDCl₃) of compound 1. The x-axis is labeled 'f1 (ppm)' and ranges from 200 to 0. The spectrum shows several peaks in the aromatic region (110-150 ppm) and a triplet for the CDCl₃ solvent at 77.266, 77.014, and 76.761 ppm. A small peak is visible at 1.032 ppm.


Chemical Shift (ppm)
163.541
144.531
143.944
133.749
131.686
131.442
131.402
128.829
128.799
127.153
126.822
125.806
125.472
123.288
118.043
109.918
77.266 CDCl ₃
77.014 CDCl ₃
76.761 CDCl ₃
1.032

S35


¹H NMR (400 MHz, CDCl₃) of compound **2k** ^{13}C NMR (100 MHz, CDCl_3) of compound **2k**




¹H NMR (500 MHz, CDCl₃) of compound **2I**




¹³C NMR (125 MHz, CDCl₃) of compound **2I**




¹H NMR (500 MHz, CDCl₃) of compound **4aa**




¹³C NMR (125 MHz, CDCl₃) of compound **4aa**




¹H NMR (500 MHz, CDCl₃) of compound 4ba





¹³C NMR (125 MHz, CDCl₃) of compound 4ba




¹H NMR (500 MHz, CDCl₃) of compound **4ca**




¹³C NMR (125 MHz, CDCl₃) of compound **4ca**







¹H NMR (500 MHz, CDCl₃) of compound **4ea**




¹³C NMR (125 MHz, CDCl₃) of compound **4ea**




¹H NMR (500 MHz, CDCl₃) of compound **4fa**




¹³C NMR (125 MHz, CDCl₃) of compound **4fa**




¹H NMR (500 MHz, CDCl₃) of compound **4ga**




¹³C NMR (125 MHz, CDCl₃) of compound **4ga**




¹H NMR (500 MHz, CDCl₃) of compound **4ha**




¹³C NMR (125 MHz, CDCl₃) of compound **4ha**




¹H NMR (500 MHz, CDCl₃) of compound **4ia**





¹³C NMR (125 MHz, CDCl₃) of compound **4ia**







¹H NMR (500 MHz, CDCl₃) of compound **4ja**





¹³C NMR (125 MHz, CDCl₃) of compound **4ja**

















¹³C NMR (100 MHz, CDCl₃) of compound 4ac














¹H NMR (500 MHz, CDCl₃) of compound **4ai**





¹³C NMR (125 MHz, CDCl₃) of compound **4ai**






¹H NMR (500 MHz, CDCl₃) of compound **4aj**







¹³C NMR (125 MHz, CDCl₃) of compound **4aj**
















¹H NMR (500 MHz, CDCl₃) of compound **8**




¹³C NMR (125 MHz, CDCl₃) of compound **8**

HPLC Traces



Sample Name: RGB-654-Rac-ID-30-254




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.682	BB	0.3613	6216.34717	265.38614	49.5260
2	21.895	BB	0.5713	6335.32617	172.18481	50.4740

Totals : 1.25517e4 437.57095

HPLC chromatogram of racemic **4aa**


Sample Name: RGB-682-Chiral-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	13.058	BV	0.3981	3.00512e4	1168.19214	98.7675
2	23.336	BB	0.5660	375.00452	9.80996	1.2325

Totals : 3.04262e4 1178.00209

HPLC chromatogram of enantioenriched **4aa**



Sample Name: RGB-712-Rac-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.037	BB	0.2867	3424.95728	184.37140	49.7447
2	20.657	BB	0.5672	3460.10669	94.50213	50.2553

Totals : 6885.06396 278.87353

HPLC chromatogram of racemic **4ba**


Sample Name: RGB-713-Chiral-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.029	VB	0.2861	1.07659e4	581.19348	98.9331
2	20.944	BB	0.5448	116.10085	3.31311	1.0669

Totals : 1.08820e4 584.50659

HPLC chromatogram of enantioenriched **4ba**



Sample Name: RGB-714-Rac-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	10.439	VB	0.2889	3.93762e4	2098.60352	49.6437
2	19.010	BB	0.5571	3.99414e4	1086.06604	50.3563

Totals : 7.93176e4 3184.66956

HPLC chromatogram of racemic **4ca**


Sample Name: RGB-715-Chiral-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	10.427	VB	0.2710	8994.06836	511.87506	99.1578
2	19.305	BBA	0.5000	76.39089	2.35785	0.8422

Totals : 9070.45925 514.23291

HPLC chromatogram of enantioenriched **4ca**



Sample Name: RGB-763-Rac-01-ID-30-1-All DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	9.960	VB	0.2646	3476.53833	200.18739	50.2898
2	17.760	BB	0.4566	3436.47217	115.67691	49.7102

Totals : 6913.01050 315.86430

HPLC chromatogram of racemic **4da**


Sample Name: RGB-764-Chiral-01-ID-30-1-All DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	9.900	VV	0.2696	4.40283e4	2547.90869	97.9852
2	17.781	BB	0.5646	905.32892	23.54441	2.0148

Totals : 4.49336e4 2571.45311

HPLC chromatogram of enantioenriched **4da**



Sample Name: RGB-718-Rac-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.515	MM	0.2066	1.11285e4	897.56287	49.5237
2	13.437	MM	0.3918	1.13426e4	482.55090	50.4763

Totals : 2.24711e4 1380.11377

HPLC chromatogram of racemic **4ea**


Sample Name: RGB-719-Chiral-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.498	VB	0.1883	1.49448e4	1225.70117	98.4261
2	13.441	BB	0.4365	238.98112	7.95469	1.5739

Totals : 1.51838e4 1233.65586

HPLC chromatogram of enantioenriched **4ea**



Sample Name: RGB-716-Rac-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.914	VB	0.3452	5.23235e4	2354.89380	49.2638
2	24.026	BV	0.7442	5.38875e4	1094.90930	50.7362

Totals : 1.06211e5 3449.80310

HPLC chromatogram of racemic **4fa**


Sample Name: RGB-717-Chiral-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.129	BB	0.3229	1.94481e4	926.48492	99.7378
2	24.632	MM	0.5613	51.12603	1.51806	0.2622

Totals : 1.94992e4 928.00299

HPLC chromatogram of enantioenriched **4fa**



Sample Name: RGB-769-Rac-01-ID-40-1-All DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.861	BB	0.4156	7782.02539	285.88452	47.6826
2	20.588	BB	0.5560	8538.43066	238.31888	52.3174

Totals : 1.63205e4 524.20340

HPLC chromatogram of racemic **4ga**


Sample Name: RGB-770-Chiral-01-ID-40-1-All DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.810	BB	0.4213	3.89910e4	1433.74976	99.1997
2	20.685	BB	0.5786	314.54861	8.29107	0.8003

Totals : 3.93055e4 1442.04083

HPLC chromatogram of enantioenriched **4ga**



Sample Name: RGB-101011-RAC-ODH-30-1-254




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.901	VB	0.3020	2.71930e4	1367.61487	49.2628
2	11.994	BBA	0.5146	2.80069e4	819.67621	50.7372

Totals : 5.52000e4 2187.29108

HPLC chromatogram of racemic **4ha**


Sample Name: RGB-1012RR-01-CHIRAL-ODH-30-1-254




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	8.074	BB	0.2992	379.58481	19.49458	29.8797
2	12.314	BB	0.4810	890.79254	28.31792	70.1203

Totals : 1270.37735 47.81250

HPLC chromatogram of enantioenriched **4ha**



Sample Name: RGB-05316R-ADH-40-1-254-RAC-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	13.084	MM	0.3218	1192.88525	61.78625	49.9156
2	16.341	MM	0.4140	1196.92065	48.18714	50.0844

Totals : 2389.80591 109.97338

HPLC chromatogram of racemic **4ia**


Sample Name: RGB-05317R-ADH-30-1-254-CHIRAL-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	13.864	MM	0.3552	3436.26172	161.24118	75.7856
2	16.292	MM	0.4352	1097.92761	42.04232	24.2144

Totals : 4534.18933 203.28350

HPLC chromatogram of enantioenriched **4ia**



Sample Name: RGB-05314R-ADH-30-1-254-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	17.165	MM	0.6855	4.25171e4	1033.70703	50.1646
2	32.391	MM	1.1928	4.22381e4	590.15851	49.8354

Totals : 8.47552e4 1623.86554

HPLC chromatogram of racemic **4ja**


Sample Name: RGB-05315R-ADH-30-1-254-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	17.209	VV	0.3593	2.81136e4	949.91327	98.0384
2	33.418	MM	0.8267	562.50867	11.34066	1.9616

Totals : 2.86761e4 961.25393

HPLC chromatogram of enantioenriched **4ja**



Sample Name: RGB-05378-ODH-30-1-ALL-RAC-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	5.221	BV	0.1895	6662.24170	549.38660	49.8950
2	6.145	VB	0.2103	6690.27539	493.15656	50.1050

Totals : 1.33525e4 1042.54315

HPLC chromatogram of racemic **4ka**


Sample Name: RGB-05379-ODH-30-1-ALL-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	5.301	BV	0.2610	2.36801e4	1227.77466	46.7253
2	6.124	VB	0.3423	2.69993e4	1289.10754	53.2747

Totals : 5.06794e4 2516.88220

HPLC chromatogram of enantioenriched **4ka**



Sample Name: RGB-05382-ODH-15-1-254-RAC-02




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	8.205	VB	0.2551	2.06365e4	1247.11975	50.5214
2	9.907	BB	0.3444	2.02106e4	891.85541	49.4786

Totals : 4.08472e4 2138.97516

HPLC chromatogram of racemic **4la**


Sample Name: RGB-05383R-ODH-15-1-254-CHIRAL-02




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.658	BB	0.2331	4.72384e4	3010.13818	97.7480
2	9.145	VB	0.2578	1088.33325	64.86351	2.2520

Totals : 4.83267e4 3075.00169

HPLC chromatogram of enantioenriched **4la**



Sample Name: RGB-04-281-ADH-15-1-254-RAC-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	17.202	BV	0.3646	2.50872e4	973.68335	49.9541
2	18.467	VV	0.4231	2.51333e4	918.84070	50.0459

Totals : 5.02206e4 1892.52405

HPLC chromatogram of racemic **4ab**


Sample Name: RGB-04-282R-ADH-15-1-254-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	17.026	VV	0.3557	5.90412e4	2015.91211	96.9710
2	18.557	VV	0.4142	1844.20813	63.99843	3.0290

Totals : 6.08854e4 2079.91054

HPLC chromatogram of enantioenriched **4ab**



Sample Name: RGB-716-Rac-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.914	VB	0.3452	5.23235e4	2354.89380	49.2638
2	24.026	BV	0.7442	5.38875e4	1094.90930	50.7362

Totals : 1.06211e5 3449.80310

HPLC chromatogram of racemic **4ac**


Sample Name: RGB-717-Chiral-01-ID-30-1-254-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.129	BB	0.3229	1.94481e4	926.48492	99.7378
2	24.632	MM	0.5613	51.12603	1.51806	0.2622

Totals : 1.94992e4 928.00299

HPLC chromatogram of enantioenriched **4ac**



Sample Name: RGB-1038-RAC-ODH-30-1-ALL DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	9.887	BB	0.4792	8.66547e4	2783.38159	49.6165
2	19.652	BB	1.2076	8.79942e4	1090.32007	50.3835

Totals : 1.74649e5 3873.70166

HPLC chromatogram of racemic **4ad**


Sample Name: RGB-1039-CHIRAL-ODH-30-1-ALL DADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	9.952	BB	0.4433	8.46024e4	2926.18433	96.9363
2	20.500	BBA	1.3583	2673.86499	29.70217	3.0637

Totals : 8.72762e4 2955.88649

HPLC chromatogram of enantioenriched **4ad**



Sample Name: RGB-997-RAC-01-OD-H-30-1-ALL DAD-200M




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	6.044	VV	0.2161	5250.00342	364.30060	53.5258
2	7.452	BB	0.2569	4558.35010	272.85153	46.4742

Totals : 9808.35352 637.15213

HPLC chromatogram of racemic **4ae**


Sample Name: RGB-998-CHIRAL-01-OD-H-30-1-ALL DAD-200M




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	6.014	BV	0.2929	1.93831e4	1052.41187	97.6663
2	7.445	VB	0.3617	463.14618	19.45841	2.3337

Totals : 1.98463e4 1071.87028

HPLC chromatogram of enantioenriched **4ae**



Sample Name: RGB-04-285-ADH-20-1-254-RAC-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.606	VV	0.2936	3788.91187	197.69821	50.7812
2	14.001	VV	0.3222	3672.34009	176.89294	49.2188

Totals : 7461.25195 374.59116

HPLC chromatogram of racemic **4af**

Sample Name: RGB-04-286R-ADH-20-1-254-CHIRAL




Signal 1: DAD1 A, Sig=254,4 Ref=360,100


Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	12.032	MM	0.3919	6.63993e4	2823.61865	99.8633
2	14.256	MM	0.3142	90.86106	4.81968	0.1367

Totals : 6.64901e4 2828.43833

HPLC chromatogram of enantioenriched **4af**



Sample Name: RGB-04-04-RAC-ADH-30-1-ALLDADS




Signal 1: DAD1 A, Sig=254,4 Ref=360,100

Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.022	VV	0.2668	2524.68188	146.68004	49.7760
2	12.491	VB	0.3019	2547.40552	130.43153	50.2240

Totals : 5072.08740 277.11157

HPLC chromatogram of racemic **4ag**


Sample Name: RGB-04-05-CHIRAL-ADH-30-1-ALLDADS




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	10.935	VB	0.2931	1.42278e4	757.59863	98.8045
2	12.431	BB	0.3161	172.15559	8.50736	1.1955

Totals : 1.44000e4 766.10599

HPLC chromatogram of enantioenriched **4ag**



Sample Name: RGB-04-291R-ADH-20-1-254-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	15.642	BV	0.3738	1.78045e4	747.83887	49.8340
2	16.614	VV	0.4094	1.79232e4	693.82800	50.1660

Totals : 3.57277e4 1441.66687

HPLC chromatogram of racemic **4ah**


Sample Name: RGB-04-292R-ADH-20-1-254-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	15.737	BB	0.3520	3182.90137	135.50673	96.1891
2	16.727	MM	0.4285	126.10264	4.90444	3.8109

Totals : 3309.00401 140.41117

HPLC chromatogram of enantioenriched **4ah**



Sample Name: RGB-999-RAC-01-OD-H-30-1-ALL DAD-200M




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.217	VB	0.2714	1.06057e4	602.40930	50.2322
2	15.171	BB	0.6392	1.05076e4	253.70717	49.7678

Totals : 2.11133e4 856.11647

HPLC chromatogram of racemic **4ai**


Sample Name: RGB-1000-CHIRAL-01-OD-H-30-1-ALL DAD-200




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.209	BB	0.3770	5.78007e4	2416.67603	99.2243
2	15.551	BBA	0.6927	451.86224	10.08587	0.7757

Totals : 5.82525e4 2426.76190

HPLC chromatogram of enantioenriched **4ai**



Sample Name: MMS-1090-ODH-05-1-254-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	10.572	VV	0.2519	2512.89160	151.18719	50.4549
2	11.386	VV	0.2815	2467.58252	133.58781	49.5451

Totals : 4980.47412 284.77501

HPLC chromatogram of racemic **4aj**


Sample Name: RGB-04-296-CHIRAL-ADH-1-30-254




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	10.591	MM	0.2702	171.48396	10.57753	2.5551
2	11.412	VV	0.2878	6539.94678	353.51096	97.4449

Totals : 6711.43074 364.08848

HPLC chromatogram of enantioenriched **4aj**



Sample Name: RGB-04-248-ADH-30-1-254-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.157	BV	0.2949	2.22693e4	1175.89355	49.0943
2	14.833	VV	0.3655	2.30909e4	970.69214	50.9057

Totals : 4.53602e4 2146.58569

HPLC chromatogram of racemic **4ak**


Sample Name: RGB-04-249-ADH-30-1-254-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	11.174	VV	0.2915	2.18301e4	1171.13110	96.4667
2	14.944	VV	0.3032	799.57819	32.25920	3.5333

Totals : 2.26297e4 1203.39031

HPLC chromatogram of enantioenriched **4ak**



Sample Name: RGB-05390-ADH-30-1-254-ALL-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.314	BB	0.1864	2.22208e4	1873.29346	49.2245
2	17.537	MM	0.5241	2.29209e4	728.85791	50.7755

Totals : 4.51417e4 2602.15137

HPLC chromatogram of racemic **4al**


Sample Name: RGB-05391-ADH-30-1-254-ALL-CHIRAL-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.282	MM	0.2737	5.63744e4	3433.28027	52.1112
2	17.356	BB	0.5238	5.18065e4	1386.88477	47.8888

Totals : 1.08181e5 4820.16504

HPLC chromatogram of enantioenriched **4al**



Sample Name: RGB-05376-ADH-30-1-ALL-RAC-01




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.673	VB	0.2008	2.61759e4	2079.66064	49.4174
2	8.545	BB	0.2228	2.67932e4	1896.49402	50.5826

Totals : 5.29691e4 3976.15466

HPLC chromatogram of racemic **4am**


Sample Name: RGB-05377-ADH-30-1-ALL-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.708	BV	0.1985	4.70510e4	3336.92432	97.6857
2	8.654	VB	0.2264	1114.68689	74.55148	2.3143

Totals : 4.81657e4 3411.47579

HPLC chromatogram of enantioenriched **4am**



Sample Name: RGB-05388-IC-20-1-254-ALL-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.387	MF	0.2647	3147.59351	198.17479	50.9013
2	17.888	MM	0.6331	3036.12598	79.93145	49.0987

Totals : 6183.71948 278.10624

HPLC chromatogram of racemic **4gm**


Sample Name: RGB-05389-IC-20-1-254-ALL-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	7.381	MF	0.2752	3491.16504	211.41292	4.4861
2	17.723	BB	0.6736	7.43306e4	1649.99048	95.5139

Totals : 7.78217e4 1861.40340

HPLC chromatogram of enantioenriched **4gm**



Sample Name: RAU-44 B-ODH-ALLDAD-40-1-254-RAC




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	3.613	MM	0.1235	4422.17480	596.82648	49.4440
2	5.290	MM	0.1456	4521.62451	517.67181	50.5560

Totals : 8943.79932 1114.49829

HPLC Chromatogram of racemic 5


Sample Name: RAU-41-ODH-ALLDAD-40-1-254-CHIRAL




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	3.642	MM	0.4053	640.11560	26.32108	4.9056
2	5.298	MM	0.1446	1.24086e4	1430.54504	95.0944

Totals : 1.30487e4 1456.86612

HPLC Chromatogram of enantioenriched 5



Sample Name: RGB-05384-ADH-40-1-254-RAC-1




Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	8.203	VV	0.2210	1.70936e4	1194.22229	49.5228
2	13.183	VB	0.4389	1.74231e4	610.68768	50.4772

Totals : 3.45167e4 1804.90997

HPLC Chromatogram of racemic **8**

Sample Name: RGB-05384C-ADH-40-1-ALL-CHIRAL-06



Peak #	RetTime [min]	Type	Width [min]	Area [mAU*s]	Height [mAU]	Area %
1	8.704	MM	0.4415	1086.61475	41.01876	5.2497
2	13.907	MM	0.6141	1.96122e4	532.25256	94.7503

Totals : 2.06988e4 573.27132

HPLC Chromatogram of enantioenriched **8**