

Electronic supplementary information

Diels-Alder cycloaddition polymerization of highly aromatic polyimides and their multiblock copolymers

Doris Cristurean^a, Stephan Schaumüller^a, Paul Strasser^a, Stephan Haudum^a, Markus Himmelsbach^b, Matthias Bechmann^c, Oliver Brüggemann^a, Ian Teasdale^{a*}

^a Institute of Polymer Chemistry, Johannes Kepler University Linz, Altenbergerstraße 69, 4040 Linz, Austria

E-mail: ian.teasdale@jku.at

^b Institute of Analytical Chemistry, Johannes Kepler University Linz, Altenbergerstraße 69, 4040 Linz, Austria

^c Institute of Organic Chemistry, Johannes Kepler University Linz, Altenbergerstraße 69, 4040 Linz, Austria

Content

Compound 3	2
Compound 5	4
Compound 6	6
PI-1	8
PI-2	12
PI-3	16
PI-4	20
PI-5	24
PI-6	28
PI-7	30
PI-8	34
PI-9	38
PI-10	41
PI-11	45
Comparisons / Overlays/solubility table	48

Compound 3




Figure ESI 1: Structure of compound 3




Figure ESI 2: ^1H -NMR of compound 3 in $\text{DMSO}-d_6$




Figure ESI 3: ^{13}C -NMR of compound **3** in $\text{DMSO}-d_6$




Figure ESI 4: FTIR-ATR of compound **3**

Compound 5




Figure ESI 5: Structure of compound 5




Figure ESI 6: ^1H -NMR of compound 5 in CDCl_3




Figure ESI 7: ^{13}C -NMR of compound 5 in CDCl_3




Figure ESI 8: FTIR-ATR of compound 5

Compound 6




Figure ESI 9: Structure of compound 6




Figure ESI 10: ¹H-NMR of compound 6 in CD₂Cl₂




Figure ESI 11: ^{13}C -NMR of compound **6** in CD_2Cl_2




Figure ESI 12: FTIR-ATR of compound **6**

PI-1




Figure ESI 13: Structure of PI-1




Figure ESI 14: ¹H-NMR of PI-1 in CD₂Cl₂




Figure ESI 15: ^{13}C -NMR of PI-1 in CD_2Cl_2




Figure ESI 16: FTIR-ATR of PI-1




Figure ESI 17: Refractive index detector response of SEC of **PI-1**




Figure ESI 18: TGA curve of **PI-1** (heating rate 10 °C/min)




Figure ESI 19: DSC measurement of PI-1 (second heating cycle, endo up)

PI-2




Figure ESI 20: Structure of PI-2




Figure ESI 21: ¹H-NMR of PI-2 in CDCl_3




Figure ESI 22: ^{13}C -NMR of PI-2 in CDCl_3




Figure ESI 23: FTIR-ATR of PI-2




Figure ESI 24: Refractive index detector response of SEC of **PI-2**




Figure ESI 25: TGA curve of **PI-2** (heating rate 10 °C/min)




Figure ESI 26: DSC measurement of PI-2 (second heating cycle, endo up)

PI-3




Figure ESI 27: ^1H -NMR of **PI-3** in CD_2Cl_2




Figure ESI 28: ^{13}C -NMR of PI-3 in CD_2Cl_2




Figure ESI 29: FTIR-ATR of PI-3




Figure ESI 30: Refractive index detector response of SEC of **PI-3**




Figure ESI 31: TGA curve of **PI-3**(heating rate 10 °C/min)




Figure ESI 32: DSC measurement of **PI-3** (second heating cycle, endo up)

PI-4




Figure ESI 33: Structure of PI-4




Figure ESI 34: ¹H-NMR of PI-4 in CD₂Cl₂




Figure ESI 35: ^{13}C -NMR of PI-4 in CD_2Cl_2




Figure ESI 36: FTIR-ATR of PI-4




Figure ESI 37: Refractive index detector response of SEC of PI-4




Figure ESI 38: TGA curve of PI-4 (heating rate 10 °C/min)




Figure ESI 39: DSC measurement of **PI-4** (second heating cycle, endo up)

PI-5




Figure ESI 40: Structure of PI-5




Figure ESI 41: ¹H-NMR of PI-5 in CD₂Cl₂




Figure ESI 42: ^{13}C -NMR of PI-5 in CD_2Cl_2




Figure ESI 43: ^{19}F -NMR of PI-5 in CDCl_3




Figure ESI 44: FTIR-ATR of PI-5




Figure ESI 45: Refractive index detector response of SEC of PI-5




Figure ESI 46: TGA curve of **PI-5** (heating rate $10 \text{ } ^\circ\text{C}/\text{min}$)




Figure ESI 47: DSC measurement of **PI-5** (second heating cycle, endo up)

PI-6




Figure ESI 48: Structure of PI-6




Figure ESI 49: Solid state ^{13}C -NMR of PI-6




Figure ESI 50: FTIR-ATR of PI-6




Figure ESI 51: TGA curve of PI-6 (heating rate 10 °C/min)




Figure ESI 52: DSC measurement of PI-6 (second heating cycle, endo up)

PI-7




Figure ESI 53: Structure of PI-7




Figure ESI 54: ¹H-NMR of PI-7 in CD₂Cl₂




Figure ESI 55: ^{13}C -NMR of PI-7 in CD_2Cl_2




Figure ESI 56: FTIR-ATR of PI-7




Figure ESI 57: Refractive index detector response of SEC of PI-7




Figure ESI 58: TGA curve of PI-7 (heating rate 10 °C/min)




Figure ESI 59: DSC measurement of PI-7(second heating cycle, endo up)

PI-8




Figure ESI 60: Structure of PI-8




Figure ESI 61: ¹H-NMR of PI-8 in CD_2Cl_2




Figure ESI 62: ^{13}C -NMR of PI-8 in CD_2Cl_2




Figure ESI 63: ^{19}F NMR of PI-8 in CDCl_3 (peak at -75.5 ppm originates from TFA used as internal standard)




Figure ESI 64: FTIR-ATR of PI-8




Figure ESI 65: Refractive index detector response of SEC of PI-8




Figure ESI 66: TGA curve of **PI-8** (heating rate 10 °C/min)




Figure ESI 67: DSC measurement of **PI-7**(second heating cycle, endo up)

PI-9




Figure ESI 68: Structure of PI-9




Figure ESI 69: Solid state ^{13}C -NMR of PI-9




Figure ESI 70: FTIR-ATR of PI-9




Figure ESI 71: TGA curve of PI-9 (heating rate 10 °C/min)




Figure ESI 72: DSC measurement of PI-9 (second heating cycle, endo up)

PI-10




Figure ESI 73: Structure of PI-10




Figure ESI 74: $^1\text{H-NMR}$ of PI-10 in CD_2Cl_2




Figure ESI 75: ^{13}C -NMR of **PI-10** in CD_2Cl_2




Figure ESI 76: ^{19}F -NMR of **PI-10** in CDCl_3 (peak at -75.5 ppm originates from TFA used as internal standard)




Figure ESI 77: FTIR-ATR of PI-10




Figure ESI 78: Refractive index detector response of SEC of PI-10




Figure ESI 79: TGA curve of **PI-10** (heating rate $10 \text{ } ^\circ\text{C}/\text{min}$)




Figure ESI 80: DSC measurement of **PI-10** (second heating cycle, endo up)

PI-11




Figure ESI 81: Structure of PI-11




Figure ESI 82: Solid state ^{13}C -NMR of PI-11




Figure ESI 83: FTIR-ATR of PI-11




Figure ESI 84: TGA curve of PI-11 (heating rate 10 °C/min)




Figure ESI 85: DSC measurement of **PI-11** (second heating cycle, endo up)

Comparisons / Overlays / Tables




Figure ESI 86: ^{13}C -NMR of compound **3** (top) and compound **5** (bottom)




Figure ESI 87: ^{13}C -NMR of compound **3** (top) and **PI-1** (bottom).

Table ESI 1: Solubility of polymers.

Polymer	DMF	NMP	DMSO	CHCl ₃	Acetone
PI-1	+	+	+	+	-
PI-2	+	+	+	+	-
PI-3	+	+	+	+	-
PI-4	+	+	+	+	-
PI-5	+	+	+	+	+
PI-6	-	-	-	-	-
PI-7	+	+	+	+	-
PI-8	+	+	+	+	+
PI-9	-	-	-	-	-
PI-10	+	+	+	+	-
PI-11	-	-	-	-	-