

In-situ etching strategy to construct yolk-shell $\text{CoSe}_2@\text{NiCoSe}_4\text{-NC}$ heterostructures for high-performance sodium ion battery

Huajian Liang^a, Xiaotong Li^a, Zhiting Liu^a, Wei Yang^a, Xinlong Liu^a, Yufei Zhang^{b*} and Haosen Fan^{a*}

^aSchool of Chemistry and Chemical Engineering, Guangzhou University, Guangzhou 510006, China

^bSchool of Chemical Engineering and Light Industry, Guangdong University of Technology, Guangzhou 510006, PR China

E-mail: hsfan@gzhu.edu.cn; yfzhang@gdut.edu.cn




Fig. S1 (a-b) SEM images of ZIF67.




Fig. S2 (a-b) SEM images of $\text{CoSe}_2/\text{NiSe}_2/\text{NC}$.




Fig. S3 (a-b) SEM images of CoSe_2/NC .




Fig. S4 (a) charge/discharge profiles of CoSe₂/NiSe₂/NC at the 1st, 2nd and 3rd; (b) galvanostatic profiles of CoSe₂/NiSe₂/NC; (c) charge/discharge profiles of pure CoSe₂/NC; (d) charge/discharge profiles of CoSe₂/NiSe₂/NC and pure CoSe₂/NC at 1st.