

Electrochemical synthesis of hydroxyl group-functionalized PProDOT/ZnO for a ultraviolet photodetector[†]

Zulpikar Helil^a, Tursun Abdiryim^{a*}, Ruxangul Jamal^b, Aygul Kadir^b, Yuzhu Che^a, Dongna Zou^a, Mariyam Niyaz^a

^aKey Laboratory of Energy Materials Chemistry, Ministry of Education; Key Laboratory of Advanced Functional Materials, Autonomous Region; Institute of Applied Chemistry, College of Chemistry, Xinjiang University, Urumqi, 830046,

^bKey Laboratory of Oil and Gas Fine Chemicals, Ministry of Education & Xinjiang Uygur Autonomous Region, Xinjiang University, Urumqi, 830046 P.R. China

* Corresponding author

E-mail: tursunabdir@sina.com.cn




Fig S1 Cyclic voltammograms of (a) ZnO (b) ZnO/PProDOT, (c)ZnO/PProDOT-OH composites in an electrolyte of 0.05 M tetra-n-butylammonium hexafluorophosphate TBAPF₆ in dichloromethane solutionat 100 mV/s sweep rate.




Fig S2 EIS spectra of (a)ZnO(b) ZnO/PProDOT,(c)ZnO/PProDOT-OH composites in an electrolyte of 0.05M tetra-n-butylammonium hexafluorophosphate TBAPF₆ in dichloromethane solution .




Fig S3 EDS of (a) ZnO/PProDOT, (b) ZnO/ProDOT-OH composites.