

Supplementary Information

Preparation, characterization and application of CS@PDA@Fe₃O₄ nanocomposite as a new magnetic nano-adsorber for the removal of metals and dyes in wastewater

Authors: Xingjing Zhang, Baohe Li, Xiaoqian Han* and Nong Wang

School of Chemical and Biological Engineering, Lanzhou Jiaotong University, Lanzhou, Gansu 730000, P.R.China

1. Characterization of CS@PDA@Fe₃O₄ biopolymer adsorbent
 - a. FT-IR
 - b. Saturation magnetization
 - c. X-ray spectra
 - d-g. SEM and TEM
2. Table of compositions of Fe₃O₄, PDA@Fe₃O₄ and CS@PDA@Fe₃O₄
3. XPS spectra

1. Characterization of CS@PDA@Fe₃O₄ biopolymer adsorbent

1-1a FT-IR




Figure S 1 FT-IR of Fe₃O₄ PDA@Fe₃O₄ and CS@PDA@Fe₃O₄

1-1b Saturation magnetization





Figure S 2 Saturation magnetization of Fe₃O₄ PDA@Fe₃O₄ and CS@PDA@Fe₃O₄

1-1c X-ray spectra



2(o)

Figure S 3 X-ray of Fe_3O_4 PDA@ Fe_3O_4 and CS@PDA@ Fe_3O_4

1-1d-g SEM and TEM




Figure S 4 SEM images of Fe_3O_4 , (e) SEM images of CS@PDA@ Fe_3O_4 ; (f) TEM image of Fe_3O_4 , (g) TEM image of CS@PDA@ Fe_3O_4 .

2. EDS of CS@PDA@Fe₃O₄

Table S 1. Compositions of Fe₃O₄, PDA@Fe₃O₄ and CS@PDA@Fe₃O₄

Sample name	Fe (%)	O (%)	C (%)	N (%)	Si (%)
Fe ₃ O ₄	64.75	35.25	—	—	—
Fe ₃ O ₄ @PDA	25.50	41.44	29.40	3.66	—
Fe ₃ O ₄ @PDA@CS	2.74	39.40	48.49	8.99	0.99

3. XPS spectra




Figure S 5 XPS spectra of (a) wide scan of the virgin and Cu (II)-loaded CS@PDA@Fe₃O₄




Figure S 6 XPS spectra of N 1s of the virgin and Cu (II)-loaded CS@PDA@ Fe_3O_4




Figure S 7 O1s of the virgin and Cu (II)-loaded CS@PDA@ Fe_3O_4