

# Design, synthesis and evaluation of 3-phenoxyphrazine-2-carboxamide derivatives as potent TGR5 agonists

Shizhen Zhao<sup>a,#</sup>; Le Wang<sup>a,#</sup>; Jie Wang<sup>a</sup>; Chenwei Wang<sup>a</sup>; Shaowei Zheng<sup>a</sup>; Yajie Fu<sup>a</sup>, Yunfu Li<sup>a</sup>; Wei-Dong Chen<sup>a,b</sup>; Ruifang Hou<sup>a,\*</sup>, Dongbin Yang<sup>a,\*</sup>, Yan-Dong Wang<sup>c,\*</sup>

<sup>a</sup>Key Laboratory of Receptors-Mediated Gene Regulation and Drug Discovery, Hebi Key Laboratory of Liver Disease, People's Hospital of Hebi, School of Medicine, Henan University, Kaifeng, China

<sup>b</sup> Key Laboratory of Molecular Pathology, School of Basic Medical Science, Inner Mongolia Medical University, Hohhot, China

<sup>c</sup> State Key Laboratory of Chemical Resource Engineering, College of Life Science and Technology, Beijing University of Chemical Technology, Beijing, China

# These authors contributed equally to this work.


\*Corresponding author: E-mail addresses: [dr\\_rfhou@126.com](mailto:dr_rfhou@126.com) (R.H); [dongbinyang@126.com](mailto:dongbinyang@126.com) (D.Y); [ydwangbuct2009@163.com](mailto:ydwangbuct2009@163.com) (Y.-D.W.)

## Supporting Information


### Table of Contents:

<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of compounds **18a-u**.


<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18a**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18b**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18c**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18d**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18e**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18g**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18h**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18i**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18j**




$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR spectra of **18k**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18l**




$^1\text{H}$  NMR and  $^{13}\text{C}$  NMR spectra of **18m**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18n**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18o**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18p**




<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18q**





<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18r**



<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18s**



<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18t**



<sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of **18u**

