

Supporting Information for

sp^2 -to- sp^3 Transition in Graphite During Cold-compression

Xiaohong Yuan^a, Yong Cheng^b, Hu Tang^{a,c}, Pei Wang^a, Fuyang Liu^d, Songbai Han^{a,},
Jinlong Zhu^e, Ming-Sheng Wang^b, Liping Wang^{a,**}*

^aAcademy for Advanced Interdisciplinary Studies & Shenzhen Engineering Research Center for Frontier Materials Synthesis at High Pressures, Southern University of Science and Technology (SUSTech), Shenzhen 518055, China

^bState Key Laboratory of Physical Chemistry of Solid Surfaces, College of Materials, Xiamen University, Xiamen, Fujian 361005, China

^cBayerisches Geoinstitut, Universität Bayreuth, Bayreuth 95440, Germany

^dCenter for High Pressure Science and Technology Advanced Research, Beijing 100094, China

^eDepartment of Physics, Southern University of Science and Technology (SUSTech), Shenzhen 518055, China

* Corresponding author.

**Corresponding author.

E-mail: hansb@sustech.edu.cn (S. Han), wanglp3@sustech.edu.cn (L. Wang)




Figure S1. The Raman spectrum of HOPG at different pressures from 1.2 GPa to 15.2 GPa with MEW as PTM. The solid lines are Lorentzian fit to the experimental data.