Supporting Information

Selective adsorption of sulphur dioxide and hydrogen sulphide by metalorganic frameworks

S. Grubišić,^{a,*} R. Dahmani,^{b,c,§} I. Djordjević,^a M. Sentić^a and M. Hochlaf^{b,*}

^aUniversity of Belgrade, Institute of Chemistry, Technology, and Metallurgy, National Institute of Republic of Serbia, Njegoševa 12, Belgrade, 11000 Serbia,

^b Université Gustave Eiffel, COSYS/IMSE, 5 Bd Descartes 77454, Champs sur Marne, France.

[°]University of Tunis El Manar, Department of Chemistry, Laboratory of Characterizations, Applications and Modeling of Materials (LCAMM), LR18ES08, Tunis, Tunisia.

*authors to whom correspondence should be addressed:

Emails: SG: sonja.grubisic@ihtm.bg.ac.rs; MH: <a href="mailto:ma

List of the Figures

Figure S1: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for H₂S inside MAF66.

Figure S2: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for SO₂ inside MAF66.

Figure S3: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for H₂S inside ZTF.

Figure S4: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for SO₂ inside ZTF.



Figure S1: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for H₂S inside MAF66.



Figure S2: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for SO₂ inside MAF66.



Figure S3: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for H_2S inside ZTF.



Figure S4: Snapshots of the initial (left) and middle (right) frames during GCMC simulations for SO₂ inside ZTF.