

Supplementary Information

Cu-modified La₂Si₂O₇/TiO₂ composite materials: Preparation, Characterization and photothermal properties

Wei Li, Chao-chao Tao, Jian-Ping Tang^{b*}, Shengliang Zhong^{a*}

^a *Key Lab of Fluorine and Silicon for Energy Materials and Chemistry of
Ministry of Education, College of Chemistry and Chemical Engineering,
Jiangxi Normal University, Nanchang, 330022, China*

^b *Analytical and Testing Center, Jiangxi Normal University, Nanchang 330022,
China*

*corresponding author.

*E-mail: slzhong@jxnu.edu.cn




Figure S 1. (a) and (b) are the TEM images of SiO₂ and SiO₂@TiO₂, respectively.




Figure S 2. FTIR spectra of SiO₂ and SiO₂@TiO₂.




Figure S 3. N_2 adsorption/desorption isotherms of $\text{SiO}_2@\text{TiO}_2$.




Figure S 4. FTIR spectra of 2,5-Pyridinedicarboxylic acid, La-PDACP, Cu-PDACP and La/Cu-PDACP.




Figure S5. EDX of La/Cu-PDACP




Figure S6. UV spectra of Cu/La₂Si₂O₇/TiO₂.




Figure S7. Photocatalytic hydrogen production rate diagram of SiO₂@TiO₂, Cu/La₂Si₂O₇ and Cu/La₂Si₂O₇/TiO₂.