

## Electronic supplementary information (ESI)

# Vulgarisin-type diterpenoids from self-heal (*Prunella vulgaris*) and their neuroprotective effects against ischemia/reperfusion (I/R) via mitochondria-related pathway

Fengwei Ma,<sup>a,b,c,d,‡</sup> Qingfang Deng,<sup>a,e,‡</sup> Huayong Lou,<sup>b,c</sup> Jinyu Li,<sup>b,c</sup> Su Xu,<sup>d</sup> Wenneng Wu,<sup>d</sup> Qihua Wen,<sup>d</sup> Lei Tang,<sup>b</sup> Xin Wang <sup>\*a</sup> and Weidong Pan <sup>\*b,c</sup>

<sup>a</sup> State Key Laboratory of Cellular Stress Biology, Fujian Provincial Key Laboratory of Neurodegenerative Disease and Aging Research, Institute of Neuroscience, School of Medicine, Xiamen University, Xiamen, Fujian 361005, China

<sup>b</sup> State Key Laboratory of Functions and Applications of Medicinal Plants, Guizhou Medical University, Guiyang 550014, China

<sup>c</sup> The Key Laboratory of Chemistry for Natural Products of Guizhou Province and Chinese Academy of Science, Guiyang 550014, China

<sup>d</sup> Food and Pharmaceutical Engineering Institute, Guiyang University, Guiyang, Guizhou, 550005, China

<sup>e</sup> Key Laboratory for Information System of Mountainous Areas and Protection of Ecological Environment, Guiyang Normal University, Guiyang, Guizhou, 550001, China

---

<sup>†</sup> These authors contributed equally to this work

<sup>\*</sup> Corresponding authors. Xin Wang and Weidong Pan; E-mail address of Xin Wang ([wangx@xmu.edu.cn](mailto:wangx@xmu.edu.cn)) and Weidong Pan ([wdpan@163.com](mailto:wdpan@163.com))

## Table of Contents

**Fig. S1**  $^1\text{H}$  NMR spectrum of vulgarisin G (**1**)

**Fig. S2**  $^{13}\text{C}$  NMR spectrum of vulgarisin G (**1**)

**Fig. S3** HSQC spectrum of vulgarisin G (**1**)

**Fig. S4** HMBC spectrum of vulgarisin G (**1**)

**Fig. S5**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin G (**1**)

**Fig. S6** NOESY spectrum of vulgarisin G (**1**)

**Fig. S7** UV and CD spectra (experimental and calculated) of vulgarisin G (**1**)

**Fig. S8** MS and  $\text{MS}^2$  spectra of vulgarisin G (**1**)

**Fig. S9** FT-IR spectrum of vulgarisin G (**1**)

**Fig. S10**  $^1\text{H}$  NMR spectrum of vulgarisin H (**2**)

**Fig. S11**  $^{13}\text{C}$  NMR spectrum of vulgarisin H (**2**)

**Fig. S12** HSQC spectrum of vulgarisin H (**2**)

**Fig. S13** HMBC spectrum of vulgarisin H (**2**)

**Fig. S14**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin H (**2**)

**Fig. S15** NOESY spectrum of vulgarisin H (**2**)

**Fig. S16** UV and CD spectra (experimental and calculated) of vulgarisin H (**2**)

**Fig. S17** MS and  $\text{MS}^2$  spectra of vulgarisin H (**2**)

**Fig. S18** FT-IR spectrum of vulgarisin H (**2**)

**Fig. S19**  $^1\text{H}$  NMR spectrum of vulgarisin I (**3**)

**Fig. S20**  $^{13}\text{C}$  NMR spectrum of vulgarisin I (**3**)

**Fig. S21** HSQC spectrum of vulgarisin I (**3**)

**Fig. S22** HMBC spectrum of vulgarisin I (**3**)

**Fig. S23**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin I (**3**)

**Fig. S24** NOESY spectrum of vulgarisin I (**3**)

**Fig. S25** UV and CD spectra (experimental and calculated) of vulgarisin I (**3**)

**Fig. S26** MS and  $\text{MS}^2$  spectra of vulgarisin I (**3**)

**Fig. S27** FT-IR spectrum of vulgarisin I (**3**)

**Fig. S28**  $^1\text{H}$  NMR spectrum of vulgarisin J (**4**)

**Fig. S29**  $^{13}\text{C}$  NMR spectrum of vulgarisin J (**4**)

**Fig. S30** HSQC spectrum of vulgarisin J (**4**)

**Fig. S31** HMBC spectrum of vulgarisin J (**4**)

**Fig. S32**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin J (**4**)

**Fig. S33** NOESY spectrum of vulgarisin J (**4**)

**Fig. S34** UV and CD spectra (experimental and calculated) of vulgarisin J (**4**)

**Fig. S35** MS and  $\text{MS}^2$  spectra of vulgarisin J (**4**)

**Fig. S36** FT-IR spectrum of vulgarisin J (**4**)

**Fig. S37**  $^1\text{H}$  NMR spectrum of vulgarisin K (**5**)

**Fig. S38**  $^{13}\text{C}$  NMR spectrum of vulgarisin K (**5**)

**Fig. S39** HSQC spectrum of vulgarisin K (**5**)

**Fig. S40** HMBC spectrum of vulgarisin K (**5**)

**Fig. S41**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin K (**5**)

**Fig. S42** NOESY spectrum of vulgarisin K (**5**)

**Fig. S43** UV and CD spectra (experimental and calculated) of vulgarisin K (**5**)

**Fig. S44** MS and  $\text{MS}^2$  spectra of vulgarisin K (**5**)

**Fig. S45** FT-IR spectrum of vulgarisin K (**5**)

**Fig. S46**  $^1\text{H}$  NMR spectrum of vulgarisin L (**6**)

**Fig. S47**  $^{13}\text{C}$  NMR spectrum of vulgarisin L (**6**)

**Fig. S48** HSQC spectrum of vulgarisin L (**6**)

**Fig. S49** HMBC spectrum of vulgarisin L (**6**)

**Fig. S50**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin L (**6**)

**Fig. S51** NOESY spectrum of vulgarisin L (**6**)

**Fig. S52** UV and CD spectra (experimental and calculated) of vulgarisin L (**6**)

**Fig. S53** MS and  $\text{MS}^2$  spectra of vulgarisin L (**6**)

**Fig. S54** FT-IR spectrum of vulgarisin L (**6**)

**Fig. S55** HPLC chromatogram of reference standard caffeic acid

**Fig. S56** HPLC chromatogram of reference standard rutin

**Fig. S57** HPLC chromatogram of reference standard rosmarinic acid

**Fig. S58** HPLC chromatogram of isolated reference compound vulgarism F (**8**)

**Fig. S59** HPLC chromatogram of isolated reference compound vulgarism I (**3**)

**Fig. S60** HPLC chromatogram of isolated reference compound vulgarism E (**7**)

**Fig. S61** HPLC chromatogram of isolated reference compound vulgarism C (**11**)

**Fig. S62** HPLC chromatogram of isolated reference compound vulgarism J (**4**)

**Fig. S63** HPLC chromatogram of isolated reference compound vulgarism B (**12**)

**Fig. S64** HPLC chromatogram of isolated reference compound vulgarism D (**9**)

**Fig. S65** HPLC chromatogram of isolated reference compound vulgarism G (**1**)

**Fig. S66** HPLC chromatogram of isolated reference compound vulgarism A (**10**)

**Fig. S67** HPLC chromatogram of isolated reference compound vulgarism K (**5**)

**Fig. S68** HPLC chromatogram of isolated reference compound vulgarism L (**6**)

**Fig. S69** HPLC chromatogram of isolated reference compound vulgarism H (**2**)

**Fig. S70** HPLC chromatogram of reference standard ursolic acid

**Fig. S71** HRMS spectrum of tentatively identified compound oleanolic acid (Mw=456)


**Fig. S72** HRMS spectrum of tentatively identified compound abietic acid (Mw=302)

**Fig. S73** HRMS spectrum of tentatively identified compound ursonic acid (Mw=454)


**Fig. S74** HRMS spectrum of tentatively identified compound betulinic acid (Mw=456)

**Fig. S75** HRMS spectrum of tentatively identified compound dehydrotrametenolic acid (Mw=454)


**Table S1** Chemical profile of *P. vulgaris*




**Fig. S1**  $^1\text{H}$  NMR spectrum of vulgarisin G (**1**)




**Fig. S2**  $^{13}\text{C}$  NMR spectrum of vulgarisin G (**1**)




**Fig. S3** HSQC spectrum of vulgarisin G (**1**)




**Fig. S4** HMBC spectrum of vulgarisin G (**1**)



**Fig. S5**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin G (**1**)




**Fig. S6** NOESY spectrum of vulgarisin G (**1**)




**Fig. S7** UV and CD spectra (experimental and calculated) of vulgarisin G (1)


PMFW077 #1 RT: 0.00 AV: 1 NL: 7.50E8  
T: FTMS + p ESI Full ms [100.0000-1500.0000]




PMFW077\_210317145854 #1 RT: 0.00 AV: 1 NL: 1.38E6  
T: FTMS + p ESI Full ms2 569.3000@hcd25.00 [100.0000-600.0000]




**Fig. S8** MS and MS<sup>2</sup> spectra of vulgarisin G (1)




**Fig. S9** FT-IR spectrum of vulgarisin G (1)




**Fig. S10**  $^1\text{H}$  NMR spectrum of vulgarisin H (**2**)




**Fig. S11**  $^{13}\text{C}$  NMR spectrum of vulgarisin H (**2**)




**Fig. S12** HSQC spectrum of vulgarisin H (2)




**Fig. S13** HMBC spectrum of vulgarisin H (2)




**Fig. S14** <sup>1</sup>H-<sup>1</sup>H COSY spectrum of vulgarisin H (2)




**Fig. S15** NOESY spectrum of vulgarisin H (2)




**Fig. S16** UV and CD spectra (experimental and calculated) of vulgarisin H (**2**)




PMFW-861\_210602092934 #1 RT: 0.00 AV: 1 NL: 3.32E5  
T: FTMS + p ESI Full ms2 569.3000@hcd20.00 [50.0000-720.0000]




**Fig. S17** MS and  $MS^2$  spectra of vulgarisin H (2)




**Fig. S18** FT-IR spectrum of vulgarisin H (2)




**Fig. S19** <sup>1</sup>H NMR spectrum of vulgarisin I (3)




**Fig. S20** <sup>13</sup>C NMR spectrum of vulgarisin I (3)




**Fig. S21** HSQC spectrum of vulgarisin I (3)






**Fig. S22** HMBC spectrum of vulgarisin I (3)





**Fig. S23**  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of vulgarisin I (**3**)




**Fig. S24** NOESY spectrum of vulgarisin I (**3**)




**Fig. S25** UV and CD spectra (experimental and calculated) of vulgarisin I (**3**)




**Fig. S26** MS and MS<sup>2</sup> spectra of vulgarisin I (**3**)




**Fig. S27** FT-IR spectrum of vulgarisin I (**3**)




**Fig. S28** <sup>1</sup>H NMR spectrum of vulgarisin J (4)




**Fig. S29** <sup>13</sup>C NMR spectrum of vulgarisin J (4)




**Fig. S30** HSQC spectrum of vulgarisin J (4)




**Fig. S31** HMBC spectrum of vulgarisin J (4)



**Fig. S32** <sup>1</sup>H-<sup>1</sup>H COSY spectrum of vulgarisin J (4)




**Fig. S33** NOESY spectrum of vulgarisin J (4)




**Fig. S34** UV and CD spectra (experimental and calculated) of vulgarisin J (**4**)


PMFW084 #1 RT: 0.00 AV: 1 NL: 2.02E9  
T: FTMS + p ESI Full ms [166.7000-2500.0000]



PMFW084\_MS210428-20eV #1 RT: 0.00 AV: 1 NL: 1.41E7  
T: FTMS + p ESI Full ms2 535.3000@hcd20.00 [50.0000-750.0000]



**Fig. S35** MS and MS<sup>2</sup> spectra of vulgarisin J (4)



**Fig. S36** FT-IR spectrum of vulgarisin J (4)




Fig. S37  $^1\text{H}$  NMR spectrum of vulgarisin K (**5**)







Fig. S38  $^{13}\text{C}$  NMR spectrum of vulgarisin K (**5**)




**Fig. S39** HSQC spectrum of vulgarisin K (5)




**Fig. S40** HMBC spectrum of vulgarisin K (5)



**Fig. S41** <sup>1</sup>H-<sup>1</sup>H COSY spectrum of vulgarisin K (5)




**Fig. S42** NOESY spectrum of vulgarisin K (5)




**Fig. S43** UV and CD spectra (experimental and calculated) of vulgarisin K (**5**)


PFMW-231 #1 RT: 0.00 AV: 1 NL: 3.90E9  
T: FTMS + p ESI Full ms [166.7000-2500.0000]




PFMW-231\_210902150959 #1 RT: 0.00 AV: 1 NL: 3.48E7  
T: FTMS + p ESI Full ms2 501.3000@hcd25.00 [50.0000-550.0000]




**Fig. S44** MS and MS<sup>2</sup> spectra of vulgarisin K (5)




**Fig. S45** FT-IR spectrum of vulgarisin K (5)




**Fig. S46**  $^1\text{H}$  NMR spectrum of vulgarisin L (**6**)




**Fig. S47**  $^{13}\text{C}$  NMR spectrum of vulgarisin L (**6**)




**Fig. S48** HSQC spectrum of vulgarisin L (6)




**Fig. S49** HMBC spectrum of vulgarisin L (6)




**Fig. S50** <sup>1</sup>H-<sup>1</sup>H COSY spectrum of vulgarisin L (6)




**Fig. S51** NOESY spectrum of vulgarisin L (6)




**Fig. S52** UV and CD spectra (experimental and calculated) of vulgarisin L (6)




PFMW-232\_211011145918 #1 RT: 0.00 AV: 1 NL: 1.70E7  
T: FTMS + p ESI Full ms2 501.3000@hcd25.00 [120.0000-550.0000]




**Fig. S53** MS and MS<sup>2</sup> spectra of vulgarisin L (6)




**Fig. S54** FT-IR spectrum of vulgarisin L (6)




**Fig. S55** HPLC chromatogram of reference standard caffeic acid




**Fig. S56** HPLC chromatogram of reference standard rutin




**Fig. S57** HPLC chromatogram of reference standard rosmarinic acid




**Fig. S58** HPLC chromatogram of isolated reference compound vulgarism F (8)




**Fig. S59** HPLC chromatogram of isolated reference compound vulgarism I (3)




**Fig. S60** HPLC chromatogram of isolated reference compound vulgarism E (7)




**Fig. S61** HPLC chromatogram of isolated reference compound vulgarism C (11)




**Fig. S62** HPLC chromatogram of isolated reference compound vulgarism J (4)




**Fig. S63** HPLC chromatogram of isolated reference compound vulgarism B (12)




**Fig. S64** HPLC chromatogram of isolated reference compound vulgarism D (9)




**Fig. S65** HPLC chromatogram of isolated reference compound vulgarism G (1)




**Fig. S66** HPLC chromatogram of isolated reference compound vulgarism A (10)




**Fig. S67** HPLC chromatogram of isolated reference compound vulgarism K (5)




**Fig. S68** HPLC chromatogram of isolated reference compound vulgarism L (6)




**Fig. S69** HPLC chromatogram of isolated reference compound vulgarism H (2)



**Fig. S70** HPLC chromatogram of reference standard ursolic acid




**Fig. S71** HRMS spectrum of tentatively identified compound oleanolic acid (Mw=456)




**Fig. S72** HRMS spectrum of tentatively identified compound abietic acid (Mw=302)

xkc-0301 #3528 RT: 19.09 AV: 1 NL: 1.10E8  
T: FTMS + p ESI Full ms[100.0000-1200.0000]




**Fig. S73** HRMS spectrum of tentatively identified compound ursonic acid (Mw=454)

xkc-0301 #3414 RT: 18.48 AV: 1 NL: 3.51E7  
T: FTMS - p ESI Full ms[100.0000-1200.0000]



**Fig. S74** HRMS spectrum of tentatively identified compound betulinic acid (Mw=456)

xkc-0301 #3558 RT: 19.25 AV: 1 NL: 6.49E8  
T: FTMS - p ESI Full ms[100.0000-1200.0000]



**Fig. S75** HRMS spectrum of tentatively identified compound dehydrotrameternalic acid

(Mw=454)

No.	Compounds	Identification method	Elementary composition	Reference
1	Caffeic acid	reference standard	C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>	Fig. S55
2	Rutin	reference standard	C <sub>27</sub> H <sub>30</sub> O <sub>16</sub>	Fig. S56
3	Rosmarinic acid	reference standard	C <sub>18</sub> H <sub>16</sub> O <sub>8</sub>	Fig. S57
4	Vulgarisin F ( <b>8</b> )	isolated compound	C <sub>33</sub> H <sub>46</sub> O <sub>6</sub>	Fig. S58
5	Vulgarisin I ( <b>3</b> )	isolated compound	C <sub>31</sub> H <sub>44</sub> O <sub>6</sub>	Fig. S59
6	Vulgarisin E ( <b>7</b> )	isolated compound	C <sub>31</sub> H <sub>44</sub> O <sub>6</sub>	Fig. S60
7	Vulgarisin C ( <b>11</b> )	isolated compound	C <sub>31</sub> H <sub>44</sub> O <sub>6</sub>	Fig. S61
8	Vulgarisin J ( <b>4</b> )	isolated compound	C <sub>31</sub> H <sub>44</sub> O <sub>6</sub>	Fig. S62
9	Vulgarisin B ( <b>12</b> )	isolated compound	C <sub>31</sub> H <sub>44</sub> O <sub>6</sub>	Fig. S63
10	Vulgarisin D ( <b>9</b> )	isolated compound	C <sub>28</sub> H <sub>46</sub> O <sub>6</sub>	Fig. S64
11	Vulgarisin G ( <b>1</b> )	isolated compound	C <sub>34</sub> H <sub>42</sub> O <sub>6</sub>	Fig. S65
12	Vulgarisin A ( <b>10</b> )	isolated compound	C <sub>28</sub> H <sub>46</sub> O <sub>6</sub>	Fig. S66
13	Vulgarisin K ( <b>5</b> )	isolated compound	C <sub>28</sub> H <sub>46</sub> O <sub>6</sub>	Fig. S67
14	Vulgarisin L ( <b>6</b> )	isolated compound	C <sub>28</sub> H <sub>46</sub> O <sub>6</sub>	Fig. S68
15	Vulgarisin H ( <b>2</b> )	isolated compound	C <sub>34</sub> H <sub>42</sub> O <sub>6</sub>	Fig. S69
16	Ursolic acid	reference standard	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	Fig. S70
17	Oleanolic acid	HRMS	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	Fig. S71
18	Abietic acid	HRMS	C <sub>20</sub> H <sub>30</sub> O <sub>2</sub>	Fig. S72
19	Ursonic acid	HRMS	C <sub>30</sub> H <sub>46</sub> O <sub>3</sub>	Fig. S73
20	Betulinic acid,	HRMS	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	Fig. S74
21	Dehydrotrameternalic acid	HRMS	C <sub>30</sub> H <sub>46</sub> O <sub>3</sub>	Fig. S75
22	Baicalin	HRMS	C <sub>21</sub> H <sub>18</sub> O <sub>11</sub>	-
23	Cafestol	HRMS	C <sub>20</sub> H <sub>28</sub> O <sub>3</sub>	-
24	Salviaflaside	literature	C <sub>24</sub> H <sub>26</sub> O <sub>13</sub>	<sup>1</sup>
25	Sterol glucosides	literature	-	<sup>2, 3</sup>
26	Coumarins	literature	-	<sup>4</sup>
27	Flavones	literature	-	<sup>5</sup>

Table S1 Chemical profile of *P. vulgaris*

1. Q. Junna, Z. Yu, Z. Shuang, L. Bin, J. Yanyan and C. Fafeng, Quality control of *Prunella vulgaris* based on HPLC fingerprints combined with chemical pattern recognition and content determination, *Chinese Traditional and Herbal Drugs*, 2020, **51**, 2842-2850.
2. H.-Y. Lou, J.-N. Yao, J. Pan, S. Zheng, Y.-Z. Liu, G.-Y. Liang and W.-D. Pan, C21 Steroidal Glycosides from *Prunella vulgaris*, *Journal of Carbohydrate Chemistry*, 2015, **34**, 358-364.
3. H. Kojima, N. Sato, A. Hatano and H. Ogura, Sterol glucosides from *Prunella vulgaris*, *Phytochemistry*, 1990, **29**, 2351-2355.
4. S. I. Dmitruk, Coumarins of *Prunella vulgaris*, *Chemistry of Natural Compounds*, 1986, **22**, 480.
5. I. S. Dmitruk, S. E. Dmitruk, T. P. Berezovskaya and T. P. Prishep, Flavones of *Prunella vulgaris*, *Chemistry of Natural Compounds*, 1987, **23**, 374-375.

#### Reference