



A



B



Supplementary Figure 2




Table S1. Sequences of primers used in real-time RT-qPCR.

Gene	Forward (5'-3')	Reverse (5'-3')
<i>Rat GAPDH</i>	GGCACAGTCAAGGCTGAGAATG	ATGGTGGTGAAGACGCCAGTA
<i>Rat TNF-α</i>	CCCTGTTCTGCTTTCTCA	GTTCTCCGTGGTGTTCCT
<i>Rat IL-13</i>	AGCAACATCACACAAGACC	GGTTACAGAGGCCATTCA
<i>Rat IL-4</i>	GAGGACCAGAACGAGACA	CCAGAAGCGTGACAGAGA
<i>Mouse GAPDH</i>	AAGAAGGTGGTGAAGCAGG	GAAGGTGGAAGAGTGGGAGT
<i>Mouse IL-4</i>	GCTAGTTGTCATCCTGCTCTTC	GGTGTTCTTCGTTGCTGTGA
<i>Mouse IL-13</i>	CTCTTGCTTGCCTTGGTGGTC	AGGGGAGTCTGGTCTTGTGTGAT
<i>Mouse TNF-α</i>	CGTGGAAGTGGCAGAAGAG	GTAGACAGAAGAGCGTGGTG