

**Relating Structure, Property, and Activity of nanostructured SrTiO₃ and SrO-(SrTiO₃)_n
(n= 1 and 2) for Photocatalytic Hydrogen Evolution**

Aditi Vijay, Kadambari Bairagi, Sonalika Vaidya*

Institute of Nano Science and Technology, Knowledge City, Sector 81, Sahibzada Ajit Singh
Nagar, Punjab 140306, India

Corresponding Author: s vaidya@inst.ac.in

Supporting Information




Figure S1: High Resolution Sr (3d) XPS spectra of (a) SrTiO₃, (b) Sr₂TiO₄, and (c) Sr₃Ti₂O₇.






Figure S2: High Resolution O (1s) XPS spectra of (a) SrTiO₃, (b) Sr₂TiO₄, and (c) Sr₃Ti₂O₇.






Figure S3: High Resolution Ti (2p) XPS spectra of (a) SrTiO₃, (b) Sr₂TiO₄, and (c) Sr₃Ti₂O₇.




Figure S4: XPS Valence Band Spectra of (a) SrTiO_3 , (b) Sr_2TiO_4 and (c) $\text{Sr}_3\text{Ti}_2\text{O}_7$.




Figure S5: PXRD pattern of Sr₃Ti₂O₇ after performing recyclability studies