

ARTICLE

Plasmonic Ag/Cu/PEG Nanofluids Prepared when Solids Meet Liquid in the Gas Phase

Received 00th January 20xx,
Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Kateryna Biliak,^a Daniil Nikitin,^a Suren Ali-Ogly,^a Mariia Protsak,^a Pavel Pleskunov,^a Marco Tosca,^{a,b} Anastasiya Sergievskaya,^c David Cornil,^d Jérôme Cornil,^d Stephanos Konstantinidis,^c Tereza Košutová,^e Zulfiya Černochová,^f Petr Štěpánek,^f Jan Hanuš,^a Jaroslav Kousal,^a Lenka Hanyková,^a Ivan Krakovský^a and Andrei Choukourov*^a

Supplementary information




Figure S 1 High-resolution TEM images of Ag and Cu NPs prepared by dc magnetron sputtering using GAS.

^a Department of Macromolecular Physics, Faculty of Mathematics and Physics, Charles University, V Holešovičkách 2, 180 00, Prague, Czech Republic

^b ELI-Beamlines Centre, Institute of Physics, Czech Academy of Sciences, Dolní Brezany, Czech Republic

^c Plasma-Surface Interaction Chemistry (ChIPS), University of Mons, Place du Parc 20, 7000 Mons, Belgium

^d Laboratory for Chemistry of Novel Materials, University of Mons, Place du Parc 23, B-7000 Mons, Belgium

^e Department of Condensed Matter Physics, Faculty of Mathematics and Physics, Charles University, Ke Karlovu 5, 121 16, Prague, Czech Republic

^f Institute of Macromolecular Chemistry, Czech Academy of Sciences, Heyrovského nám. 2, 162 06, Prague, Czech Republic

* Corresponding author: choukourov@kmf.troja.mff.cuni.cz




Figure S 2 XRD patterns obtained on Ag and Cu NPs. Blue curves are data, red curves are fits.