Synthesis and photophysical properties of N-alkyl dithieno[3,2-b:2',3'-d]pyrroles based donor/acceptor- π -conjugated copolymers for solar-cell application⁺

Cuc Kim Trinh,^{*a,*} Gamal M. Nassar,^{*bd} Nabiha I Abdo,^c Suhyun Jung,^b Wonbin Kim^b, Kwanghee Lee^b and Jae-Suk Lee^{b,*}

^aChemical Engineering in Advanced Materials and Renewable Energy Research Group, School of Engineering and Technology, Van Lang University, Ho Chi Minh City, Vietnam. Email: cuc.tk@vlu.edu.vn

^bSchool of Materials Science & Engineering, Gwangju Institute of Science and Technology (GIST), Gwangju 61005, Republic of Korea. Email: jslee@gist.ac.kr

^cHigher Institute of Engineering and Technology, New Borg Al Arab, Alexandria, Egypt.

^dDepartment of Chemistry, Faculty of Science, Tanta University, Tanta 31527, Egypt.

‡ Contributed equally to this work.



Fig. S1 TGA curve a) and DSC curve b) of PDTP-IID and PDTP-Thz (heating rate: 10 °C/min, N₂, atmosphere).



Fig. S2 ¹H NMR of PDTP-IID in CDCl₃.



Fig. S3 ¹H NMR of PDTP-Thz in CDCl₃.