SUPPORTING INFORMATION

DEVELOPMENT OF VANG DANH ANTHRACITE AS COST-EFFECTIVE ANODE FOR SODIUM-ION BATTERIES THROUGH HEAT-TREATMENT PROCESS

Kha Le Minh, ^{a,c,d} Nhan Tran Thanh, ^{b,c,d} Tuyen Huynh Thi Kim, ^{b,c,d} Hoang Nguyen Van, ^{b,c,d} Thanh Vo Duy,^{a,c,d} Man Tran Van, ^{a,b,c,d} and Phung Le My Loan ^{a,b,c,d*}

^aFaculty of Chemistry, University of Science, Vietnam National University, Ho Chi Minh city. ^bApplied Physical Chemistry Laboratory (APCLAB), University of Science, Vietnam National University, Ho Chi Minh city. ^cUniversity of Science, Vietnam National University, Ho Chi Minh city. ^dVietnam National University, Ho Chi Minh city (VNUHCM).

Contents:

Figure S1. The XRD fitting of (a) RAW, (b) CHEM, (c) 9003, (d) 9006, (e) 90012, and (f) HC samples.

Figure S2. The Raman fitting of (a) RAW, (b) CHEM, (c) 9003, (d) 9006, (e) 90012, and (f) HC samples.



Figure S1. The XRD fitting of (a) RAW, (b) CHEM, (c) 9003, (d) 9006, (e) 90012, and (f) HC samples.



Figure S2. The Raman fitting of (a) RAW, (b) CHEM, (c) 9003, (d) 9006, (e) 90012, and (f) HC samples.