

Supporting Information

POSS-Containing Polynorbornene with Pendant Perylene Diimide: from Unique Supramolecular Structure to Tunable Luminescent Property

Jie Liu,^a Si-Yu Gao,^a Xin-Yi Zhang,^a Yakai Feng,^a Han-Chun Wu,^b Zhijian Chen,^a
Maxim V. Bermeshev,^{*c} and Xiang-Kui Ren^{*a,d}

^a School of Chemical Engineering and Technology, State Key Laboratory of Chemical Engineering, Tianjin University, Tianjin 300350, P. R. China. E-mail: renxiangkui@tju.edu.cn

^b School of Physics, Beijing Institute of Technology, Beijing 100081, P. R. China.

^c A. V. Topchiev Institute of Petrochemical Synthesis of Russian Academy of Sciences, Moscow, 119991, Russia. E-mail: bmv@ips.ac.ru

^d South China Advanced Institute for Soft Matter Science and Technology, Guangdong Provincial Key Laboratory of Functional and Intelligent Hybrid Materials and Devices, South China University of Technology, Guangzhou 510640, P. R. China.

Table S1 Yields, molecular weights and thermal properties for the polymers.

Polymer	%Yield	Mn/kDa	Mw/kDa	Mw/Mn	Td/°C
PPDI-POSS	89	23.6	37.7	1.597	360
PPDI-C10C8	87	24.5	44.0	1.795	368




Fig. S1 The TGA curves of (a) MPDI-C10C8 and PPDI-C10C8; (b) MPDI-POSS and PPDI-POSS




Fig. S2 The ^1H NMR spectrum of 2a




Fig. S3 The ^1H NMR spectrum of 2b




Fig. S4 The ¹H NMR spectrum of 3a




Fig. S5 The ¹³C NMR spectrum of 3a




Fig. S6 The ^1H NMR spectrum of 3b




Fig. S7 The ^{13}C NMR spectrum of 3b




Fig. S8 The ^1H NMR spectrum of PPDI-POSS




Fig. S9 The ^{13}C NMR spectrum of PPDI-POSS




Fig. S10 The ^1H NMR spectrum of PPDI-C10C8




Fig. S11 The ^{13}C NMR spectrum of PPDI-C10C8