

Supporting Information

Cationic *N,S*-Chelate Half-Sandwich Iridium Complexes: Synthesis, Characterization, Anticancer and Antiplasmodial Activity

Yang Wang,^a Yu-Zhou Luo,^{b*} Zhen-Jiang Liu,^{a*} Zi-Jian Yao,^{a*}

^a School of Chemical and Environmental Engineering, Shanghai Institute of Technology, Shanghai, 201418, China.

^b Scientific Research Office, Guangzhou College of Commerce, Guangzhou, 511363, China

Corresponding author: Email: zjyao@sit.edu.cn; Tel: +86-21-60877227, Fax: +86-21-60873335.




Figure S1. ^1H NMR spectra of L1




Figure S2. ^{12}C NMR spectra of L1




Figure S3. ^1H NMR spectra of L2




Figure S4. ^{13}C NMR spectra of L2




Figure S5. ^1H NMR spectra of **L3**




Figure S6. ^{13}C NMR spectra of **L3**




Figure S7. ^1H NMR spectra of L4




Figure S8. ^{13}C NMR spectra of L4




Figure S9. ^1H NMR spectra of **1**




Figure S10. ^{13}C NMR spectra of **1**




Figure S11. ^1H NMR spectra of **2**




Figure S12. ^{13}C NMR spectra of **2**




Figure S13. ¹H NMR spectra of **3**




Figure S14. ¹³C NMR spectra of **3**




Figure S15. ^1H NMR spectra of 4




Figure S16. ^{13}C NMR spectra of 4




Figure S17. ¹H NMR spectra of 1-(2-chloroethyl)-1H-pyrazole