

Supplementary Information

Supramolecular self-assembly with *p*-coumaric acid offers the first cocrystal for perfecting the physicochemical peculiarity and enhancing antifungal effect of drug bifonazole

Min Zhang,^{1,+} Min-Yu Wang,^{1,+} Yue-Ming Yu,¹ Su-Su Meng,¹ Cui-Wei Yan,^{*,1} Zhi-Yong Wu,^{*,1,2} and Yan-Tuan Li^{*,1,2}

1. *School of Medicine and Pharmacy, College of Marine Life Science, Ocean University of China, Qingdao, Shandong 266003, P.R. China.*

2. *Laboratory for Marine Drugs and Bioproducts, Qingdao National Laboratory for Marine Science, Qingdao, Shandong, P.R. China.*

*Corresponding authors

+These authors contributed equally to this work.

Contents

Supplementary figures

Description	Page No.
Fig. S1 FT-IR spectra of BFZ, TPA and cocrystal BFZ-TPA.	3
Fig. S2 PXRD profiles of the simulated and experimental patterns for the remaining solids.	3
Fig. S3 IDR profiles of BFZ and the cocrystal in different pH buffers.	4

Supplementary figures




Fig. S1 FT-IR spectra of BFZ, TPA and cocrystal BFZ-TPA.




Fig. S2 PXRD profiles of the simulated and experimental patterns for the remaining solids.




Fig. S3 IDR profiles of BFZ and the cocrystal in different pH buffers.