

Investigation of Electrical Transport Properties in Solution-Processed $\text{Bi}_2\text{Se}_3\text{-AgMnOOH}$ Nanocomposite

Rishika Chakraborty^{a,‡}, Sutanu Das^{b,‡}, Siddheswar Rudra^c, Arpan Kumar Nayak^d, Pradip K. Maji^e, Upendranath Nandi^{b,*}, Mukul Pradhan^{f,*}

a Department of Chemistry, National Institute of Technology Meghalaya, Shillong, 793003, Meghalaya, India.

b Department of Physics, Scottish Church College, 1 & 3 Urquhart Square, Kolkata, 700006, West Bengal, India.

c Materials Science Centre, Indian Institute of Technology, Kharagpur 721302, India.

d Department of Energy Engineering, Konkuk University, 120 Neungdong-ro, Seoul 05029, Republic of Korea.

e Department of Polymer & Process Engineering, Indian Institute of Technology, Roorkee, Saharanpur Campus, Saharanpur, 247001, Uttar Pradesh, India.

f Department of Chemistry, National Institute of Technology Warangal, Warangal, 506004, Telangana, India.

Corresponding Authors

**E-mail: unphys@scottishchurch.ac.in (Upendranath Nandi)*

**E-mail: mukulchem@gmail.com/mukulchem@nitw.ac.in (Mukul Pradhan)*

‡These authors contributed equally.




Figure S1. FT-IR spectra of Bi₂Se₃-AgMnOOH nanocomposite.




Figure S2. (a)-(b) FESEM images and (c) EDX elemental spectra of $\text{Bi}_2\text{Se}_3\text{-AgMnOOH}$ nanocomposite.




Figure S3. (a) BET and (b) BJH plots of bare Bi_2Se_3 and $\text{Bi}_2\text{Se}_3\text{-AgMnOOH}$ nanocomposite.