Support Information

Research on the treatment of nitrate contaminated groundwater by microbially enhanced permeable reactive barrier technology

Shengfeng Liu^{a,b}, Bai Gao^{a,b,*}, Xingxing Xiong^b, Nan Chen^{b,c*}, Keng Xuan^{a,b,*}, Wenjie Maa,b, Yong Songd, Yanling Yub

^a State Key Laboratory of Nuclear Resources and Environment, East China University of Technology, Nanchang, Jiangxi 330013, P. R. China

^b School of Water Resources & Environmental Engineering, East China University of Technology, Nanchang, Jiangxi 330013, P. R. China

^c School of Water Resources and Environment, China University of Geosciences (Beijing), Beijing, 100083, P. R. China

^d Jiangxi Geological Bureau Non-ferrous Brigade, Ganzhou 341000, P. R. China

East China University of Technology, 418 Guanglan Road, Nanchang, 330013,

*Corresponding author: School of Water Resources & Environmental Engineering,

China.

E-mail: gaobai@ecit.cn

E-mail: chennan@cugb.edu.cn

E-mail: xuankeng@ecut.edu.cn




Fig.S1. UV-Vis spectrophotometer NO₃-N standard curve




Fig.S2.UV-Vis spectrophotometer NO₂-N standard curve




Fig.S3.UV-V is spectrophotometer NH_4^+ -N standard curve




Fig.S4.Ion chromatograph SO_4^{2-} standard curve