

Supporting Information

Dual FLT3/haspin kinase inhibitor based on potent 3*H*-pyrazolo[4,3-*f*]quinoline scaffold with activities against acute myeloid leukemia

Allison L. Kempen¹, Nickolas R. Brauer¹, Herman O. Sintim^{1,2,3*}

¹*Department of Chemistry, Purdue University, 560 Oval Drive, West Lafayette, IN 47907*

²*Purdue Institute for Drug Discovery, 720 Clinic Drive, West Lafayette, IN 47907*


³*Purdue Institute for Cancer Research, 201 S. University St., West Lafayette, IN 47907*

Contents of Supporting Information:

¹H-NMR and ¹³C-NMR spectra for final compounds


Compound 1 ¹H NMR

Apochima, 1.0d
H1 standard parameters, cryoprobe profile



¹³C NMR

Apochima, 2.0d
C13 standard parameters, cryoprobe profile; Pulprog = zgpg30a1a1





1H NMR spectrum of compound 15d



Chemical Shifts (ppm): 8.64, 8.08, 8.06, 8.04, 7.99, 7.97, 7.95, 7.93, 7.91, 7.89, 3.34, 3.32, 3.30, 3.28, 3.26, 3.24, 3.22, 3.20, 3.18, 3.16, 3.14, 3.12, 3.10, 3.08, 3.06, 3.04, 3.02, 3.00, 2.98, 2.96, 2.94, 2.92, 2.90, 2.88, 2.86, 2.84, 2.82, 2.80, 2.78, 2.76, 2.74, 2.72, 2.70, 2.68, 2.66, 2.64, 2.62, 2.60, 2.58, 2.56, 2.54, 2.52, 2.50, 2.48, 2.46, 2.44, 2.42, 2.40, 2.38, 2.36, 2.34, 2.32, 2.30, 2.28, 2.26, 2.24, 2.22, 2.20, 2.18, 2.16, 2.14, 2.12, 2.10, 2.08, 2.06, 2.04, 2.02, 2.00, 1.98, 1.96, 1.94, 1.92, 1.90, 1.88, 1.86, 1.84, 1.82, 1.80, 1.78, 1.76, 1.74, 1.72, 1.70, 1.68, 1.66, 1.64, 1.62, 1.60, 1.58, 1.56, 1.54, 1.52, 1.50, 1.48, 1.46, 1.44, 1.42, 1.40, 1.38, 1.36, 1.34, 1.32, 1.30, 1.28, 1.26, 1.24, 1.22, 1.20, 1.18, 1.16, 1.14, 1.12, 1.10, 1.08, 1.06, 1.04, 1.02, 1.00, 0.98, 0.96, 0.94, 0.92, 0.90, 0.88, 0.86, 0.84, 0.82, 0.80, 0.78, 0.76, 0.74, 0.72, 0.70, 0.68, 0.66, 0.64, 0.62, 0.60, 0.58, 0.56, 0.54, 0.52, 0.50, 0.48, 0.46, 0.44, 0.42, 0.40, 0.38, 0.36, 0.34, 0.32, 0.30, 0.28, 0.26, 0.24, 0.22, 0.20, 0.18, 0.16, 0.14, 0.12, 0.10, 0.08, 0.06, 0.04, 0.02, 0.00, -0.02, -0.04, -0.06, -0.08, -0.10, -0.12, -0.14, -0.16, -0.18, -0.20, -0.22, -0.24, -0.26, -0.28, -0.30, -0.32, -0.34, -0.36, -0.38, -0.40, -0.42, -0.44, -0.46, -0.48, -0.50, -0.52, -0.54, -0.56, -0.58, -0.60, -0.62, -0.64, -0.66, -0.68, -0.70, -0.72, -0.74, -0.76, -0.78, -0.80, -0.82, -0.84, -0.86, -0.88, -0.90, -0.92, -0.94, -0.96, -0.98, -1.00, -1.02, -1.04, -1.06, -1.08, -1.10, -1.12, -1.14, -1.16, -1.18, -1.20, -1.22, -1.24, -1.26, -1.28, -1.30, -1.32, -1.34, -1.36, -1.38, -1.40, -1.42, -1.44, -1.46, -1.48, -1.50, -1.52, -1.54, -1.56, -1.58, -1.60, -1.62, -1.64, -1.66, -1.68, -1.70, -1.72, -1.74, -1.76, -1.78, -1.80, -1.82, -1.84, -1.86, -1.88, -1.90, -1.92, -1.94, -1.96, -1.98, -2.00, -2.02, -2.04, -2.06, -2.08, -2.10, -2.12, -2.14, -2.16, -2.18, -2.20, -2.22, -2.24, -2.26, -2.28, -2.30, -2.32, -2.34, -2.36, -2.38, -2.40, -2.42, -2.44, -2.46, -2.48, -2.50, -2.52, -2.54, -2.56, -2.58, -2.60, -2.62, -2.64, -2.66, -2.68, -2.70, -2.72, -2.74, -2.76, -2.78, -2.80, -2.82, -2.84, -2.86, -2.88, -2.90, -2.92, -2.94, -2.96, -2.98, -3.00, -3.02, -3.04, -3.06, -3.08, -3.10, -3.12, -3.14, -3.16, -3.18, -3.20, -3.22, -3.24, -3.26, -3.28, -3.30, -3.32, -3.34, -3.36, -3.38, -3.40, -3.42, -3.44, -3.46, -3.48, -3.50, -3.52, -3.54, -3.56, -3.58, -3.60, -3.62, -3.64, -3.66, -3.68, -3.70, -3.72, -3.74, -3.76, -3.78, -3.80, -3.82, -3.84, -3.86, -3.88, -3.90, -3.92, -3.94, -3.96, -3.98, -4.00, -4.02, -4.04, -4.06, -4.08, -4.10, -4.12, -4.14, -4.16, -4.18, -4.20, -4.22, -4.24, -4.26, -4.28, -4.30, -4.32, -4.34, -4.36, -4.38, -4.40, -4.42, -4.44, -4.46, -4.48, -4.50, -4.52, -4.54, -4.56, -4.58, -4.60, -4.62, -4.64, -4.66, -4.68, -4.70, -4.72, -4.74, -4.76, -4.78, -4.80, -4.82, -4.84, -4.86, -4.88, -4.90, -4.92, -4.94, -4.96, -4.98, -5.00, -5.02, -5.04, -5.06, -5.08, -5.10, -5.12, -5.14, -5.16, -5.18, -5.20, -5.22, -5.24, -5.26, -5.28, -5.30, -5.32, -5.34, -5.36, -5.38, -5.40, -5.42, -5.44, -5.46, -5.48, -5.50, -5.52, -5.54, -5.56, -5.58, -5.60, -5.62, -5.64, -5.66, -5.68, -5.70, -5.72, -5.74, -5.76, -5.78, -5.80, -5.82, -5.84, -5.86, -5.88, -5.90, -5.92, -5.94, -5.96, -5.98, -6.00, -6.02, -6.04, -6.06, -6.08, -6.10, -6.12, -6.14, -6.16, -6.18, -6.20, -6.22, -6.24, -6.26, -6.28, -6.30, -6.32, -6.34, -6.36, -6.38, -6.40, -6.42, -6.44, -6.46, -6.48, -6.50, -6.52, -6.54, -6.56, -6.58, -6.60, -6.62, -6.64, -6.66, -6.68, -6.70, -6.72, -6.74, -6.76, -6.78, -6.80, -6.82, -6.84, -6.86, -6.88, -6.90, -6.92, -6.94, -6.96, -6.98, -7.00, -7.02, -7.04, -7.06, -7.08, -7.10, -7.12, -7.14, -7.16, -7.18, -7.20, -7.22, -7.24, -7.26, -7.28, -7.30, -7.32, -7.34, -7.36, -7.38, -7.40, -7.42, -7.44, -7.46, -7.48, -7.50, -7.52, -7.54, -7.56, -7.58, -7.60, -7.62, -7.64, -7.66, -7.68, -7.70, -7.72, -7.74, -7.76, -7.78, -7.80, -7.82, -7.84, -7.86, -7.88, -7.90, -7.92, -7.94, -7.96, -7.98, -8.00, -8.02, -8.04, -8.06, -8.08, -8.10, -8.12, -8.14, -8.16, -8.18, -8.20, -8.22, -8.24, -8.26, -8.28, -8.30, -8.32, -8.34, -8.36, -8.38, -8.40, -8.42, -8.44, -8.46, -8.48, -8.50, -8.52, -8.54, -8.56, -8.58, -8.60, -8.62, -8.64, -8.66, -8.68, -8.70, -8.72, -8.74, -8.76, -8.78, -8.80, -8.82, -8.84, -8.86, -8.88, -8.90, -8.92, -8.94, -8.96, -8.98, -9.00, -9.02, -9.04, -9.06, -9.08, -9.10, -9.12, -9.14, -9.16, -9.18, -9.20, -9.22, -9.24, -9.26, -9.28, -9.30, -9.32, -9.34, -9.36, -9.38, -9.40, -9.42, -9.44, -9.46, -9.48, -9.50, -9.52, -9.54, -9.56, -9.58, -9.60, -9.62, -9.64, -9.66, -9.68, -9.70, -9.72,

[illegible]



Compound **3** ¹H NMR

¹³C NMR


Compound **4** ¹H NMR

¹³C NMR


Compound **5** ¹H NMR

¹³C NMR

Compound **6** ^1H NMR



^{13}C NMR



Chemical shifts (ppm) listed above the spectrum:

- 9.000, 8.999, 8.998, 8.997, 8.996, 8.995, 8.994, 8.993, 8.992, 8.991, 8.990, 8.989, 8.988, 8.987, 8.986, 8.985, 8.984, 8.983, 8.982, 8.981, 8.980, 8.979, 8.978, 8.977, 8.976, 8.975, 8.974, 8.973, 8.972, 8.971, 8.970, 8.969, 8.968, 8.967, 8.966, 8.965, 8.964, 8.963, 8.962, 8.961, 8.960, 8.959, 8.958, 8.957, 8.956, 8.955, 8.954, 8.953, 8.952, 8.951, 8.950, 8.949, 8.948, 8.947, 8.946, 8.945, 8.944, 8.943, 8.942, 8.941, 8.940, 8.939, 8.938, 8.937, 8.936, 8.935, 8.934, 8.933, 8.932, 8.931, 8.930, 8.929, 8.928, 8.927, 8.926, 8.925, 8.924, 8.923, 8.922, 8.921, 8.920, 8.919, 8.918, 8.917, 8.916, 8.915, 8.914, 8.913, 8.912, 8.911, 8.910, 8.909, 8.908, 8.907, 8.906, 8.905, 8.904, 8.903, 8.902, 8.901, 8.900, 8.899, 8.898, 8.897, 8.896, 8.895, 8.894, 8.893, 8.892, 8.891, 8.890, 8.889, 8.888, 8.887, 8.886, 8.885, 8.884, 8.883, 8.882, 8.881, 8.880, 8.879, 8.878, 8.877, 8.876, 8.875, 8.874, 8.873, 8.872, 8.871, 8.870, 8.869, 8.868, 8.867, 8.866, 8.865, 8.864, 8.863, 8.862, 8.861, 8.860, 8.859, 8.858, 8.857, 8.856, 8.855, 8.854, 8.853, 8.852, 8.851, 8.850, 8.849, 8.848, 8.847, 8.846, 8.845, 8.844, 8.843, 8.842, 8.841, 8.840, 8.839, 8.838, 8.837, 8.836, 8.835, 8.834, 8.833, 8.832, 8.831, 8.830, 8.829, 8.828, 8.827, 8.826, 8.825, 8.824, 8.823, 8.822, 8.821, 8.820, 8.819, 8.818, 8.817, 8.816, 8.815, 8.814, 8.813, 8.812, 8.811, 8.810, 8.809, 8.808, 8.807, 8.806, 8.805, 8.804, 8.803, 8.802, 8.801, 8.800, 8.799, 8.798, 8.797, 8.796, 8.795, 8.794, 8.793, 8.792, 8.791, 8.790, 8.789, 8.788, 8.787, 8.786, 8.785, 8.784, 8.783, 8.782, 8.781, 8.780, 8.779, 8.778, 8.777, 8.776, 8.775, 8.774, 8.773, 8.772, 8.771, 8.770, 8.769, 8.768, 8.767, 8.766, 8.765, 8.764, 8.763, 8.762, 8.761, 8.760, 8.759, 8.758, 8.757, 8.756, 8.755, 8.754, 8.753, 8.752, 8.751, 8.750, 8.749, 8.748, 8.747, 8.746, 8.745, 8.744, 8.743, 8.742, 8.741, 8.740, 8.739, 8.738, 8.737, 8.736, 8.735, 8.734, 8.733, 8.732, 8.731, 8.730, 8.729, 8.728, 8.727, 8.726, 8.725, 8.724, 8.723, 8.722, 8.721, 8.720, 8.719, 8.718, 8.717, 8.716, 8.715, 8.714, 8.713, 8.712, 8.711, 8.710, 8.709, 8.708, 8.707, 8.706, 8.705, 8.704, 8.703, 8.702, 8.701, 8.700, 8.699, 8.698, 8.697, 8.696, 8.695, 8.694, 8.693, 8.692, 8.691, 8.690, 8.689, 8.688, 8.687, 8.686, 8.685, 8.684, 8.683, 8.682, 8.681, 8.680, 8.679, 8.678, 8.677, 8.676, 8.675, 8.674, 8.673, 8.672, 8.671, 8.670, 8.669, 8.668, 8.667, 8.666, 8.665, 8.664, 8.663, 8.662, 8.661, 8.660, 8.659, 8.658, 8.657, 8.656, 8.655, 8.654, 8.653, 8.652, 8.651, 8.650, 8.649, 8.648, 8.647, 8.646, 8.645, 8.644, 8.643, 8.642, 8.641, 8.640, 8.639, 8.638, 8.637, 8.636, 8.635, 8.634, 8.633, 8.632, 8.631, 8.630, 8.629, 8.628, 8.627, 8.626, 8.625, 8.624, 8.623, 8.622, 8.621, 8.620, 8.619, 8.618, 8.617, 8.616, 8.615, 8.614, 8.613, 8.612, 8.611, 8.610, 8.609, 8.608, 8.607, 8.606, 8.605, 8.604, 8.603, 8.602, 8.601, 8.600, 8.599, 8.598, 8.597, 8.596, 8.595, 8.594, 8.593, 8.592, 8.591, 8.590, 8.589, 8.588, 8.587, 8.586, 8.585, 8.584, 8.583, 8.582, 8.581, 8.580, 8.579, 8.578, 8.577, 8.576, 8.575, 8.574, 8.573, 8.572, 8.571, 8.570, 8.569, 8.568, 8.567, 8.566, 8.565, 8.564, 8.563, 8.562, 8.561, 8.560, 8.559, 8.558, 8.557, 8.556, 8.555, 8.554, 8.553, 8.552, 8.551, 8.550, 8.549, 8.548, 8.547, 8.546, 8.545, 8.544, 8.543, 8.542, 8.541, 8.540, 8.539, 8.538, 8.537, 8.536, 8.535, 8.534, 8.533, 8.532, 8.531, 8.530, 8.529, 8.528, 8.527, 8.526, 8.525, 8.524, 8.523, 8.522, 8.521, 8.520, 8.519, 8.518, 8.517, 8.516, 8.515, 8.514, 8.513, 8.512, 8.511, 8.510, 8.509, 8.508, 8.507, 8.506, 8.505, 8.504, 8.503, 8.502, 8.501, 8.500, 8.499, 8.498, 8.497, 8.496, 8.495, 8.494, 8.493, 8.492, 8.491, 8.490, 8.489, 8.488, 8.487, 8.486, 8.485, 8.484, 8.483, 8.482, 8.481, 8.480, 8.479, 8.478, 8.477, 8.476, 8.475, 8.474, 8.473, 8.472, 8.471, 8.470, 8.469, 8.468, 8.467, 8.466, 8.465, 8.464, 8.463, 8.462, 8.461, 8.460, 8.459, 8.458, 8.457, 8.456, 8.455, 8.454, 8.453, 8.452, 8.451, 8.450, 8.449, 8.448, 8.447, 8.446, 8.445, 8.444, 8.443, 8.442, 8.441, 8.440, 8.439, 8.438, 8.437, 8.436, 8.435, 8.434, 8.433, 8.432,

[illegible]

Spectrum_10KMG2.1.fid

H1 standard parameters, cryoprobe profile:


Chemical Shift (ppm)	Integration
~8.8	1.00
~8.6	0.94
~7.8	0.95
~7.6	0.95
~7.4	0.95
~4.6	0.03
~3.4	0.05
~3.2	0.05
~2.6	0.05
~2.0	0.05
~1.8	0.05

ikampen_HSK163.2.fid
C13 standard parameters, cryoprobe prodigy. Pulprog = zgpg30zr.ish


Chemical shift (ppm): 220, 210, 200, 190, 180, 170, 160, 150, 140, 130, 120, 110, 100, 90, 80, 70, 60, 50, 40, 30, 20, 10, 0

Peak list (ppm): 166.66, 163.54, 156.17, 148.63, 144.20, 142.02, 142.05, 133.95, 129.60, 129.24, 127.56, 122.14, 118.29, 40.57, 40.55, 40.54, 40.53, 40.52, 40.51, 40.50, 40.49, 40.48, 40.47, 40.46, 40.45, 40.44, 40.43, 40.42, 40.41, 40.40, 40.39, 40.38, 40.37, 40.36, 40.35, 40.34, 40.33, 40.32, 40.31, 40.30, 40.29, 40.28, 40.27, 40.26, 40.25, 40.24, 40.23, 40.22, 40.21, 40.20, 40.19, 40.18, 40.17, 40.16, 40.15, 40.14, 40.13, 40.12, 40.11, 40.10, 40.09, 40.08, 40.07, 40.06, 40.05, 40.04, 40.03, 40.02, 40.01, 40.00, 39.99, 39.98, 39.97, 39.96, 39.95, 39.94, 39.93, 39.92, 39.91, 39.90, 39.89, 39.88, 39.87, 39.86, 39.85, 39.84, 39.83, 39.82, 39.81, 39.80, 39.79, 39.78, 39.77, 39.76, 39.75, 39.74, 39.73, 39.72, 39.71, 39.70, 39.69, 39.68, 39.67, 39.66, 39.65, 39.64, 39.63, 39.62, 39.61, 39.60, 39.59, 39.58, 39.57, 39.56, 39.55, 39.54, 39.53, 39.52, 39.51, 39.50, 39.49, 39.48, 39.47, 39.46, 39.45, 39.44, 39.43, 39.42, 39.41, 39.40, 39.39, 39.38, 39.37, 39.36, 39.35, 39.34, 39.33, 39.32, 39.31, 39.30, 39.29, 39.28, 39.27, 39.26, 39.25, 39.24, 39.23, 39.22, 39.21, 39.20, 39.19, 39.18, 39.17, 39.16, 39.15, 39.14, 39.13, 39.12, 39.11, 39.10, 39.09, 39.08, 39.07, 39.06, 39.05, 39.04, 39.03, 39.02, 39.01, 39.00, 38.99, 38.98, 38.97, 38.96, 38.95, 38.94, 38.93, 38.92, 38.91, 38.90, 38.89, 38.88, 38.87, 38.86, 38.85, 38.84, 38.83, 38.82, 38.81, 38.80, 38.79, 38.78, 38.77, 38.76, 38.75, 38.74, 38.73, 38.72, 38.71, 38.70, 38.69, 38.68, 38.67, 38.66, 38.65, 38.64, 38.63, 38.62, 38.61, 38.60, 38.59, 38.58, 38.57, 38.56, 38.55, 38.54, 38.53, 38.52, 38.51, 38.50, 38.49, 38.48, 38.47, 38.46, 38.45, 38.44, 38.43, 38.42, 38.41, 38.40, 38.39, 38.38, 38.37, 38.36, 38.35, 38.34, 38.33, 38.32, 38.31, 38.30, 38.29, 38.28, 38.27, 38.26, 38.25, 38.24, 38.23, 38.22, 38.21, 38.20, 38.19, 38.18, 38.17, 38.16, 38.15, 38.14, 38.13, 38.12, 38.11, 38.10, 38.09, 38.08, 38.07, 38.06, 38.05, 38.04, 38.03, 38.02, 38.01, 38.00, 37.99, 37.98, 37.97, 37.96, 37.95, 37.94, 37.93, 37.92, 37.91, 37.90, 37.89, 37.88, 37.87, 37.86, 37.85, 37.84, 37.83, 37.82, 37.81, 37.80, 37.79, 37.78, 37.77, 37.76, 37.75, 37.74, 37.73, 37.72, 37.71, 37.70, 37.69, 37.68, 37.67, 37.66, 37.65, 37.64, 37.63, 37.62, 37.61, 37.60, 37.59, 37.58, 37.57, 37.56, 37.55, 37.54, 37.53, 37.52, 37.51, 37.50, 37.49, 37.48, 37.47, 37.46, 37.45, 37.44, 37.43, 37.42, 37.41, 37.40, 37.39, 37.38, 37.37, 37.36, 37.35, 37.34, 37.33, 37.32, 37.31, 37.30, 37.29, 37.28, 37.27, 37.26, 37.25, 37.24, 37.23, 37.22, 37.21, 37.20, 37.19, 37.18, 37.17, 37.16, 37.15, 37.14, 37.13, 37.12, 37.11, 37.10, 37.09, 37.08, 37.07, 37.06, 37.05, 37.04, 37.03, 37.02, 37.01, 37.00, 36.99, 36.98, 36.97, 36.96, 36.95, 36.94, 36.93, 36.92, 36.91, 36.90, 36.89, 36.88, 36.87, 36.86, 36.85, 36.84, 36.83, 36.82, 36.81, 36.80, 36.79, 36.78, 36.77, 36.76, 36.75, 36.74, 36.73, 36.72, 36.71, 36.70, 36.69, 36.68, 36.67, 36.66, 36.65, 36.64, 36.63, 36.62, 36.61, 36.60, 36.59, 36.58, 36.57, 36.56, 36.55, 36.54, 36.53, 36.52, 36.51, 36.50, 36.49, 36.48, 36.47, 36.46, 36.45, 36.44, 36.43, 36.42, 36.41, 36.40, 36.39, 36.38, 36.37, 36.36, 36.35, 36.34, 36.33, 36.32, 36.31, 36.30, 36.29, 36.28, 36.27, 36.26, 36.25, 36.24, 36.23, 36.22, 36.21, 36.20, 36.19, 36.18, 36.17, 36.16, 36.15, 36.14, 36.13, 36.12, 36.11, 36.10, 36.09, 36.08, 36.07, 36.06, 36.05, 36.04, 36.03, 36.02, 36.01, 36.00, 35.99, 35.98, 35.97, 35.96, 35.95, 35.94, 35.93, 35.92, 35.91, 35.90, 35.89, 35.88, 35.87, 35.86, 35.85, 35.84, 35.83, 35.82, 35.81, 35.80, 35.79, 35.78, 35.77, 35.76, 35.75, 35.74, 35.73, 35.72, 35.71, 35.70, 35.69, 35.68, 35.67, 35.66, 35.65, 35.64, 35.63, 35.62, 35.61, 35.60, 35.59, 35.58, 35.57, 35.56, 35.55, 35.54, 35.53, 35.52, 35.51, 35.50, 35.49, 35.48, 35.47, 35.46, 35.45, 35.44, 35.43, 35.42, 35.41, 35.40, 35.39, 35.38, 35.37, 35.36, 35.35, 35.34, 35.33, 35.32, 35.31, 35.30, 35.29, 35.28, 35.27, 3

akempen_HSK181.1.fid
H1 standard parameters, cryoprobe prodigy.



```
akempen_HSK181.2.fid
C13 standard parameters, cryoprobe prodigy. Pulprog = zgpg30zr.jsh.
```





ikampen_HSK1114.2.fid
C13 standard parameters, cryoprobe prodigy, Pulprog = zgpg30zr.jah.

Chemical shifts (ppm):

- 166.55
- 151.46
- 140.50
- 137.94
- 135.94
- 135.33
- 133.73
- 132.97
- 132.54
- 131.93
- 115.22
- 40.21 (MAGNO)
- 40.21 (MAGNO)
- 40.21 (MAGNO)
- 40.21 (MAGNO)
- 40.21 (MAGNO)
- 38.61 (MAGNO)
- 38.73 (MAGNO)
- 38.46
- 38.46
- 38.73
- 31.93
- 21.80

Compound **11** ¹H NMR

¹³C NMR


kbrmpcrt_..._h4f190.2.fid
 C13 standard parameters, cryoprobe.procfgy, Pulprog = zgpg30.zjzjh.

165.03
 134.41
 133.34
 132.94
 132.54
 132.14
 131.74
 131.34
 130.94
 130.54
 130.14
 129.74
 129.34
 128.94
 128.54
 128.14
 127.74
 127.34
 126.94
 126.54
 126.14
 125.74
 125.34
 124.94
 124.54
 124.14
 123.74
 123.34
 122.94
 122.54
 122.14
 121.74
 121.34
 120.94
 120.54
 120.14
 119.74
 119.34
 118.94
 118.54
 118.14
 117.74
 117.34
 116.94
 116.54
 116.14
 115.74
 115.34
 114.94
 114.54
 114.14
 113.74
 113.34
 112.94
 112.54
 112.14
 111.74
 111.34
 110.94
 110.54
 110.14
 109.74
 109.34
 108.94
 108.54
 108.14
 107.74
 107.34
 106.94
 106.54
 106.14
 105.74
 105.34
 104.94
 104.54
 104.14
 103.74
 103.34
 102.94
 102.54
 102.14
 101.74
 101.34
 100.94
 100.54
 100.14
 99.74
 99.34
 98.94
 98.54
 98.14
 97.74
 97.34
 96.94
 96.54
 96.14
 95.74
 95.34
 94.94
 94.54
 94.14
 93.74
 93.34
 92.94
 92.54
 92.14
 91.74
 91.34
 90.94
 90.54
 90.14
 89.74
 89.34
 88.94
 88.54
 88.14
 87.74
 87.34
 86.94
 86.54
 86.14
 85.74
 85.34
 84.94
 84.54
 84.14
 83.74
 83.34
 82.94
 82.54
 82.14
 81.74
 81.34
 80.94
 80.54
 80.14
 79.74
 79.34
 78.94
 78.54
 78.14
 77.74
 77.34
 76.94
 76.54
 76.14
 75.74
 75.34
 74.94
 74.54
 74.14
 73.74
 73.34
 72.94
 72.54
 72.14
 71.74
 71.34
 70.94
 70.54
 70.14
 69.74
 69.34
 68.94
 68.54
 68.14
 67.74
 67.34
 66.94
 66.54
 66.14
 65.74
 65.34
 64.94
 64.54
 64.14
 63.74
 63.34
 62.94
 62.54
 62.14
 61.74
 61.34
 60.94
 60.54
 60.14
 59.74
 59.34
 58.94
 58.54
 58.14
 57.74
 57.34
 56.94
 56.54
 56.14
 55.74
 55.34
 54.94
 54.54
 54.14
 53.74
 53.34
 52.94
 52.54
 52.14
 51.74
 51.34
 50.94
 50.54
 50.14
 49.74
 49.34
 48.94
 48.54
 48.14
 47.74
 47.34
 46.94
 46.54
 46.14
 45.74
 45.34
 44.94
 44.54
 44.14
 43.74
 43.34
 42.94
 42.54
 42.14
 41.74
 41.34
 40.94
 40.54
 40.14
 39.74
 39.34
 38.94
 38.54
 38.14
 37.74
 37.34
 36.94
 36.54
 36.14
 35.74
 35.34
 34.94
 34.54
 34.14
 33.74
 33.34
 32.94
 32.54
 32.14
 31.74
 31.34
 30.94
 30.54
 30.14
 29.74
 29.34
 28.94
 28.54
 28.14
 27.74
 27.34
 26.94
 26.54
 26.14
 25.74
 25.34
 24.94
 24.54
 24.14
 23.74
 23.34
 22.94
 22.54
 22.14
 21.74
 21.34
 20.94
 20.54
 20.14
 19.74
 19.34
 18.94
 18.54
 18.14
 17.74
 17.34
 16.94
 16.54
 16.14
 15.74
 15.34
 14.94
 14.54
 14.14
 13.74
 13.34
 12.94
 12.54
 12.14
 11.74
 11.34
 10.94
 10.54
 10.14
 9.74
 9.34
 8.94
 8.54
 8.14
 7.74
 7.34
 6.94
 6.54
 6.14
 5.74
 5.34
 4.94
 4.54
 4.14
 3.74
 3.34
 2.94
 2.54
 2.14
 1.74
 1.34
 0.94
 0.54
 0.14


[illegible]

Chemical shifts (ppm): 169.08, 166.45, 166.08, 147.03, 146.92, 146.81, 146.70, 146.59, 146.48, 146.37, 146.26, 146.15, 146.04, 145.93, 145.82, 145.71, 145.60, 145.49, 145.38, 145.27, 145.16, 145.05, 144.94, 144.83, 144.72, 144.61, 144.50, 144.39, 144.28, 144.17, 144.06, 143.95, 143.84, 143.73, 143.62, 143.51, 143.40, 143.29, 143.18, 143.07, 142.96, 142.85, 142.74, 142.63, 142.52, 142.41, 142.30, 142.19, 142.08, 141.97, 141.86, 141.75, 141.64, 141.53, 141.42, 141.31, 141.20, 141.09, 140.98, 140.87, 140.76, 140.65, 140.54, 140.43, 140.32, 140.21, 140.10, 140.00, 139.89, 139.78, 139.67, 139.56, 139.45, 139.34, 139.23, 139.12, 139.01, 138.90, 138.79, 138.68, 138.57, 138.46, 138.35, 138.24, 138.13, 138.02, 137.91, 137.80, 137.69, 137.58, 137.47, 137.36, 137.25, 137.14, 137.03, 136.92, 136.81, 136.70, 136.59, 136.48, 136.37, 136.26, 136.15, 136.04, 135.93, 135.82, 135.71, 135.60, 135.49, 135.38, 135.27, 135.16, 135.05, 134.94, 134.83, 134.72, 134.61, 134.50, 134.39, 134.28, 134.17, 134.06, 133.95, 133.84, 133.73, 133.62, 133.51, 133.40, 133.29, 133.18, 133.07, 132.96, 132.85, 132.74, 132.63, 132.52, 132.41, 132.30, 132.19, 132.08, 131.97, 131.86, 131.75, 131.64, 131.53, 131.42, 131.31, 131.20, 131.09, 130.98, 130.87, 130.76, 130.65, 130.54, 130.43, 130.32, 130.21, 130.10, 130.00, 129.89, 129.78, 129.67, 129.56, 129.45, 129.34, 129.23, 129.12, 129.01, 128.90, 128.79, 128.68, 128.57, 128.46, 128.35, 128.24, 128.13, 128.02, 127.91, 127.80, 127.69, 127.58, 127.47, 127.36, 127.25, 127.14, 127.03, 126.92, 126.81, 126.70, 126.59, 126.48, 126.37, 126.26, 126.15, 126.04, 125.93, 125.82, 125.71, 125.60, 125.49, 125.38, 125.27, 125.16, 125.05, 124.94, 124.83, 124.72, 124.61, 124.50, 124.39, 124.28, 124.17, 124.06, 123.95, 123.84, 123.73, 123.62, 123.51, 123.40, 123.29, 123.18, 123.07, 122.96, 122.85, 122.74, 122.63, 122.52, 122.41, 122.30, 122.19, 122.08, 121.97, 121.86, 121.75, 121.64, 121.53, 121.42, 121.31, 121.20, 121.09, 120.98, 120.87, 120.76, 120.65, 120.54, 120.43, 120.32, 120.21, 120.10, 120.00, 119.89, 119.78, 119.67, 119.56, 119.45, 119.34, 119.23, 119.12, 119.01, 118.90, 118.79, 118.68, 118.57, 118.46, 118.35, 118.24, 118.13, 118.02, 117.91, 117.80, 117.69, 117.58, 117.47, 117.36, 117.25, 117.14, 117.03, 116.92, 116.81, 116.70, 116.59, 116.48, 116.37, 116.26, 116.15, 116.04, 115.93, 115.82, 115.71, 115.60, 115.49, 115.38, 115.27, 115.16, 115.05, 114.94, 114.83, 114.72, 114.61, 114.50, 114.39, 114.28, 114.17, 114.06, 113.95, 113.84, 113.73, 113.62, 113.51, 113.40, 113.29, 113.18, 113.07, 112.96, 112.85, 112.74, 112.63, 112.52, 112.41, 112.30, 112.19, 112.08, 111.97, 111.86, 111.75, 111.64, 111.53, 111.42, 111.31, 111.20, 111.09, 110.98, 110.87, 110.76, 110.65, 110.54, 110.43, 110.32, 110.21, 110.10, 110.00, 109.89, 109.78, 109.67, 109.56, 109.45, 109.34, 109.23, 109.12, 109.01, 108.90, 108.79, 108.68, 108.57, 108.46, 108.35, 108.24, 108.13, 108.02, 107.91, 107.80, 107.69, 107.58, 107.47, 107.36, 107.25, 107.14, 107.03, 106.92, 106.81, 106.70, 106.59, 106.48, 106.37, 106.26, 106.15, 106.04, 105.93, 105.82, 105.71, 105.60, 105.49, 105.38, 105.27, 105.16, 105.05, 104.94, 104.83, 104.72, 104.61, 104.50, 104.39, 104.28, 104.17, 104.06, 103.95, 103.84, 103.73, 103.62, 103.51, 103.40, 103.29, 103.18, 103.07, 102.96, 102.85, 102.74, 102.63, 102.52, 102.41, 102.30, 102.19, 102.08, 101.97, 101.86, 101.75, 101.64, 101.53, 101.42, 101.31, 101.20, 101.09, 100.98, 100.87, 100.76, 100.65, 100.54, 100.43, 100.32, 100.21, 100.10, 100.00, 99.89, 99.78, 99.67, 99.56, 99.45, 99.34, 99.23, 99.12, 99.01, 98.90, 98.79, 98.68, 98.57, 98.46, 98.35, 98.24, 98.13, 98.02, 97.91, 97.80, 97.69, 97.58, 97.47, 97.36, 97.25, 97.14, 97.03, 96.92, 96.81, 96.70, 96.59, 96.48, 96.37, 96.26, 96.15, 96.04, 95.93, 95.82, 95.71, 95.60, 95.49, 95.38, 95.27, 95.16, 95.05, 94.94, 94.83, 94.72, 94.61, 94.50, 94.39, 94.28, 94.17, 94.06, 93.95, 93.84, 93.73, 93.62, 93.51, 93.40, 93.29, 93.18, 93.07, 92.96, 92.85, 92.74, 92.63, 92.52, 92.41, 92.30, 92.19, 92.08, 91.97, 91.86, 91.75, 91

Compound **14** (HSK205) ¹H NMR



¹³C NMR



10b (100% CDCl₃)

δ (ppm): 7.64, 7.62, 7.61, 7.59, 7.58, 7.57, 7.56, 7.55, 7.54, 7.53, 7.52, 7.51, 7.50, 7.49, 7.48, 7.47, 7.46, 7.45, 7.44, 7.43, 7.42, 7.41, 7.40, 7.39, 7.38, 7.37, 7.36, 7.35, 7.34, 7.33, 7.32, 7.31, 7.30, 7.29, 7.28, 7.27, 7.26, 7.25, 7.24, 7.23, 7.22, 7.21, 7.20, 7.19, 7.18, 7.17, 7.16, 7.15, 7.14, 7.13, 7.12, 7.11, 7.10, 7.09, 7.08, 7.07, 7.06, 7.05, 7.04, 7.03, 7.02, 7.01, 7.00, 6.99, 6.98, 6.97, 6.96, 6.95, 6.94, 6.93, 6.92, 6.91, 6.90, 6.89, 6.88, 6.87, 6.86, 6.85, 6.84, 6.83, 6.82, 6.81, 6.80, 6.79, 6.78, 6.77, 6.76, 6.75, 6.74, 6.73, 6.72, 6.71, 6.70, 6.69, 6.68, 6.67, 6.66, 6.65, 6.64, 6.63, 6.62, 6.61, 6.60, 6.59, 6.58, 6.57, 6.56, 6.55, 6.54, 6.53, 6.52, 6.51, 6.50, 6.49, 6.48, 6.47, 6.46, 6.45, 6.44, 6.43, 6.42, 6.41, 6.40, 6.39, 6.38, 6.37, 6.36, 6.35, 6.34, 6.33, 6.32, 6.31, 6.30, 6.29, 6.28, 6.27, 6.26, 6.25, 6.24, 6.23, 6.22, 6.21, 6.20, 6.19, 6.18, 6.17, 6.16, 6.15, 6.14, 6.13, 6.12, 6.11, 6.10, 6.09, 6.08, 6.07, 6.06, 6.05, 6.04, 6.03, 6.02, 6.01, 6.00, 5.99, 5.98, 5.97, 5.96, 5.95, 5.94, 5.93, 5.92, 5.91, 5.90, 5.89, 5.88, 5.87, 5.86, 5.85, 5.84, 5.83, 5.82, 5.81, 5.80, 5.79, 5.78, 5.77, 5.76, 5.75, 5.74, 5.73, 5.72, 5.71, 5.70, 5.69, 5.68, 5.67, 5.66, 5.65, 5.64, 5.63, 5.62, 5.61, 5.60, 5.59, 5.58, 5.57, 5.56, 5.55, 5.54, 5.53, 5.52, 5.51, 5.50, 5.49, 5.48, 5.47, 5.46, 5.45, 5.44, 5.43, 5.42, 5.41, 5.40, 5.39, 5.38, 5.37, 5.36, 5.35, 5.34, 5.33, 5.32, 5.31, 5.30, 5.29, 5.28, 5.27, 5.26, 5.25, 5.24, 5.23, 5.22, 5.21, 5.20, 5.19, 5.18, 5.17, 5.16, 5.15, 5.14, 5.13, 5.12, 5.11, 5.10, 5.09, 5.08, 5.07, 5.06, 5.05, 5.04, 5.03, 5.02, 5.01, 5.00, 4.99, 4.98, 4.97, 4.96, 4.95, 4.94, 4.93, 4.92, 4.91, 4.90, 4.89, 4.88, 4.87, 4.86, 4.85, 4.84, 4.83, 4.82, 4.81, 4.80, 4.79, 4.78, 4.77, 4.76, 4.75, 4.74, 4.73, 4.72, 4.71, 4.70, 4.69, 4.68, 4.67, 4.66, 4.65, 4.64, 4.63, 4.62, 4.61, 4.60, 4.59, 4.58, 4.57, 4.56, 4.55, 4.54, 4.53, 4.52, 4.51, 4.50, 4.49, 4.48, 4.47, 4.46, 4.45, 4.44, 4.43, 4.42, 4.41, 4.40, 4.39, 4.38, 4.37, 4.36, 4.35, 4.34, 4.33, 4.32, 4.31, 4.30, 4.29, 4.28, 4.27, 4.26, 4.25, 4.24, 4.23, 4.22, 4.21, 4.20, 4.19, 4.18, 4.17, 4.16, 4.15, 4.14, 4.13, 4.12, 4.11, 4.10, 4.09, 4.08, 4.07, 4.06, 4.05, 4.04, 4.03, 4.02, 4.01, 4.00, 3.99, 3.98, 3.97, 3.96, 3.95, 3.94, 3.93, 3.92, 3.91, 3.90, 3.89, 3.88, 3.87, 3.86, 3.85, 3.84, 3.83, 3.82, 3.81, 3.80, 3.79, 3.78, 3.77, 3.76, 3.75, 3.74, 3.73, 3.72, 3.71, 3.70, 3.69, 3.68, 3.67, 3.66, 3.65, 3.64, 3.63, 3.62, 3.61, 3.60, 3.59, 3.58, 3.57, 3.56, 3.55, 3.54, 3.53, 3.52, 3.51, 3.50, 3.49, 3.48, 3.47, 3.46, 3.45, 3.44, 3.43, 3.42, 3.41, 3.40, 3.39, 3.38, 3.37, 3.36, 3.35, 3.34, 3.33, 3.32, 3.31, 3.30, 3.29, 3.28, 3.27, 3.26, 3.25, 3.24, 3.23, 3.22, 3.21, 3.20, 3.19, 3.18, 3.17, 3.16, 3.15, 3.14, 3.13, 3.12, 3.11, 3.10, 3.09, 3.08, 3.07, 3.06, 3.05, 3.04, 3.03, 3.02, 3.01, 3.00, 2.99, 2.98, 2.97, 2.96, 2.95, 2.94, 2.93, 2.92, 2.91, 2.90, 2.89, 2.88, 2.87, 2.86, 2.85, 2.84, 2.83, 2.82, 2.81, 2.80, 2.79, 2.78, 2.77, 2.76, 2.75, 2.74, 2.73, 2.72, 2.71, 2.70, 2.69, 2.68, 2.67, 2.66, 2.65, 2.64, 2.63, 2.62, 2.61, 2.60, 2.59, 2.58, 2.57, 2.56, 2.55, 2.54, 2.53, 2.52, 2.51, 2.50, 2.49, 2.48, 2.47, 2.46, 2.45, 2.44, 2.43, 2.42, 2.41, 2.40, 2.39, 2.38, 2.37, 2.36, 2.35, 2.34, 2.33, 2.32, 2.31, 2.30, 2.29, 2.28, 2.27, 2.26, 2.25, 2.24, 2.23, 2.22, 2.21, 2.20, 2.19, 2.18, 2.17, 2.16, 2.15, 2.14, 2.13, 2.12, 2.11, 2.10, 2.09, 2.08, 2.07, 2.06, 2.05, 2.04, 2.03, 2.02, 2.01, 2.00, 1.99, 1.98, 1.97, 1.96, 1.95, 1.94, 1.93, 1.92, 1.91, 1.90, 1.89, 1.88, 1.87, 1.86, 1.85, 1.84, 1.83, 1.82, 1.81, 1.80, 1.79, 1.78, 1.77, 1.76, 1.75, 1.74, 1.73, 1.72, 1.71, 1.70, 1.69, 1.68, 1.67, 1.66, 1.65, 1.64, 1.63, 1.62, 1.61, 1.60, 1.59, 1.58, 1.57, 1.56, 1.55, 1.54, 1.53, 1.52, 1.51, 1.50, 1.49, 1.48, 1.47, 1.46, 1.45, 1.44, 1.43, 1.42, 1.41, 1.40, 1.39, 1.38, 1.37, 1.36, 1.35, 1.34, 1.33, 1.32, 1.31, 1.30, 1.29, 1.28, 1.27, 1.26, 1.25, 1.24, 1.23, 1.22, 1.21, 1.20, 1.19, 1.18, 1.17, 1.16, 1.15, 1.14, 1.13, 1.12, 1.11, 1.10, 1.09, 1.08, 1.07, 1.06, 1.05, 1.04, 1.03, 1.02, 1.01, 1.00, 0.99, 0.98, 0.97, 0.96,

1H NMR spectrum of polypropylene (PP) in CDCl₃. The x-axis is chemical shift (delta) in ppm, ranging from 0 to 12. The spectrum shows several peaks: a large peak at ~7.2 ppm (solvent), a multiplet at ~4.5-5.5 ppm (olefinic protons), a multiplet at ~1.5-2.5 ppm (methylene protons), and a sharp peak at ~1.0 ppm (methyl protons). Integration values are shown below the peaks.