Supporting information

Discovery of carboxyl-containing heteroaryldihydropyrimidine derivatives as novel HBV capsid assembly modulators with significantly improved metabolic stability

Shujie Zhao^a, Ya Wang^b, Xujie Zhang^a, Lijun Qiao^b, Shuo Wang^a, Yu Jin^a, Shuo Wu^{b,*}, Yuhuan Li^{b,*}, Peng Zhan^{a,*}, Xinyong Liu^{a,*}

^aDepartment of Medicinal Chemistry, Key Laboratory of Chemical Biology, Ministry of Education, School of Pharmaceutical Sciences, Shandong University, 44 West Culture Road, 250012 Jinan, Shandong, PR China.

^bCAMS Key Laboratory of Antiviral Drug Research, Beijing Key Laboratory of Antimicrobial Agents, NHC Key Laboratory of Biotechnology of Antibiotics, Institute of Medicinal Biotechnology, Chinese Academy of Medical Sciences and Peking Union Medical College, 100050 Beijing, PR China.

*Corresponding authors.

E-mail: wushuoimb@126.com (Wu S.); yuhuanlibj@126.com (Li Y.H.); zhanpeng1982@sdu.edu.cn (Zhan P.); xinyongl@sdu.edu.cn (Liu X.Y.)

ESI-MS, ¹H NMR, and ¹³C NMR spectra of representative target compounds

ESI-MS, ¹H NMR and ¹³C NMR spectra of compound 6a-3





ESI-MS, ¹H NMR and ¹³C NMR spectra of compound 6a-25







ESI-MS, ¹H NMR and ¹³C NMR spectra of compound **6b-1**



ESI-MS, ¹H NMR and ¹³C NMR spectra of compound 6b-5





ESI-MS, ¹H NMR and ¹³C NMR spectra of compound **6b-6**









ESI-MS, ¹H NMR and ¹³C NMR spectra of compound **6b-8**





ESI-MS, ¹H NMR and ¹³C NMR spectra of compound **6b-9**



