

**Nanomagnetic CoFe₂O₄@SiO₂-EA-H₃PO₄ as an efficient and reusable catalyst for synthesis
of pyrazolopyranopyrimidines and dihydropyrano[2,3-c]pyrazoles and Investigation of
Their Antibacterial activity**

Ali Mirzaie ^a, Lotfi Shiri ^{a*}, Mosstafa Kazemi ^a, Nourkhoda Sadeghfard ^b, Vahab Hassan Kaviar ^b


^a Department of Chemistry, Faculty of Basic Sciences, Ilam University, P.O. Box 69315-516, Ilam, Iran.

^b Clinical Microbiology Research Center, Ilam University of Medical Sciences, Ilam, Iran,

*correspondence to: Lotfi Shiri


Email: l.shiri@ilam.ac.ir

SPECTROSCOPIC DATA OF SELECTED COMPOUNDS




4-(4-methoxyphenyl)-3-methyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione

IR (KBr) n = 3430, 2880, 2827, 1702, 1464, 1359, 1040; ¹ H NMR (DMSO-d6, 250 MHz): 11.03 (s, 1H), 10.22 – 9.95 (m, 2H), 6.92 (d, 2H), 6.75 (d, 2H), 5.34 (s, 1H), 3.65 (s, 3H), 2.17 (s, 3H). C NMR (DMSO-d6, 62.5 MHz): 166.00, 161.03, 157.55, 151.10, 143.76, 134.84, 132.27, 128.11, 128.10, 113.65, 106.53, 55.36, 10.45.




4-(2-methoxyphenyl)-3-methyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione

IR (KBr) n = 3453, 2894, 2831, 1698, 1484, 1388, 1040; 1 H NMR (DMSO-d6, 250 MHz): 11.10 (s, 1H), 10.07 (m, 2H), 6.79-7.30 (m, 4H), 5.58 (s, 1H), 3.64 (s, 3H), 2.20 (s, 3H). 13C NMR (DMSO-d6, 62.5 MHz): 166.00, 160.72, 156.38, 152.44, 146.43, 139.33, 126.26, 124.42, 122.75, 115.31, 106.36, 51.03, 6.00.




4-(4-chlorophenyl)-3,6,8-trimethyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione

IR (KBr) n = 3390, 3189, 3062, 2971, 1688, 1559, 1498, 1416, 1264, 1133; H NMR (DMSO-d6, 250 MHz): δ 13.95 (s, 1H), 7.41 – 6.96 (d-d, 4H), 4.43 (s, 1H), 3.40 (s, 3H), 1.98 (s, 3H), 1.68 (s, 3H). C NMR (DMSO-d6, 62.5 MHz): 178.86, 160.28, 158.08, 154.89, 140.59, 137.46, 134.35, 129.77, 127.63, 127.58, 101.47, 55.45, 12.66, 9.92.




4-(4-methoxyphenyl)-3-methyl-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one

IR (KBr) n = 3230, 2997, 2827, 1620, 1518, 1404, 1173; H NMR (DMSO-d6, 250 MHz): 11.44 (s, 2H), 6.90 (d, 2H), 6.73 (d, 2H), 5.35 (s, 1H), 3.66 (s, 3H), 2.21 (s, 3H). C NMR (DMSO-d6, 62.5 MHz): 173.37, 163.73, 159.72, 157.10, 143.83, 134.14, 133.27, 128.11, 128.05, 113.75, 106.03, 96.62, 55.38, 30.25, 10.45




3-methyl-4-(4-nitrophenyl)-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one

IR (KBr) n = 3429, 2976, 2879, 16188, 1527, 1433, 1310, 1169, 1116; H NMR (DMSO-d6, 250 MHz): δ 11.49 (d, 2H), 8.68 (s, 1H), 7.37 – 6.96 (d-d, 4H), 5.35 (s, 1H), 2.22 (s, 3H).
13C NMR (DMSO-d6, 62.5 MHz): 168.99, 159.05, 154.87, 139.55, 137.18, 127.85, 126.55, 124.80, 114.39, 91.52, 5.75.




3-methyl-4-phenyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione

IR (KBr): 3476, 3264, 3116, 2885, , 2257, 1650, 1600, 1520, 1452, 1352, 1106cm⁻¹; ¹H NMR (250 MHz, DMSO) δ 11.11 (s, 1H), 10.09 – 10.03 (d, 2H), 7.18-7.02 (m, 5H), 5.39 (s, 1H), 2.18 (s, 3H).




6-Amino-4-(4-Nitrophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile :

IR (KBr: ν/cm^{-1}): 3476, 3228, 2196, 1650, 1600 cm^{-1} ; ^1H NMR (250 MHz, DMSO) δ 12.19 (s, 1H), 8.18 (d, $J = 8.3$ Hz, 2H), 7.44 (d, $J = 8.4$ Hz, 2H), 7.04 (s, 2H), 4.81 (s, 1H), 1.77 (s, 3H). C NMR (125 MHz, DMSO-d6); δ C (ppm) = 161.54, 155.09, 152.51, 146.80, 136.29, 129.24, 129.24, 127.05, 124.30, 120.88, 96.95, 56.33, 36.30, 10.4.




6-Amino-4-(4-chlorophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile :

IR (KBr) $\nu = 3390, 3189, 3062, 2971, 1688, 1559, 1498, 1416, 1264, 1133$; ^1H NMR (DMSO-d6, 250 MHz): δ 13.95 (s, 1H), 7.41 – 6.96 (d-d, 4H), 4.43 (s, 1H), 3.40 (s, 3H), 1.98 (s, 3H), 1.68 (s, 3H). C NMR (DMSO-d6, 62.5 MHz): 178.86, 160.28, 158.08, 154.89, 140.59, 137.46, 134.35, 129.77, 127.63, 127.58, 101.47, 55.45, 12.66, 9.92.




6-amino-3-methyl-4-phenyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile

IR (KBr): 3377, 3029, 2189, 1645, 1526 cm^{-1} ; ^1H NMR (250 MHz, DMSO) δ 12.08 (s, 1H), 7.64 – 6.86 (m, 5H), 6.26 – 4.47 (s, 2H), 1.90 (s, 3H).




4-(2,4-chlorophenyl)-3,6,8-trimethyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione

IR (KBr) n = 3433, 2923, 2358, 1730, 1583, 1464, 1383, 1203; ¹H NMR (250 MHz, DMSO) δ 8.88 (s, 1H), 8.13 (s, 1H), 7.77 (s, 1H), 7.55 (s, 2H), 4.52 (s, 1H), 1.92 (s, 3H).



6-amino-3-methyl-4-(3-nitrophenyl)-1,4-dihdropyrazole-5-carbonitrile

IR (KBr: ν/cm^{-1}): 3473, 3226, 2193, 1653, 1526 cm^{-1} ; ¹H NMR (250 MHz, DMSO) δ 12.20 (s, 1H), 7.04 – 8.11 (m, 4H), 8.80 (s, 2H), 4.86 (s, 1H), 1.79 (s, 3H). ¹³C NMR (125 MHz, DMSO-d6); δC (ppm) = 156.96, 150.49, 143.70, 142.58, 131.75, 130.14, 125.99, 117.67, 116.29, 92.42, 52.01, 5.51.



6-amino-4-(4-hydroxyphenyl)-3-methyl-1,4-dihdropyrazole-5-carbonitrile

IR (KBr): 3395, 3137, 2176, 1647, 1604 cm^{-1} ; ¹H NMR (250 MHz, DMSO) δ 12.04 (s, 1H), 9.29 (s, 1H), 6.92 (s, 2H), 6.95 (m, 2H), 6.88 (m, 2H), 4.41 (s, 1H), 1.76 (s, 3H). ¹³C NMR (125 MHz, DMSO-d6); δC (ppm) = 156.44, 151.83, 150.54, 131.36, 130.56, 124.23, 116.70, 110.92, 110.28, 93.86, 53.64, 5.54.




Figure S1. FT-IR of 4-(4-methoxyphenyl)-3-methyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in KBr.




Figure S2. ^1H NMR of 4-(4-methoxyphenyl)-3-methyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.

Mirzaei-Heidari-111




Figure S3. ^{13}C NMR of 4-(4-methoxyphenyl)-3-methyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.




Figure S4. FT-IR of 4-(2-methoxyphenyl)-3-methyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in KBr.

mirzaie




Figure S5. ¹H NMR of 4-(2-methoxyphenyl)-3-methyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.

Mirzaei-AM1




Figure S6. ^{13}C NMR of 4-(2-methoxyphenyl)-3-methyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.




Figure S7. FT-IR of 4-(4-chlorophenyl)-3,6,8-trimethyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in KBr.




Figure S8. ^1H NMR of 4-(4-chlorophenyl)-3,6,8-trimethyl-4,8-dihydropyrazolo[4',3':5,6]pyranopyrimidine-5,7(1H,6H)-dione in DMSO.

Mirzaei-Heidari-109




Figure S9. ^{13}C NMR of 4-(4-chlorophenyl)-3,6,8-trimethyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.





Figure S10. FTIR of 4(4methoxyphenyl)3methyl7thioxo4,6,7,8tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one in KBr.

mirzaie




Current Data Parameters
NAME I1am
EXPNO 326
PROCNO 1

F2 - Acquisition Parameter
Date_ 20210224
Time 13.14
INSTRUM spect
PROBHD 5 mm Multinucl
PULPROG zg
TD 16384
SOLVENT DMSO
NS 16
DS 0
SWH 4370.629 Hz
FIDRES 0.266762 Hz
AQ 1.8743796 se
RG 362
DW 114.400 us
DE 6.00 us
TE 300.0 K
D1 3.0000000 se

===== CHANNEL f1 =====
NUC1 1H
P1 9.00 us
PL1 3.00 dB
SFO1 250.1320659 MH

F2 - Processing parameters
SI 32768
SF 250.1300000 MH
WDW EM
SSB 0
LB 0.20 Hz
GB 0
PC 1.00

FigureS11. ^1H NMR of 4(4methoxyphenyl)3methyl7thioxo4,6,7,8tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one in DMSO.



FigureS12.¹³CNMR of 4-(4-methoxyphenyl)-3-methyl-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one in DMSO.




Figure S13. FTIR of 3-methyl-4-(4-nitrophenyl)-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one KBr.





Figure S14. ^1H NMR of 3-methyl-4-(4-nitrophenyl)-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one in DMSO.



FigureS15. ^{13}C NMR of 3-methyl-4-(4-nitrophenyl)-7-thioxo-4,6,7,8-tetrahydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidin-5(1H)-one in DMSO.




Figure S16. FT-IR of 3-methyl-4-phenyl-4,8-dihdropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in KBr.




Figure S17. ^1H NMR of 3-methyl-4-phenyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.




Figure S18. FT-IR of 6-Amino-4-(4-Nitrophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile in KBr.




Figure S19. ^1H NMR of 6-Amino-4-(4-Nitrophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile one in DMSO.

Heidari-Mirzaei-100




Figure S20. ^{13}C NMR of 6-Amino-4-(4-Nitrophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile in DMSO.




Figure S21. FT-IR of 6-Amino-4-(4-chlorophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile in KBr.




Figure S22. ^1H NMR of 6-Amino-4-(4-chlorophenyl)-3-methyl-2,4-dihydropyran[2,3-c] pyrazole-5-carbonitrile in DMSO.

Mirzaei-heidari-102




Figure S23. ^{13}C NMR of 6-Amino-4-(4-chlorophenyl)-3-methyl-2,4-dihydropyrano[2,3-c] pyrazole-5-carbonitrile in DMSO.




Figure S24. FT-IR of 6-amino-3-methyl-4-phenyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in KBr.




Figure S25. ^1H NMR of 6-amino-3-methyl-4-phenyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in DMSO.




Figure S26. FT-IR of 4-(2,4-chlorophenyl)-3,6,8-trimethyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in KBr.

mirzaie




Figure S27. ^1H NMR of 4-(2,4-chlorophenyl)-3,6,8-trimethyl-4,8-dihydropyrazolo[4',3':5,6]pyrano[2,3-d]pyrimidine-5,7(1H,6H)-dione in DMSO.




Figure S28. FT-IR of 6-amino-3-methyl-4-(3-nitrophenyl)-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in KBr.




Figure S29. ^1H NMR of 6-amino-3-methyl-4-(3-nitrophenyl)-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in DMSO.

Mirzaei-AM4-1402-6-4




Figure S30. ^{13}C NMR of 6-amino-3-methyl-4-(3-nitrophenyl)-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in DMSO.






Figure S31. FT-IR of 6-amino-4-(4-hydroxyphenyl)-3-methyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in KBr.

mirzaie



Current Data Parameters
NAME Iiam
EXPNO 522
PROCNO 1

F2 - Acquisition Parameters
Date 20210828
Time 11.21
INSTRUM spect
PROBHD 5 mm Multinucl
PULPROG zg
TD 16384
SOLVENT DMSO
NS 10
DS 0
SWH 6265.664 Hz
FIDRES 0.382426 Hz
AQ 1.3074932 sec
RG 32
DW 79.800 usec
DE 6.00 usec
TE 300.0 K
D1 3.0000000 sec

===== CHANNEL f1 =====
NUC1 1H
P1 9.00 usec
PL1 3.00 dB
SFO1 250.1325013 MHz

F2 - Processing parameters
SI 32768
SF 250.1300000 MHz
WDW EM
SSB 0
LB 0.50 Hz
GB 0
PC 1.00

Figure S32. ¹H NMR of 6-amino-4-(4-hydroxyphenyl)-3-methyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in DMSO.

Mirzaei-AM5




Figure S33. ^{13}C NMR of 6-amino-4-(4-hydroxyphenyl)-3-methyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile in DMSO.