

Electronic Supplementary Information

Co(II/III), Ni(II) and Cu(II) complexes with a pyrazole-functionalized 1,3,5-triazopentadiene: synthesis, structure and application in the oxidation of styrene to benzaldehyde

Ibadulla Mahmudov,^{a,b} Atash V. Gurbanov,^{*a,c} Luísa M. D. R. S. Martins,^{*a} Yusif Abdullayev,^{d,e}
Afsun Sujayev,^b Kamran T. Mahmudov^{*a,c} and Armando J. L. Pombeiro,^a

^a Centro de Química Estrutural, Institute of Molecular Sciences, and Departamento de Engenharia Química, Instituto Superior Técnico, Universidade de Lisboa, Av. Rovisco Pais, 1049-001 Lisboa, Portugal

^b Institute of Chemistry of Additives, Azerbaijan National Academy of Sciences, AZ 1029 Baku, Azerbaijan,

^c Excellence Center, Baku State University, Z. Xalilov Str. 23, AZ 1148 Baku, Azerbaijan

^d Institute of Petrochemical Processes, Azerbaijan National Academy of Sciences, AZ 1025, Baku, Azerbaijan,

^e Department of Chemical Engineering, Baku Engineering University, Hasan Aliyev str. 120, Baku, Absheron, AZ 0101, Azerbaijan

*Corresponding authors

E-mail addresses:

organik10@hotmail.com (Atash V. Gurbanov)

luisammartins@tecnico.ulisboa.pt (Luísa M. D. R. S. Martins)

kamran.mahmudov@tecnico.ulisboa.pt (Kamran T. Mahmudov)

1. X-ray analysis




Fig. S1. Intermolecular H-bonds in crystal packing of **1**.




Fig. S2. Intermolecular H-bonds in crystal packing of **2**.




Fig. S3. Intermolecular H-bonds in crystal packing of **3**.




Fig. S4. Intermolecular H-bonds in crystal packing of **4**.