

Supplementary material

Synthesis, gene transfection efficiency, and serum compatibility of β -sitosterol-based cationic lipids with different headgroups

Chopaka Thongbamrer,^{a,b} Boon-ek Yingyongnarongkul,^b Uthai Sakee,^a Wang Nguitragool^{c,d} and Widchaya Radchatawedchakoon *^a

^a Creative Chemistry and Innovation Research Unit, Department of Chemistry and Center of Excellence for Innovation in Chemistry (PERCH-CIC), Faculty of Science, Mahasarakham University, Kantharawichai, Maha Sarakham, 44150 Thailand

^b Department of Chemistry and Center of Excellence for Innovation in Chemistry (PERCH-CIC), Faculty of Science, Ramkhamhaeng University, Bangkok, 10240 Thailand

^c Department of Molecular Tropical Medicine and Genetics, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400 Thailand


^d Mahidol Vivax Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400 Thailand

* Corresponding author. Tel.: +6643 754 246; fax: +6643 754 246.

E-mail addresses: widchaya.r@msu.ac.th; widchaya@hotmail.com


¹H, ¹³C NMR and HR-ESI-MS Spectra of All Synthesized Compounds

WR-NMR178 Chopaka CT(1)-58 (7.8 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(2-Aminoethyl)carbamoyl]β-sitosterol (**1A**)

¹³C NMR¹⁷⁸ Chopaka CT(1)-58 (7.8 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[N-(2-Aminoethyl)carbamoyl]β-sitosterol (**1A**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 189 (pos).d
Method tune_wide2.m
Sample Name CT(1)-58
Comment

Acquisition Date 6/29/2016 3:32:56 PM

Operator RU
Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β-[N-(2-Aminoethyl)carbamoyl]β-sitosterol (**1A**)

WR-NMR179 Chopaka CT(1)-59 (8.6 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(3-Aminopropyl)carbamoyl]β-sitosterol (5A)

13C WR-NMR179 Chopaka CT(1)-59 (8.6 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[N-(3-Aminopropyl)carbamoyl]β-sitosterol (5A)


Mass Spectrum SmartFormula Report

Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 190 (pos).d Acquisition Date 6/29/2016 3:36:37 PM
Method tune_wide2.m Operator RU
Sample Name CT (1)-59 Instrument micrOTOF 8213750.10411
Comment


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3 β -[N-(3-Aminopropyl)carbamoyl] β -sitosterol (**5A**)

WR-NMR184 Chopaka CT(1)-64 (8.4 mg, CDCl₃ + CD₃OD)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(2-(N',N',N'-Trimethyl)aminoethyl)carbamoyl]β-sitosterol (**2A**)

13C WR-NMR184 Chopaka CT(1)-64 (8.4 mg, CDCl₃ + CD₃OD)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[N-(2-(N',N',N'-Trimethyl)aminoethyl)carbamoyl]β-sitosterol (**2A**)


Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name	D:\Data\Boon-ek\ESI\BY-HRMS 198 (pos).d	Acquisition Date	6/29/2016 4:37:25 PM
Method	tune_wide2.m	Operator	RU
Sample Name	CT (1)-64	Instrument	micrOTOF
Comment			8213750.10411

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




WR-NMR185 Chopaka CT(1)-65 (9.2 mg, CDCl₃ + CD₃OD)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(3-(N', N', N'-Trimethyl)aminopropyl)carbamoyl]
β-sitosterol (**6A**)

13C WR-NMR185 Chopaka CT(1)-65 (9.2 mg, CDCl₃ + CD₃OD)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[N-(3-(N', N', N'-Trimethyl)aminopropyl)carbamoyl]
β-sitosterol (**6A**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 197 (pos).d
 Method tune_wide2.m
 Sample Name CT (1)-65
 Comment

Acquisition Date 6/29/2016 4:33:53 PM

Operator RU
 Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3 β -[N-(3-(N,N' , N' -Trimethyl)aminopropyl)carbamoyl] β -sitosterol
(6A)

WR-NMR180 Chopaka CT(1)-60 (20 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[2-((N', N''-Di(tert-butoxycarbonyl)guanidinyl)ethyl)carbamoly]β-sitosterol (**11**)

13C WR-NMR180 Chopaka CT(1)-60 (20.0 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[2-((N', N''-Di(tert-butoxycarbonyl)guanidinyl)ethyl)carbamoly]β-sitosterol (**11**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 191 (pos).d
 Method tune_wide2.m
 Sample Name CT (1)-60
 Comment

Acquisition Date 6/29/2016 3:40:48 PM

Operator RU
 Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β-[(2-((N', N''-Di(*tert*-butoxycarbonyl)guanidinyl)ethyl) carbamoyl]β-sitosterol (**11**)

WR-NMR181 Chopaka CT(1)-61 (12.5 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3 β -[(3-((N',N''-Di(*tert*-butoxycarbonyl))guanidinyl) propyl)carbamoyl] β -sitosterol (**12**)

13C WR-NMR181 Chopaka CT(1)-61 (12.5 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3 β -[(3-((N',N''-Di(*tert*-butoxycarbonyl))guanidinyl) propyl)carbamoyl] β -sitosterol (**12**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name: D:\Data\Boon-ek\ESI\BY-HRMS 192 (pos).d
 Method: tune_wide2.m
 Sample Name: CT (1)-61
 Comment:

Acquisition Date: 6/29/2016 3:46:20 PM

Operator: RU
 Instrument: micrOTOF 8213750.10411

Acquisition Parameter


Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste



Meas. m/z	#	Ion Formula	m/z	err [mDa]	err [ppm]	Mean err [ppm]	rdb	N-Rule	e ⁻ Conf	mSigma
757.582686	1	C44H77N4O6	757.583763	1.1	1.4	-1.0	8.5	ok even		96.4
779.564673	1	C44H76N4NaO6	779.565707	1.0	-1.3	-0.6	8.5	ok even		95.2


HR-ESI-MS Spectrum of 3β-[(3-((N',N''-Di(*tert*-butoxycarbonyl))guanidinyl)propyl)carbamoyl]
 β-sitosterol (**12**)

WR-NMR186 Chopaka CT(1)-66 (9.1 mg, CDCl₃ + CD₃OD 3 drops)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[(2-(Guanidinyl)ethyl)carbamoyl]β-sitosterol (3A)

13C WR-NMR186 Chopaka CT(1)-66 (9.1 mg, CDCl₃ + 3 drops of CD₃OD)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[(2-(Guanidinyl)ethyl)carbamoyl]β-sitosterol (3A)


Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name	D:\Data\Boon-ek\ESI\BY-HRMS 196 (pos).d	Acquisition Date	6/29/2016 4:30:25 PM
Method	tune_wide2.m	Operator	RU
Sample Name	CT (1)-66	Instrument	micrOTOF
Comment			8213750.10411

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste



WR-NMR218 Chopaka CT(1)-67 (20.6 mg, CDCl₃ + 10 drops of CD3OD)




Mass Spectrum SmartFormula Report

Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 195 (pos).d Acquisition Date 6/29/2016 4:26:55 PM
Method tune_wide2.m Operator RU
Sample Name CT (1)-67 Instrument micrOTOF 8213750.10411
Comment


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β -[(3-(Guanidinyl)propyl)carbamoyl] β -sitosterol (**7A**)

WR-NMR182 Chopaka CT(1)-62 (10 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[(2-((N', N', N'', N''-Tetramethyl)guanidinyl)ethyl)carbamoyl]β-sitosterol (**4A**)

13C WR-NMR182 Chopaka CT(1)-62 (10 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[(2-((N', N', N'', N''-Tetramethyl)guanidinyl)ethyl)carbamoyl]β-sitosterol (**4A**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 193 (pos).d
 Method tune_wide2.m
 Sample Name CT (1)-62
 Comment

Acquisition Date 6/29/2016 4:20:15 PM

Operator RU
 Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β -[(2-((N', N', N'', N''-Tetramethyl)guanidinyl) ethyl)carbamoyl] β -sitosterol (**4A**)

WR-NMR183 Chopaka CT(1)-63 (9.8 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[3-((N', N', N'', N''-Tetramethyl)guanidinyl)propyl]β-sitosterol (**8A**)

13C WR-NMR183 Chopaka CT(1)-63 (9.8 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[3-((N', N', N'', N''-Tetramethyl)guanidinyl)propyl]β-sitosterol (**8A**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 194 (pos).d
Method tune_wide2.m
Sample Name CT (1)-63
Comment

Acquisition Date 6/29/2016 4:23:39 PM

Operator RU
Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β-[(3-((N', N', N'', N''-Tetramethyl)guanidinyl) propyl)carbamoyl]β-sitosterol (**8A**)

WR-NMR225 Chopaka CT(1)-93 (50.7 mg, CDC13)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[(N⁵, N¹⁰, N¹⁴-Tri(*tert*-butyloxycarbonyl-(N¹-sperminyl))carbonyloxy]β-sitosterol (**13**)

WR-NMR225 Chopaka CT(1)-93 (50.7 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[(N⁵, N¹⁰, N¹⁴-Tri(*tert*-butyloxycarbonyl-(N¹-sperminyl))carbonyloxy]β-sitosterol (**13**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 205 (pos).d
 Method tune_wide2.m
 Sample Name CT(1)-93
 Comment

Acquisition Date 7/1/2016 12:27:20 PM

Operator RU
 Instrument micrOTOF 8213750.10411


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β -[$(N^5, N^{10}, N^{14}$ -Tri(*tert*-butyloxycarbonyl- $(N^1$ -sperminyl)) carbonyloxy] β -sitosterol (**13**)

WR-NMR224 Chopaka CT(1)-93-2F1 (24.9 mg, CDCl₃ + CD3OD)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[(N¹-Sperminyl)carbonyloxy]β-sitosterol (**1B**)

WR-NMR224 Chopaka (24.9 mg, CDCl₃ + CD3OD)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[(N¹-Sperminyl)carbonyloxy]β-sitosterol (**1B**)

Mass Spectrum SmartFormula Report


Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 236 (pos).d
Method tune_wide1.m
Sample Name CT(1)-93-2F1
Comment

Acquisition Date 11/23/2016 4:18:18 PM

Acquisition Parameter


Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste



Meas. m/z # Ion Formula	m/z	err [ppm]	Mean err	rdb Conf	N-Rule e ⁻	mSigma a	Std m/z	I Mean VarNo	Std rm	Std m/z	Std Comb	Std Dev
665.573727 1 C40H74N4NaO2 665.570398	5.0	-12.7	5.5	ok even		381.6	379.9	9.7	170.2	6.5	891.3	


HR-ESI-MS Spectrum of 3β -[(N^1 -Sperminyl)carbonyloxy] β -sitosterol (**1B**)

IR-NMR251 Chopaka CT(1)-100 (20.3 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N¹-(1,4-Bis(3-aminopropoxy)butyl))carbonyloxy] β-sitosterol (**2B**)

WR-NMR251 Chopaka CT(1)-100 (20.3 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β-[N¹-(1,4-Bis(3-aminopropoxy)butyl))carbonyloxy] β-sitosterol (**2B**)

Mass Spectrum SmartFormula Report


Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 356 (pos).d
Method tune_wide 4 19-6-60.m
Sample Name CT(1)-100
Comment

Acquisition Date 7/20/2017 4:14:03 PM


Acquisition Parameter

Source Type ESI Ion Polarity Positive Set Nebulizer 0.5 Bar
Focus Not active Set Dry Heater 180 °C
Scan Begin 50 m/z Set Capillary 4500 V Set Dry Gas 4.0 l/min
Scan End 3000 m/z Set End Plate Offset -500 V Set Divert Valve Waste




HR-ESI-MS Spectrum of 3β-[N¹-(1,4-Bis(3-aminopropoxy)butyl)carbonyloxy]β-sitosterol (**2B**)

WR-NMR226 Chopaka CT(1)-96 (42.2 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(2-(N,N-Bis(methoxycarbonyl)ethyl)aminoethyl)carbamoyl]β-sitosterol (**14**)

WR-NMR226 Chopaka CT(1)-96 (42.2 mg, CDCl₃)



¹³C NMR Spectrum (400 MHz, CDCl₃) of 3β-[N-(2-(N,N-Bis(methoxycarbonyl)ethyl)aminoethyl)carbamoyl]β-sitosterol (**14**)


Mass Spectrum SmartFormula Report

Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 210 (pos).d Acquisition Date 7/1/2016 12:47:51 PM
Method tune_wide2.m Operator RU
Sample Name CT(1)-96 Instrument micrOTOF 8213750.10411
Comment


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of 3β-[N-(2-(N, N-Bis(methoxycarbonyl)ethyl)aminoethyl)carbamoyl]β-sitosterol (**14**)

WR-NMR285 Chopaka CT(1)-109/2 (20.5 mg, CDCl₃ + CD₃OD)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3β[N-(2-(N,N-Bis(ethylcarbamoyl)(N¹-sperminyl))) aminoethyl]carbamoyl] β -sitosterol (**3B**)

WR-NMR285 Chopaka CT(1)-109/2 (20.5 mg, CDCl₃ + CD₃OD)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3β[N-(2-(N,N-Bis(ethylcarbamoyl)(N¹-sperminyl))) aminoethyl]carbamoyl] β -sitosterol (**3B**)


Mass Spectrum SmartFormula Report

Analysis Info

Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 358 (pos).d Acquisition Date 7/20/2017 4:18:03 PM
 Method tune_wide 4 19-6-60.m
 Sample Name CT(1)-109/2
 Comment


Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




HR-ESI-MS Spectrum of $3\beta[N\text{-}(2\text{-}(N,N\text{-Bis(ethylcarbonyl}(N^1\text{-sperminyl}))\text{aminoethyl})\text{carbamoyl}]\beta\text{-sitosterol}$ (**3B**)

WR-NMR283 Chopaka CT(1)-107/2 (8 mg, CDCl₃)



¹H NMR Spectrum (400 MHz, CDCl₃) of 3 β [N-(2-(*N,N*-Bis(ethylcarbonyl)(*N*¹-1,4-bis(3-aminopropoxy)butyl)))aminoethyl carbamoyl] β -sitosterol (**4B**)

WR-NMR283 Chopaka CT(1)-107/2 (8 mg, CDCl₃)



¹³C NMR Spectrum (100 MHz, CDCl₃) of 3 β [N-(2-(*N,N*-Bis(ethylcarbonyl)(*N*¹-1,4-bis(3-aminopropoxy)butyl)))aminoethyl carbamoyl] β -sitosterol (**4B**)

Mass Spectrum SmartFormula Report

Analysis Info


Analysis Name D:\Data\Boon-ek\ESI\BY-HRMS 357 (pos).d
 Method tune_wide 4 19-6-60.m
 Sample Name CT(1)-107/2
 Comment

Acquisition Date 7/20/2017 4:16:03 PM

Operator RU
Instrument micrOTOF 8213750.10411

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.5 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste



HR-ESI-MS Spectrum of $3\beta[N\text{-}(2\text{-(}N,N\text{-Bis(ethylcarbonyl}(N^1\text{-}1,4\text{-bis(3-aminopropoxy)butyl}))\text{)}}\text{aminoethyl)carbamoyl]}\beta\text{-sitosterol (4B)}$