

2-Iodo-1-C-Acceptor-Substituted Glycals: Synthesis and Transformation into 1,2-C,C-Disubstituted Glycals via Suzuki–Miyaura Coupling Reaction

Éva Juhász-Tóth,^a Ádám Szilárd Malecz,^a Marietta Tóth,^a Ágnes Homolya,^{a,b} Tímea Kaszás,^a
László Somsák,^a László Juhász^{a*}

^aDepartment of Organic Chemistry, University of Debrecen, PO Box 400, H-4010 Debrecen, Hungary

^bUniversity of Debrecen, Doctoral School of Chemistry, PO Box 400, H-4002 Debrecen, Hungary



email: juhasz.laszlo@science.unideb.hu

SUPPORTING INFORMATION


TABLE OF CONTENTS

COMPOUND 2 (¹ H, ¹³ C)	S-2
COMPOUND 4 (¹ H, ¹³ C)	S-3
COMPOUND 6 (¹ H, ¹³ C)	S-4
COMPOUND 7 (¹ H, ¹³ C)	S-5
COMPOUND 9 (¹ H, ¹³ C)	S-6
COMPOUND 11 (¹ H, ¹³ C)	S-7
COMPOUND 12a (¹ H, ¹³ C)	S-8
COMPOUND 12b (¹ H, ¹³ C)	S-9
COMPOUND 12c (¹ H, ¹³ C)	S-10
COMPOUND 12d (¹ H, ¹³ C)	S-11
COMPOUND 12d (COSY, HSQC)	S-12
COMPOUND 12e (¹ H, ¹³ C)	S-13
COMPOUND 12f (¹ H, ¹³ C)	S-14
COMPOUND 12g (¹ H, ¹³ C)	S-15
COMPOUND 12h (¹ H, ¹³ C)	S-16
COMPOUND 12i (¹ H, ¹³ C)	S-17
COMPOUND 12j (¹ H, ¹³ C)	S-18
COMPOUND 12k (¹ H, ¹³ C)	S-19
COMPOUND 12l (¹ H, ¹³ C)	S-20
COMPOUND 12m (¹ H, ¹³ C)	S-21
COMPOUND 13a (¹ H, ¹³ C)	S-22
COMPOUND 13b (¹ H, ¹³ C)	S-23
COMPOUND 14 (¹ H, ¹³ C)	S-24
COMPOUND 15 (¹ H, ¹³ C)	S-25



COMPOUND 2 (¹H, ¹³C)







COMPOUND 4 (¹H, ¹³C)







(400MHz, CDCl₃)





COMPOUND **6** (^1H , ^{13}C)





COMPOUND 7 (^1H , ^{13}C)






COMPOUND **9** (^1H , ^{13}C)






COMPOUND **11** (^1H , ^{13}C)







COMPOUND **12a** (^1H , ^{13}C)






COMPOUND **12b** (^1H , ^{13}C)





COMPOUND **12c** (^1H , ^{13}C)




COMPOUND **12d** (^1H , ^{13}C)





COMPOUND **12d** (COSY, HSQC)






COMPOUND 12e (¹H, ¹³C)






(400 Mhz, CDCl₃)





COMPOUND **12f** (^1H , ^{13}C)





COMPOUND **12g** (^1H , ^{13}C)





COMPOUND **12h** (^1H , ^{13}C)






COMPOUND **12i** (^1H , ^{13}C)





COMPOUND **12j** (^1H , ^{13}C)




COMPOUND **12k** (^1H , ^{13}C)






COMPOUND **12m** (^1H , ^{13}C)



COMPOUND **13a** (^1H , ^{13}C)






(400 MHz, CDCl_3)





(90 MHz, CDCl_3)

COMPOUND **13b** (^1H , ^{13}C)



COMPOUND **14** (^1H , ^{13}C)



COMPOUND **15** (^1H , ^{13}C)

