

Supplementary information for

Concise assembly of ethynyl-6,8-dioxabicyclo[3.2.1]octanes from acetylenes and ketones

Elena Yu. Schmidt, Ivan A. Bidusenko, Nadezhda I. Protsuk, Igor A. Ushakov and Boris A. Trofimov*



A.E. Favorsky Irkutsk Institute of Chemistry, Siberian Branch of the Russian Academy of Sciences, 1 Favorsky St., 664033 Irkutsk, Russian Federation



*Corresponding authors: boris_trofimov@irioch.irk.ru



Table of contents



¹ H and ¹³ C Spectra of 2-acetyl-3,4-dihydropyrans 2	S2
¹ H and ¹³ C Spectra of acetylenic alcohol 4	S13
¹ H and ¹³ C Spectra of 7-ethynyl-6,8-dioxabicyclo[3.2.1]octanes 5	S32



^1H and ^{13}C Spectra of 2-acetyl-3,4-dihydropyrans 2













































¹H and ¹³C Spectra of acetylenic alcohol 4






































































¹H and ¹³C Spectra of 7-ethynyl-6,8-dioxabicyclo[3.2.1]octanes 5







2D COSY Spectrum of ($1S^*,3S^*,5R^*,7R^*$)-**5aa** (aromatic region) (400.1 MHz, CDCl_3)











2D ¹H-¹³C HSQC Spectrum of (1S*,3S*,5R*,7R*)-5aa (aromatic region)





2D NOESY Spectrum of (*1S*,3S*,5R*,7R**)-**5aa** (400.1 MHz, CDCl₃)















2D ^1H - ^{13}C HMBC Spectrum of ($1\text{S}^*,3\text{S}^*,5\text{R}^*,7\text{S}^*$)-5aa.


































































2D NOESY Spectrum of (*1S*,3S*,5R*,7R**)-**5ab** (400.1 MHz, benzene-d6)












2D ^1H - ^{13}C HMBC Spectrum of ($1\text{S}^*,3\text{S}^*,5\text{R}^*,7\text{S}^*$)-5ab.




2D NOESY Spectrum of ($1S^*,3S^*,5R^*,7S^*$)-**5ab** (400.1 MHz, benzene-d₆)










^1H NMR Spectrum of (1S*,3S*,5R*,7R*)-5cb (400.1 MHz, benzene-d6)



^{13}C NMR Spectrum of (1S*,3S*,5R*,7R*)-5cb (100.6 MHz, benzene-d6)

