

Synergistic effect of $\text{Bi}_2\text{Zr}_2\text{O}_7$ and hydroxyapatite composite: Organic pollutant remediation, antibacterial and electrochemical sensing applications

K. Pompadipathi^{a,b}, K. S. Anantharaju^{*a,c}, B. S. Surendra^c, S Meena^c, B Uma^c,
Arpita Paul Chowdhury^{**c}, H. C. Ananda Murthy^{***d,e}

^aDr. D. Premachandra Sagar Centre for Advanced Materials, Dayananda Sagar College of Engineering, Shavige Malleshwara Hills, Kumaraswamy layout, Bengaluru -560111, India

^bDepartment of Material Science, Mangalore University, Mangalagangotri, Mangalore-574199, Karnataka, India.

^cDepartment of Chemistry, Dayananda Sagar College of Engineering, Shavige Malleshwara Hills, Kumaraswamy layout, Bengaluru -560111, India.

^dDepartment of Applied Chemistry, School of Applied Natural Science, Adama Science and Technology University, Adama, P O Box 1888, Ethiopia.

^eDepartment of Prosthodontics, Saveetha Dental College & Hospital, Saveetha Institute of Medical and Technical Science (SIMATS), Saveetha University, Chennai 600077, Tamil Nadu, India.

Corresponding Authors: *Dr. K. S. Anantharaju (iamananth4477@gmail.com)

**Dr. Arpita Paul Chowdhury (chemarpitachowdhury@gmail.com)

***Dr. H. C. Ananda Murthy (anandkps350@gmail.com)




Fig. S1. Absorbance spectra of MB dye in the presence of (a) BZO, (b) HA, (c) BZO-HA (10%), (d) BZO-HA (20%), (e) BZO-HA (30%).




Fig. S2. Absorbance spectra of RB dye in the presence of (a) BZO, (b) HA, (c) BZO-HA (10%), (d) BZO-HA (20%), (e) BZO-HA (30%).