

Synthesis of carbon dots based Schiff base and selective anticancer activity on glioma cells

Yafeng Zhuang^{a,#}, Liping Zhu^{b,c,#}, Xiaoping Chen^{a,#}, Jing Chen^a, Zhoujie Ye^{b,c}, Jie Kang^{a,*}, Xinrui Wang^{b,c,*} and Zhizhong Han^{a,*}

^aSchool of Pharmacy, Fujian Medical University, Fuzhou, Fujian 350122, P R China

^bMedical Research Center, Fujian Maternity and Child Health Hospital, College of Clinical Medicine for Obstetrics and Gynecology and Pediatrics, Fujian Medical University, Fuzhou 350011, Fujian, P R China

^cNHC Key Laboratory of Technical Evaluation of Fertility Regulation for Non-Human Primate, Fujian Maternity and Child Health Hospital, Fuzhou 350011, Fujian, P R China

* Corresponding authors:

E-mail: zzhan@fjmu.edu.cn (Z. Han); wanxiru@sjtu.edu.cn (X. Wang); davidkj660825@163.com (J. Kang)

These authors contributed equally to this work







Fig. S1 MTT test results of CDSB on HeLa cells




PARP




Cleaved PARP




Caspas3




Cleaved Caspase3




Bax




Bcl2



NFκB



IκBα



phospho IκBα



β-actin

Fig. S2 The pictures of the electrophoretic gels and blots