

Supporting information
**Preparation of High Performance Monoazo Disperse Dyes Bearing
Ester Group Based on Benzisothiazole and Their Dyeing
Performance on Polyester Fabrics**

Xiyu Song,^{*a,b} Chuang Dai^a, Mingda Li,^a Min Li,^c Liu Hu,^d Yu Wang,^a Aiqin Hou,^b Hongfei Qian^a

a. *Key Laboratory of Clean Dyeing and Finishing Technology of Zhejiang Province, Shaoxing*

University, Shaoxing 312000, P R China

b. *College of Chemistry and Chemical Engineering, Donghua University, Shanghai 201620, P R*

China

c. *College of Textile and Garment, Nantong University, Nantong 226019, P R China*

d. *Engineering Research Center for Eco-Dyeing and Finishing of Textiles Ministry of Education,*

Zhejiang Sci-Tech University, Hangzhou 310018, P R China

* Corresponding author. E-mail address: xiyusong@usx.edu.cn (Xiyu Song)




Fig. S1. Simulated absorption spectrum at PBE0/TZVP level in different solvents for D1-D4




Fig. S2. ¹H-NMR spectrum of D1




Fig. S3. ¹H-NMR spectrum of D2




Fig. S4. ¹H-NMR spectrum of D3




Fig. S5. ¹H-NMR spectrum of D4




Fig. S6. FTIR spectrum of D1




Fig. S7. FTIR spectrum of D2




Fig. S8. FTIR spectrum of D3




Fig. S9. FTIR spectrum of D4




Fig. S10. MS spectrum of D1




Fig. S11. MS spectrum of D2




Fig. S12. MS spectrum of D3




Fig. S13. MS spectrum of D4




Fig. S14. ¹³C-NMR spectrum of D1




Fig. S15. ¹³C-NMR spectrum of D2




Fig. S16. ¹³C-NMR spectrum of D3




Fig. S17. ¹³C-NMR spectrum of D4