

Sup. Table. 1: Serum bilirubin levels in apparently healthy persons and jaundice patients, as measured by bilirubin biosensor based on BOx/GONP@PANI/ITO electrode

sex	Age	Healthy person	sex	Age	Healthy person
M	29	10±0.03	F	36	22±0.01
M	26	12±0.05	F	55	21±0.03
F	55	13±0.02	M	64	31±0.04
M	79	13±0.04	F	39	24±0.01
F	44	09±0.02	M	53	25±0.04
F	52	11±0.02	M	50	31±0.02
M	47	14±0.03	M	61	29±0.04
F	36	15±0.03	F	40	38±0.03
F	19	07±0.05	F	45	40±0.01
M	25	06±0.05	F	39	38±0.05
F	16	0.3±0.01	M	42	38±0.01
F	62	12±0.03	M	50	42±0.03
M	53	05±0.02	F	47	38±0.02
M	47	08±0.02	M	41	39±0.03
F	55	13±0.03	M	34	43±0.02
M	21	0.3±0.02	M	33	48±0.02
M	24	09±0.01	F	46	45±0.01
F	52	08±0.05	M	46	58±0.04
M	60	06±0.02	F	40	57±0.03
F	22	12±0.01	F	27	53±0.01
M	55	06±0.03	F	33	55±0.03
M	54	08±0.03	M	45	58±0.05
F	56	05±0.05	F	43	54±0.06
F	19	0.3±0.02	F	19	51±0.01
M	21	02±0.01	M	45	61±0.03
M	27	01±0.03	F	35	60±0.02