

Supporting Information

All-in-One HN@Cu-MOF nanoparticle with Enhanced Reactive Oxygen Species Generation and GSH Depletion for Effective Tumor Treatment

Shuhui Chen^{1, #}, Yu Yan^{1, #}, Yixuan Chen¹, Kaili Wang¹, Yawen Zhang¹, Xinlong Wang¹, Xurui Li¹, Jian Wen^{2, *}, Yue Yuan^{1, *}

1. School of Pharmacy, Shenyang Key Laboratory of Functional Drug Carrier Materials, Shenyang Pharmaceutical University, 103 Wenhua Road, Shenyang, 110016, P. R. China

2. Department of Breast Surgery, The Fourth Affiliated Hospital of China Medical University, No.4 Chongshan East Road, Shenyang, Liaoning, 110032, P. R. China

*Corresponding author:

Yue Yuan, PhD

E-mail: hiyueyuan@163.com

Tel: +86-24-43520585

Jian Wen, PhD

E-mail: wenjian@cmu.edu.cn

Tel: +86-24-62043436

Shuhui Chen and Yu Yan contribute equally to this work.



Fig. S1. HN@Cu-MOF dispersed in water under (left) ambient light and (right) UV irradiation ($\lambda = 365$ nm).




Fig. S2. The particle size of HN@Cu-MOF in PBS. (pH = 7.4)




Fig. S3. Standard curve of Griess assay for NO detection.




Fig. S4. The body weight variations of 4T1 bearing mice after treatment.