

Supporting Information:
Effect of architectural asymmetry of hyperbranched
block copolymers on their phase boundaries

Jiahao Shi, Qingshu Dong,* and Weihua Li*

State Key Laboratory of Molecular Engineering of Polymers, Research Center of AI for
Polymer Science, Key Laboratory of Computational Physical Sciences, Department of
Macromolecular Science, Fudan University, Shanghai 200433, China

E-mail: qsdong@fudan.edu.cn; weihuali@fudan.edu.cn

The phase diagram of AB_4 is shown in Figure 3(a), and the parameters set up for specific structures in Figure 2 are as follows:




Figure S1: Isosurface plots of the FCC phases from AB_4 with $\chi N = 40, f = 0.180$.




Figure S2: Isosurface plots of the BCC phases from AB_4 with $\chi N = 40, f = 0.185$.




Figure S3: Isosurface plots of the σ phases from AB_4 with $\chi N = 40, f = 0.240$.




Figure S4: Isosurface plots of the A15 phases from AB_4 with $\chi N = 40, f = 0.320$.




Figure S5: Isosurface plots of the C_6 phases from AB_4 with $\chi N = 40, f = 0.400$.



Figure S6: Isosurface plots of the O^{70} phases from AB_4 with $\chi N = 15, f = 0.540$.




Figure S7: Isosurface plots of the G phases from AB_4 with $\chi N = 40, f = 0.520$.




Figure S8: Isosurface plots of the L phases from AB_4 with $\chi N = 15, f = 0.560$.