

## Supporting Information


### **A synergetic effect of light and anion: Near-infrared colorimetric monitoring of nitric oxide (NO) release from fluoride/cyanide anions and water responsive ruthenium nitrosyl complex**

Nancy Sharma<sup>a</sup>, Nitin<sup>a</sup>, Srushti Gadiyaram<sup>a</sup>, Amrita Ghosh<sup>a</sup> and D. Amilan Jose<sup>a\*</sup>


<sup>a</sup>Department of Chemistry, National Institute of Technology (NIT) Kurukshetra, Kurukshetra  
-136119, Haryana, INDIA  
Email: [amilanjosenit@nitkkr.ac.in](mailto:amilanjosenit@nitkkr.ac.in)

#### Table of Contents


S.No.	Contents	Page No.
1.	HR-MS spectrum of <b>1.Ru-OH</b>	SI-2
2.	<sup>1</sup> H-NMR spectrum of <b>1.Ru-OH</b> in DMSO-d <sub>6</sub> .	SI-2
3.	FT-IR spectrum of <b>1.Ru-OH</b> .	SI-3
4.	<sup>31</sup> P-NMR spectrum of <b>1.Ru-OH</b>	SI-3




**Figure S1:** The HR-MS spectrum of **1.Ru-OH** (Inset: Theoretical mass isotopic pattern)



**Figure S2:** The  $^1H$ -NMR spectrum of **1.Ru-OH** in  $DMSO-d_6$ .



**Figure S3:** The FT-IR spectrum of **1.Ru-OH**.



**Figure S4:** The  $^{31}\text{P}$ -NMR spectrum of **1.Ru-OH** in  $\text{DMSO-d}_6$ .