

Electronic Supplementary Information

Magnetic-responsive Pickering Emulsion Based on MFe₂O₄ (M=Mn, Fe, Co, Ni, Cu, Zn) for Green and Efficient Oxidation of Benzyl Alcohol

*Yan Wang^a, Xuan Wang^a, Yonghao Dong^a Mingli Peng^a *, Lina Guo^a, Mengyao Cui^a, Yuan He^a, Jiabao Yi^b, Huijun Ma^a, Huan Zhang^{a,c}, Haiming Fan^a*

a: Key Laboratory of Synthetic and Natural Functional Molecule Chemistry of the Ministry of Education, College of Chemistry and Materials Science & The College of Life Sciences, Northwest University, Xi'an, Shaanxi 710127, People's Republic of China

b: Global Innovative Centre for Advanced Nanomaterials, School of Engineering, The University of Newcastle, Newcastle, NSW 2308, Australia

c: Department of Radiology, Zhuhai People's Hospital (Zhuhai Clinical Medical College of Jinan University), Zhuhai, Guangdong 519000, China

Electronic Supplementary Information




Fig. S1 Characterization of MnFe₂O₄ nanoparticles: HRTEM (a), EDS elemental mapping (b) and XPS (c).




Fig. S2 SEM images of (a) Fe₃O₄, (b) CoFe₂O₄, (c) NiFe₂O₄, (d) CuFe₂O₄ and (e) ZnFe₂O₄.




Fig. S3 XRD of (a) Fe_3O_4 , (b) CoFe_2O_4 , (c) NiFe_2O_4 , (d) CuFe_2O_4 , and (e) ZnFe_2O_4 .




Fig. S4 XPS of (a) Fe_3O_4 , (b) CoFe_2O_4 , (c) NiFe_2O_4 , (d) CuFe_2O_4 and (e) ZnFe_2O_4 .




Fig. S5 Water contacts angle (a) and oil contact angle (b) on ferrites nanoparticles slice.




Fig. S6 Microscope images of Pickering Emulsion stabilized by different ferrites. (Scale bar =10 μm)




Fig. S7 Emulsion microscope images with five cycles. (Scale bar =10 μm)




Fig. S8 Characterization of final recycled MnFe₂O₄ nanoparticles: CA (a), SEM images (b), XPS (c), and XRD (d).