

Synthesis of [D-Ala]-Nocardiotide A and Its Anticancer Evaluation

Rani Maharani,^{a,b,c,*} Muhamad Imam Muhajir,^a Jelang Muhammad Dirgantara,^{a,d} Ari Hardianto,^a Tri Mayanti,^{a,c}
Desi Harneti,^{a,c} Nurlelasari,^{a,c} Kindi Farabi,^{a,b,c} Ace Tatang Hidayat,^{a,b,c} Unang Supratman,^{a,b,c} Teruna Siahaan^{e,*}

¹Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Padjadjaran, Jalan Raya Bandung-Sumedang KM 21 Jatinangor 45363, West Java, Indonesia.

²Central Laboratory, Universitas Padjadjaran, Jalan Raya Bandung-Sumedang KM 21 Jatinangor 45363, West Java, Indonesia.

³Centre of Natural Products and Synthesis Studies, Faculty of Mathematics and Natural Sciences, Universitas Padjadjaran, Jalan Raya Bandung-Sumedang KM 21 Jatinangor 45363, West Java, Indonesia.

⁴Department of Chemistry, Graduate School of Science, Osaka University, Toyonaka, Osaka, 560-0043, Japan.

⁵Department of Pharmaceutical Chemistry, School of Pharmacy, The University of Kansas, 2095 Constant Avenue, Lawrence, Kansas 66047, USA.

*Co-corresponding authors: r.maharani@unpad.ac.id; siahaan@ku.edu.




Figure S1. ¹H-NMR spectrum of Nocardiotide A.




Figure S2. ¹³C-NMR spectrum of Nocardiotide A.




Figure S3. TOF-ESIMS spectrum of [D-Ala]-Nocardiotide




Figure S4. TOF-ESIMS spectrum of Nocardiotide A




Figure S5. ^1H -NMR spectrum of linear [D-Ala]-nocardiotide A.




Figure S6. ^{13}C -NMR spectrum of linear [D-Ala]-nocardiotide A.